

ජාතික ජල සම්පාදන හා ජලාපවහන මණ්ඩලය  
 தேசிய நீர் வழங்கல் வடிகாலமைப்புச் சபை  
 National Water Supply & Drainage Board



කතෘපති } Tel : 2634488  
 தலைவர் } Fax : 2611234  
 Chairman }

උප කතෘපති } Tel : 2635883  
 உப தலைவர் } Fax : 2610034  
 Vice Chairman }

මුහුණත කාර්යාලය } 2638246, 2638256  
 தலைமை அலுவலகம் } 2638259, 2638260  
 Head Office } Tel: 2621621

තැ.පො. } 14,  
 த.பெ.இல. } கல்கிசை  
 P.O. Box } Mt. Lavinia

සාමාන්‍ය කාර්යාල  
 பொது முகாமையாளர் } Tel/Fax  
 General Manager } 2636449

සාමාන්‍ය අධ්‍යක්ෂ  
 தொழிற்பாட்டுப் பணிப்பாளர் } Tel : 2636901  
 Working Director } Fax : 2611590

Hunting No : 2638999  
 Fax : 2636449  
 E-mail : nwsdbch@sltnet.lk

ගාලු පාර -  
 காலி வீதி } இரத்தமலானை  
 Galle Road } Ratmalana,  
 Sri Lanka.

මගේ අංකය } AGM(Doc)/DI PQ/C 04  
 எனது இல }  
 My No. }

ඔබේ අංකය }  
 உமது இல }  
 Your No. }

දිනය } 01.08.2022  
 திகதி } .....  
 Date }

M/s. Suns Casting Company Limited,  
 Huangnilong Nonferrous Metal Industrial Park,  
 Dingqiao Town, Qingyang County, Chizhou, Anhui,  
 P R China.

Dear Sir/Madam,

**Pre-Qualification of Manufacturers for Supply of DI Pipes & Fittings**

**Subject : Requesting of Clarification/ Missing Documents for Annual Auditing**

This is further to letter No. AGM(Doc)/DI PQ/C 04 dated 14.03.2022 regarding the above.

NWS&DB has reviewed your documents and inform that requested documents marked in Column "Remarks" under Annex 01/Annex 02/Annex 03 are to be clarified/submitted.

Therefore, please make necessary arrangements to submit the requested details in Column "Remarks" under Annex 01/Annex 02/Annex 03 on or before 14.08.2022, to proceed the processing of your application.

Your prompt action to submit/clarify the requested documents will help to expedite the evaluation process.

Yours faithfully,

**National Water Supply & Drainage Board**

**Assistant General Manager  
 (Planning & Designs - Documentation)**

CC : M/s. Sierra System Engineering (Private) Limited,  
 No. 22, Byrde Place, Colombo 06

- for necessary action please