

R.I. BO C.F. e P.IVA (103007691201 Cap. Soc. € 100.000,00 i.v.

REF. NO. PQ/DI Valves/Ver 1

Revised on 05-09-2022

### GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

MINISTRY OF MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

NATIONAL WATER SUPPLY AND DRAINAGE BOARD

PRE-QUALIFICATION OF MANUFACTURERS

**FOR** 

SUPPLY OF DI VALVES

DOCUMENT NO. PQ/DI VALVES/NWSDB/2011/01

Revised on 05-09-2022

NATIONAL WATER SUPPLY AND DRAINAGE BOARD
GALLE ROAD, RATMALANA,
SRI LANKA.

**SEPTEMBER 2011** 

### DOCUMENT ISSUANCE CERTIFICATE (To be filled at the time of issue by the authorized officer to issue)

1.	Standard Specimen Document Number :			
2.	Pre-Q	Pre-Qualification Document Number : PQ/DI Valves/Ver 1		
3.	a)	Issued to: ValvelT 3vl a socle unico		
	b)	Issued to: ValvelT 3vl a soclo unico (Global Drive Industrial Solutions (AVI)) H Address: Via Caduti Reggio Emilla 27 H0033 Casalecchio di Reno (Bologna (17aly		
	c)	Telephone Number :		
	d)	Facsimile Number:		
4.	a)	Tender Fee: Rs 25,000 = + wat Received in Cash/Bank Draft		
	b)	Receipt/Bank Draft Number 606 RCC 66 82 4195		
5.	Numbe	er of Copies issued :		
6.	Numbe	er of cancelled copies issued :		
7.	Cancel	lled copy fee Rs Received/Not received (In cash/Bank Draft)		
8. 9.	Accred a)	lited Agent's Business Registration No:		
	b)	Designation:		
	c)	AGM (Tenders & Contracts) National Water Supply & Drainage Board Ratmalana.		
10.	Place o	of Issue: Tec Branch		
11.	Seal:			
12.	Date:	2022 11 30 Time: 9.30 9:m		

Val Vell SRI, con S.U.

Via Caduti di Reggio fimilia, 27

40033 Casaloschio di Reno (Bologna)

Tel. +31.051,9912714

Email into@ alvencom

R.I. BO C.F. e P.IVA i 103007691201

Cap. Soc. € 100.000,00 l.v.

ValveT sRL con S.U.

Via Caduxi d Reggio Emilia, 27

40033 Casa eschio di Rengi Bologna)

Tei. 439.091.9912.114

Empili of Ovalvet. com

R.I. BO C.F. e P.IVA IT03007691201

Cap. Soc. € 100.000,00 I.V.

### SECTION I LETTER OF INVITATION



### Tel. (32 051/912714 Email info ValvenPRE — QUALIFICATION OF MANUFACTURERS FOR R.I. BO C.F. e P.IVA 1703007691201 Cap. Soc. € 100.000,001.v. SUPPLY OF DI VALVES

### PRE-QUALIFICATION DOCUMENT NO. PQ/DI VALVES/NWSDB/2011/01 TABLE OF CONTENTS

### **SECTION PAGE NUMBER** From To 1. Letter of Invitation 1 - 11-6 2. Check List of Submissions 2 - 1 3. Instructions to Applicants 3 - 13 - 7Introduction 3 - 1 Submission of Application for Pre-qualification 3 - 1Pre-qualification Questionnaire 3 - 4Criteria for Evaluation of Pre -qualifications 3 - 5**Bidding Requirements** 3 - 63-7 4. Letter of Application - Form 1 4-3 5. Pre-qualification Questionnaire Forms: Form II General Information 5 - 1 5 - 3Form III (a) Experience Record (Overseas Supply) (Valves of diameter 300 mm and above) 5 - 4(Valves of diameter below 300 mm) 5 - 5 Form III (b) (Manufacturer's Country) (Valves of diameter 300 mm and above) 5 - 6(Valves of diameter below 300 mm) 5 - 7 Form IV (a) - Details of Current Contracts (Overseas) (Valves of diameter 300 mm and above) 5 - 8(Valves of diameter below 300 mm) 5 - 9 Form IV (b)-Details of Current Contracts (Manufacturer's Country) (Valves of diameter 300 mm and above) 5 - 10(Valves of diameter below 300 mm) 5 - 11 Form V - Technical Details of Ductile Iron Valves 5 - 145 - 12Form VI (a) -Quality Management System Certification 5 - 15Form VI (b) -Product Conformity Certificate 5 - 16Form VII -Financial Capacity of Applicant 5 - 17Form VIII -Details of Manufacturing Plant 5 - 18Form IX - Details of Local Accredited Agent 5 - 19Form X - Manufacturer's Warranty for the goods supplied under the contract 5 - 20Form XI - Manufacturer's Technical support to the Local Agent 5 - 21Form XII - Power of Attorney 5 - 24**Specifications** 6. 6 - 25



### MINISTRY OF WATER SUPPLY

### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

### PRE-QUALIFICATION OF MANUFACTURERS FOR SUPPLY OF DI VALVES

### PRE-QUALIFICATION DOCUMENT NO. PQ/DI VALVES/NWSDB/2011/01

### LETTER OF INVITATION

1. The National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka intends to Pre-qualify manufacturers for the Supply of DI Valves in order to maintain a list of pre-qualified manufacturers. The intention of the NWSDB is to obtain DI Valves from manufacturer's whose products conform to relevant standards.

Pre-qualification will be opened to manufacturers who can demonstrate their experience, technical capability and financial capacity to the prescribed qualifications.

Once the pre-qualified list is finalized, the National Water Supply and Drainage Board will invite bids for the procurement of DI Valves as appropriate from this pre-qualified list of manufacturers for proceeding 2 years.

2. Pre-qualification of manufacturers shall be carried out for the following categories.

Category (A):

Valves of 300mm dia & above

Category (B):

Valves below 300 mm dia

Category (A)

a). Sluice valve

- i) Manual operated valve
- ii) Motorized valve
- iii) Pneumatic valve
- b). Butterfly valve i) Manual operated valve
  - ii) Motorized valve
  - iii) Pneumatic valve
- c). Non return valves
- d). Pressure reducing valve
- e). Pressure release valve

VCIVE T RL con S.U.

Via Caduri di Reggio Enilia, 27

40033 Casalezchio Reggio (Bologna)

Tell 39.03.1.991 714

Ema lint @valveit.com

R.I. BO C.F. e P. IVA ITO3007691201

Cap. Soc. € 100.000,001.v.

Category (B)

- a). Sluice valve
- b). Butterfly valve
- c). (i). Single orifice air valve
  - (ii) Single large orifice air valve
  - (iii) Double orifice air valve
- d) Non return valve
- e) Pressure reducing valve
- f) Pressure release valve
- 3. Manufacturer/s shall have the following requirements and shall submit the documentary proof as indicated herein;
  - 3.1 Valid ISO 9001: 2015, Quality Management System Certificate from an accredited agency which is a member of an International Accreditation Forum (IAF). The certificate should indicate its applicability for each type of valve. The factory locations shall be indicated in the certificate. The certificate shall be for the particular factory of products they manufacture on above categories.
  - 3.2 All valves manufacturing factories shall be pre-qualified separately.
  - 3.3 Production Capability to manufacture DI valves to the standards referred to below standards shall be established.
  - 3.4 Product conformity certificates issued by an accredited agency which is a member of an International Accreditation Forum (IAF) shall be provided.
     BSEN 1171:2015 for Gate valves, BS 5163-2:2004 for isolating valves and associated water control Apparatus. BSEN 593:2017 for Butterfly valves.
  - 3.5 Manufacturers shall submit two sets of detailed original catalogues/Technical literature of their valves together with a soft copy.
  - 3.6 The applicable standards for DI valves are,

BSEN 1074:1 – 2000 -	Valves for water supply. Fitness for purpose requirements and appropriate verification tests.
BSEN 1074:2 – 2000 -	Valves for water supply. Fitness for purpose requirements and appropriate verification tests.
EN 1074-5:2001 -	Valves for water supply - Fitness for purpose requirements and appropriate verification tests - Part 5: Control valves
BS 5163:1 – 2004 -	Valves for waterworks purposes. Predominantly Key-operated cast iron valves.
BS EN 1563:2018 -	Founding. Spheroidal graphite cast irons
BSEN 1171:2015 -	Industrial valves. Cast iron Gate valves



Cap. Soc. € 100.000,001.v.

BS 5163-2:2004

Valves for waterworks purposes. Stem caps for use on isolating valves and associated water control Apparatus.

BSEN 593:2017

Industrial valves. Metallic butterfly valves.

EN 1074-3:2000

Valves for water supply - Fitness for purpose requirements and appropriate verification tests -Part 3: Check valves

BS EN 10095:1999

Heat resisting steels and nickel alloys

BSEN 10250-4:2000 -

Open steel die forgings for general engineering

Purposes. Stainless steel

PD 970:2005

Wrought steels for mechanical and allied engineering purposes. Requirements for carbon, carbon manganese and alloy jot worked or cold

finished steels

BSEN 10087:1999

Free cutting steels. Technical delivery conditions For semi-finished products, hot rolled bars and rods

BSEN 10083-1:2006 -

Steels for quenching and tempering. General

technical delivery conditions

BSEN 10084:2008

Case hardening steels. Technical delivery

conditions

BSEN 16767:2016

Industrial valves. Steel and cast iron check valves

BSEN 1074-4:2000

Valves for water supply. Fitness for purpose requirements and appropriate verification tests. Air

valve

BSEN 681-1: 1996 -

Elastomeric seals – material requirement for pipe joint seals used in water and drainage application.

(Vulcanized rubber)

ISO 4633:2015

Rubber seals -Joint rings for water supply, drainage and sewerage pipelines -Specification for materials

BS 14399: Part 1:2005 -

Specification for high strength structural bolting assemblies for pre-loading. General requirements.

BS 14399:Part 2:2005 -

Specification for high strength structural bolting assemblies for pre-loading. Suitability test for pre-

loading.

BSEN 12516-4:2014

Industrial valves. Shell design strength. Calculation method for valve shells manufactured in metallic

materials other than steel

ValvelT sRL con S.U.

Via Cadut! di Renio chilla, 27

40033 Casalechia di Reno (Bologna)

Tel. 129.031 9919714

Emai info@alyericom

R.I. BO C.F. 2 VA (T03007691201

Cap. Soc. € 100.000,00 i.v.

3.6 Expe

- 3.6 Experience in the Manufacture of DI valves conforming to above standards over a period of 5 years.
- 3.7 The manufacturing facilities shall have the following minimum production capacities.

Category	Valve type	Diameter range	Manufacturing capacity (nos per year)
Α	Sluice valve –manual operated	300 mm & above	4000
300mm dia	Sluice valve –Mortorized	300 mm & above	1000
& above	Sluice valve –Pneumatic	300 mm & above	500
	Butterfly valve -manual operated	300 mm & above	600
	Butterfly valve -Mortorized	300 mm & above	300
	Butterfly valve –Pneumatic	300 mm & above	100
	Non return valve	300 mm & above	100
	Pressure reducing valve	300 mm & above	100
	Pressure release valve	300 mm & above	100
В	Sluice valve	below 300 mm	1000
below	Butterfly valve	below 300 mm	5000
300 mm dia	Single orifice air valve	below 300 mm	3000
	Single large orifice air valve	below 300 mm	1000
	Double orifice air valve	below 300 mm	3000
	Non return valve	below 300 mm	100
8	Pressure reducing valve	below 300 mm	100
	Pressure release valve	below 300 mm	100

3.8 Minimum quantities of overseas supplies over the last 5 years shall be as follows;

Category	Valve type	Diameter range	Overseas supply capacity (nos per year)
A	Sluice valve –manual operated	300 mm & above	4000
300mm dia	Sluice valve –Mortorized	300 mm & above	1000
& above	Sluice valve –Pneumatic	300 mm & above	1250
	Butterfly valve -manual operated	300 mm & above	750
	Butterfly valve –Mortorized	300 mm & above	250
201	Butterfly valve -Pneumatic	300 mm & above	250
	Non return valve	300 mm & above	500
	Pressure reducing valve	300 mm & above	500
	Pressure release valve	300 mm & above	500
В	Sluice valve	below 300 mm	12500
Below	Butterfly valve	below 300 mm	6250
300 mm dia	Single orifice air valve	below 300 mm	3750
	Single large orifice air valve	below 300 mm	3000

SRL CON L. U. Reggio Emilia, 27 lo (Reno (Bologna) 39 08 19922714 Email info@valveit.com

R.I. BO C.F. &

Cap. Soc

1,00 l.v	Double orifice air valve	below 300 mm	3750
	Non return valve	below 300 mm	500
	Pressure reducing valve	below 300 mm	500
	Pressure release valve	below 300 mm	500

### 4. Financial Capability

Financial details of the Manufacturer/s along with relevant letters/submissions as referred to in para 4.1.3 of the Instruction to Applicants have to be submitted along with the application.

### 5. Collection and Submission of Document

5.1 Interested manufacturers may obtain further information and inspect the prequalification document free of charge at the office of the Assistant General Manager (Tenders & Contracts) at the following address.

Office Address

Tenders and Contracts Branch

National Water Supply and Drainage Board

Galle Road, Ratmalana

Sri Lanka.

Telephone No.

94-011-2635885

Fax Number

94 - 011 - 2635885

- 5.2 Applicants may purchase the complete set of pre-qualification document until 15.00 hours on ...... on submission of a written application on a Business letter head to the above address and upon payment of a non - refundable fee of Sri Lanka Rupees Twenty Five Thousand (LKR 25,000/=) applicable VAT or USD 250.
- 5.3 Requests submitted by mail shall include a certified bank draft to the amount indicated above in favour of the General Manager, National Water Supply and Drainage Board, Ratmalana, Sri Lanka.
- 5.4 Pre-application meeting will be held at the Conference room of National Water and all prospective applicants or their authorized representative are invited to attend the meeting.
- 5.5 Pre-qualification documents in duplicate shall be duly completed and addressed to Chairman Department Procurement Committee and returned in sealed envelopes by registered post or hand delivered to the address given below to reach not later than 9.30 hours on .....

Assistant General Manager (Tenders & Contracts) National Water Supply & Drainage Board. Galle Road, Ratmalana, Sri Lanka.



Documents will be opened immediately thereafter.

### 6. Sealing and Marking of Applications

- 6.1 The applicant shall seal the original and the copy of each independent application in separate envelopes (hereinafter called as inner envelopes) by duly marking the envelopes as "ORIGINAL" and "COPY", as appropriate, and then contain them in an outer envelope and seal.
- 6.2 The inner and outer envelopes shall
  - (a). Be addressed as given in clause 5.5 above.
  - (b). Bear the name and identification number of the application and
  - (c). Provide a warning "not to open before the specified time and date of the deadline for submission of application".
- 6.3 In addition to the identification required in sub clause 6.2 hereof, the outer envelope shall indicate the name and address of the applicant to enable the application to be returned unopened in case it is declared late.
- 6.4 If the outer envelope is not sealed and marked as instructed above, the Procurement Committee will assume no responsibility for the misplacement or premature opening of the application submitted.
- 7. Applicants will be advised by the Employer in writing by fax or e-mail within 90 days of the date for submission of applications, of the result of their application, and of the names of the pre-qualified applicants.

Chairman National Water Supply & Drainage Board. ValvelT SRL con S.U.

Via Cadati di Regglio Emilia, 27

40033 Casa accoli bi di Reno (Bologna)

Ilv. +35/01/3912714

Email In & Calvelt.com

R.I. BO Che P. IVA 170300/691201

Cap. Soc. € 100 000 000 000

### SECTION 2 CHECKLIST OF SUBMISSIONS



### **CHECKLIST OF SUBMISSIONS**

• Note: Please mark 'Y" in the cages under the 'Remarks' column if submissions are made. 'N' or 'N/A' should be marked for cases of 'No submissions and 'Not applicable' respectively.

			eference ns to Applicants	Remarks
a)	Documentary evidence to establish eligibility of applicants.	Page No.	Clause No. 1.2	Y
b)	Certified copy of business registration/Power of Attorney/Certificate of Incorporation/Article of Association	Page No. 3 – 1	Clause No. 2- 1	γ
c)	Documentary evidence to establish qualifications for the performance of the Contract	Page No.	Clause No. 2.2	Y
d)	Documentary evidence to establish that goods offered are from an eligible source and origin	Page No. 3-3	Clause No. 2.2	Ÿ
e)	The bidder's technical and production capability necessary to perform the Contract.	Page No. 3 – 4, 3-6	Clause No. 2.2, 4.1	Y 2
f)	Duly completed all sections of Document	Page No. 3-6	Clause No. 3.2	ý =
g)	Product Conformity Certificates and Quality Assurance Certificates for items offered.	Page No. 5 –8, 5 – 11	Clause No Form V 1.3 Form VI	Y
h)	In the case of a bidder offering to supply Goods under the Contract which the bidder does not manufacture or otherwise produce, authorization by the manufacturer or producer of Goods as his accredited agent.	Page No. 3–2	Clause No. 2.1.4	N/A
i)	Proof of Authorization	Page No. 3-3	Clause No. 2.2.5	Y
<b>(</b> )	Details of Form I to X requested under clause 4	Page No. 3-5, 3 -6	Clause No. 4.1.1, 4.1.2, 4.1.3	Y
	Any other document as given below:			

ValvelT SRL con S.U.

Via Caduti di Rengio Emilia, 27

40033 Casa rechio di Reno (Bologna)

Tri +33.05 .5512714

Evall in Edvelveit com

R.I. BO C.F. e € IVA 103.07591201

Cap. Soc. € 100.630,00 i.v.

### SECTION 3 INSTRUCTIONS TO APPLICANTS



### INSTRUCTIONS TO APPLICANTS

### 1. INTRODUCTION

1.1 The National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka intends to Pre-qualify manufacturers for the Supply of DI valves.

The National Water Supply and Drainage Board shall invite bids for the procurement of DI valves from the pre-qualified list of manufacturers for proceeding 2 years.

1.2 Pre-qualification will be opened to manufacturers who can demonstrate their experience, technical capability and financial capacity to the prescribed qualifications.

### 1.3 Definitions

For the purposes of this pre-qualification the following definitions apply;

### (i) Ductile Iron

Cast Iron used for valves in which graphite is present substantially in spheroidal form.

### (ii) NWSDB

NWSDB or Board or Purchaser or the Employer means the National Water Supply and Drainage Board, Sri Lanka.

### (iii) Others

Other definitions are as specified in the standards referred in this document.

### 2. SUBMISSION OF APPLICATIONS FOR PRE-QUALIFICATION

### 2.1 Conditions of Pre-qualification:

Applicants shall submit a Letter of Application in the same name as given in Form I, on their letter head and it shall comply with the relevant requirements as listed below:

### 2.1.1. Sole Proprietary Firms:

Applications made by such firms shall be signed by the proprietor above his full typewritten name and the full name of his firm with its current address, and a certified copy of the business registration certified by the Ambassador or High Commissioner or other diplomatic representative of Sri Lanka in the manufacturer's country should be forwarded.

VOIVOI SRL con S.U.

Via Caduti di Reggio Emilia, 27

40033 Casalecchio di Reno (Bologna)

fel + 1012-9912714

Envall di Volvelt.com

R.I. BOCT. et 101763007691201

Cap. Soc. et 100.000,001.v.

**Partnerships** 

Applications made by firms in partnership shall be signed by all the partners of the firm above their full typewritten names and current addresses or alternatively, by a partner(s) holding a power of attorney on behalf of the firm, duly executed before and authenticated by a notary public, a person duly authorized by law in that behalf, or any court Judge, Magistrate, and shall be certified by an Ambassador or High Commissioner or other diplomatic representative of Sri Lanka or shall be signed by a person (s) empowered to do so, by a legally valid and binding resolution, passed by the partners of the firm, in which case the Power of Attorney or the resolution certified by the any court Judge, Magistrate, certified by an Ambassador or High Commissioner or other diplomatic representative of Sri Lanka in the manufacturer's country should be submitted with the application. A certified copy of the partnership deed and current address of all partners of the firm and copy of business registration certified by an Ambassador or High Commissioner or other diplomatic representative of Sri Lanka in the manufacturer's country should also be submitted with the application.

### 2.1.3 Incorporated Companies or Corporations:

Applications made by Incorporated Companies or Corporations shall be signed by a person (s) holding a power of attorney on behalf of the company, duly executed before and authenticated by, a notary public, a person duly authorized by law in that behalf, or any court, Judge, Magistrate, and shall be certified by an Ambassador or High Commissioner or other diplomatic representative of Sri Lanka, or shall be signed by a person(s) empowered to do so, by a legally valid and binding resolution, passed by its Board of Directors, the Power of Attorney or the resolution should be submitted with the application. A company shall also submit a certified copy of its certificate of Incorporation and Memorandum of Articles of Association certified by an Ambassador or High Commissioner or other diplomatic representative of Sri Lanka in the manufacturer's country. Statutory Corporations shall also submit particulars of the relevant legislative provision under which it is duly authorized to participate.

- 2.1.4 Manufacturer shall submit their updated Accredited Agency Agreement and Business Registration/Certificate of incorporation.
- 2.1.5 Applicants may submit documentation for different items as relevant. However, Valves shall be from the same manufacturer or from several manufactures with required conditions as defined in Letter of invitation section 3(ii). Those companies shall have ISO 9001:2015 Quality Management System Certificates.
- 2.1.6 The NWSDB may appoint a team of inspectors, if required to inspect and verify the manufacturers' capability to manufacture valves to prescribed

VCIVEIT SR. con S.U.

Via Caduti di Reggio smilla, 27

40033 Casalettrio di Ryno (Bologna)

Tel. 137.061.3912714

Email infodovaveit.com

R.I. BO C.2. & P.IVA I 103007691201

Cap. Soc. € 100.000,00 I.v.

standards, the possession of ISO 9001:2015 Quality Management System Certification and product conformity certificates as listed in clause 3 (iii) of the letter of Invitation, production capacities of the facility etc. Applicants shall arrange for such inspection for 2 NWSDB Engineers and provide all facilities to obtain and verify the details requested in this document. Manufacturer shall bear all cost of this inspection including air fare, food & lodging, transport, per diem to Incidental allowance and subsistence, not less than 100 Euro (One Hundred Euro) per day prior to Departure to suit for Senior Managerial officers level.

### 2.2 Pre-qualification Information

- 2.2.1 All information requested for pre-qualification shall be provided in the English language. Information in any other language shall be accompanied by its duly certified translation in English. This translation will govern and be used for interpreting the information.
- 2.2.2 Applicants should fill in the details asked for in accordance with prequalification document Forms I to X together with relevant certificates and catalogues to support the application. The Applicants may also submit any additional information which, in their opinion is relevant, to support their application for pre-qualification. All the blanks in the pre-qualification document forms shall be duly filled in and the forms signed.
- 2.2.3 The completed forms and any attachments related to each form shall be bound in a file with section dividers between each form. The files prepared in duplicate shall be submitted with the invitation of pre-qualification together with all other information furnished by the Applicant. The forms, attachments and other information must be presented to fully demonstrate the Applicant's qualifications.
- 2.2.4 The applications shall not contain alterations or overwriting except, to correct errors made by the Applicant, in which case such corrections shall be initialed by the applicant.
- 2.2.5 All Forms shall be duly signed by the Applicant or a person or persons duly authorized to sign on behalf of the Applicant. Such authorization shall be indicated by a power of attorney accompanying the application.
- 2.2.6 Failure to provide information which are essential to evaluate the Applicant's qualification and/or failure to provide timely clarification or substantiation of the information submitted may result in disqualification of the Applicant Revised on 14-09-2018
- 2.2.7 All documents submitted by the applicants shall be treated as confidential and will not be returned.
- 2.2.8 Submission of false or forged document if found prior to prequalification shall cause for rejection of pre-qualification application and shall not be considered for pre-qualification for another two years period or if found after pre-



qualification shall cause for cancellation of pre-qualification and shall not be considered for another two years period.

- 2.2.9 In case of ISO 9001: 2015 Quality Management System Certificate and product conformity certificates as listed in clause 3 (iii) of letter of Invitation, they will be accepted only if they are issued by an accredited agency which is a Member International Federation of Accreditation having their scope for such accreditation.
- 2.2.10 The Photostat copies of certificates shall be clear and legible and of one sided copies to the original size and shall bear both the signature and the seal of the applicant. The applicant shall certify the copies referred to as follows.

opy of the certificate which has () (Name of the institution which issued the
Authorized Signature/date
Seal of the Company

### 2.3 Results of Application

- 2.3.1 The NWSDB will inform all Applicants of the result of their applications and of the names of the pre-qualified applicants.
- 2.3.2 The NWSDB reserves the right to reject or accept any application and to annul the pre-qualification process and reject all applications without thereby incurring any liability to the affected Applicants or any obligation to inform the Applicants of the grounds for the action of the NWSDB.

### 3. PRE-QUALIFICATION QUESTIONNAIRE

3.1. The pre-qualification questionnaire contains the following for Revised on 14-09-2018

I - Form of Letter of Application

II - General Information

III (a) - Experience Record (Overseas)

III (b) - Experience Record (Manufacturer's Country)

IV (a) - Details of current contracts (Overseas)

VCIVEIT SRI con S.U.

Via Cadyti di Reggio Enilia, 27

40033 Casale chi pdi Rayo (Bologna)

Tell 439.051.9942714

(Emai into@valve.com

R.I. BO C.F. e P.IVA IT03007691201

Cap. Soc. € 100.000,00 i.v.

IV (b) - Details of current contracts (Manufacturer's Country)

V - Technical details of DI Valves

VI(a) - Quality Management System Certification

VI(b) - Product Conformity Certificate

VII - Financial Capacity

VIII - Details of Local Accredited Agent

IX - Details of Manufacturing Plant

X - Manufacturer's Warranty for the goods supplied under the contract

If necessary, additional sheets may be added to the forms. Each such additional sheet should be clearly marked on the top right hand corner, eg. "Attachment 1 to Form II" etc.

3.2 The completed Application forms, together with any attachment and such additional relevant information as the Applicant wishes to include to demonstrate his prequalification, shall be bound in a file with section dividers between each form and its attachments. Two such files shall be submitted, clearly marked "ORIGINAL" and "DUPLICATE".

### 4. CRITERIA FOR EVALUATION OF PRE-QUALIFICATION

Pre-qualification will be based on the Applicant obtaining a pass in all the following criteria, evaluated based on the details furnished in Form I to X.

- i. Experience of Manufacturer
- ii. Technical capability of manufacturer
- iii. Financial capacity of manufacturer

### 4.1 Notes on Evaluation Criteria

### 4.1.1 Experience

Experience as a manufacturer in manufacture of DI Valves within the last five years. The information on purchasers, quantities supplied, with documentary evidence for satisfactory performance shall be provided. Form II, Form III (a), Form III (b), Form IV (a), Form IV (b), Form VIII shall be used to provide these details. Manufacturer/s shall submit the Annual Report for the current year.

### 4.1.2. Technical Capability

Prospective applicants should furnish technical information as indicated in clause 3 of Letter of Invitation and Forms V, Form VI, Form IX shall be used to provide these details.



Original literature catalogues, technical reports and test reports containing general description of the material shall be supplied with the application. Without which the application will not be considered.

### 4.1.3 Financial Capacity

The Manufacturer's financial capacity will be judged on the basis of his net worth, working capital and the value of current contracts for the average of last 3 years. The Applicant shall demonstrate that the manufacturer/s have access to, facility of lines of credit or other financial means to facilitate working capital in excess of USD 60,000. Line of credit shall be issued one month before the closing date of submission of application. Form VII shall be used to provide details.

### 5. BIDDING REQUIREMENTS

### 5.1 Invitation to Bid:

Only firms that have been pre-qualified under this procedure will be invited for Bidding. The applicable category shall be indicated in the tender document. There would be provision to adopt different categories for different bills in a bidding document depending on the pipe sizes of the respective bills.

### 5.2 Updating Pre-qualification Information :

Applicants will be required to submit the Technical, Production, Sales and financial information at the time of submitting their bids, and to confirm their continued compliance with the pre-qualification criteria and of the information provided. A tender shall be rejected if the Applicant's pre-qualification thresholds are no longer maintained at the time of awarding the contracts. Manufacturers are required to furnish all details requested in this application once in 2 years for verification. Pre-qualification shall be cancelled if applicants pre-qualification thresholds are no longer maintained at the time of auditing.

### 5.3 Warranty

- 5.3.1 The Manufacturer warrants that all the Goods are new, unused and of the most recent of current models and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract
- 5.3.2 The manufacturer further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials and workmanship under normal use in the conditions prevailing in the country of final destination.

- 5.3.3 The warranty shall remain valid for Thirty Six (36) months after the Goods or any portion thereof as the case may be, have been delivered to and accepted and commissioned at the final destination indicated in the Contract.
- 5.3.4 The NWSDB shall give notice to the Manufacturer stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The NWSDB shall afford all reasonable opportunity for the Manufacturer to inspect such defects.
- 5.3.5. Upon receipt of such notice, the Manufacturer shall expeditiously repair or replace the defective Goods or parts thereof, at no cost to the NWSDB.
- 5.3.6. If having been notified, the Manufacturer fails to remedy the defect the NWSDB may proceed to take within a reasonable period such remedial action as may be necessary, at the Manufacturer's risk and expense and without prejudice to any other rights which the NWSDB may have against the Manufacturer under the Contract.

I/We agree to abide by the above Conditions.

N

Signature of Applicant

Date: 10/02/2023

valvelT srL con S.U.

Via Caduti di Regglo Emilia, 27 40033 Casalecchio di Reno (Bologna) Tel. +39.051.9912714 Emall info@valveit.com R.I. BO C.F. e P.IVA IT03007691201 Cap. Soc. € 100.000,00 i.v.

### FORM 1

Page 3 of 3

- 5 The undersigned declare that the statements made and the information provided in the duly completed application are complete, true and correct in every detail.
- 6. I/We annex herewith the Power of Attorney given by the manufacturer.

Signed:

Name HASSIMILLOW CANGINI

Applicant VALVETT SPL

Date: 10/02/2023

valveIT SRL con S.U.

Via Caduti di Reggio Emilia, 27 40033 Casalecchio di Reno (Bologna) Tel. +39.051.9912714 Email info@valveit.com R.I. BO C.F. e P.IVA IT03007591201

Cap. Soc. € 100.000,05(1.1)

Witness

Signed: Motto Morenetto

Name: MATI) A MONING TO

Date: 10/02/2023

Witness

Signed: Microb Emi Name: RICCANDO LUPPI Date: 10/02/2023



### FORM I

Page 2 of 3

### General and Managerial Inquiries:

Contact person (1) : HASSIMILIANO CANGINI
Telephone No. 1000 (2000)

Telephone No. : +39 0519912714

Contact person (2) : Telephone No. : Fax : N/A

### Personnel Inquiries:

Contact person (1) : LARA SCHIAVINA
Telephone No. : +39 0519912714

Contact person (2) : Telephone No. : Fax : ル/ム

### **Technical Inquiries:**

Contact person (1) : MINESH REUBAN
Telephone No. : + 971 504862766

Contact person (2) : Telephone No. : -

Fax : 10/A

### Financial Inquiries:

Contact person (1) SABRINA SANTI Telephone No. : + 39 OS1 3912714

Contact person (2) : Telephone No. : N/A

Name and Address of Bank: INTESA SAN PAOLO SPA

PIDEBO COVOUR NO. 4, PO BOX 40124 - BOLOGNO 17ALY

Telephone No. : +39 051 6454111

Fax :  $\mathcal{N}/\Delta$  E – mail address :  $\stackrel{\bullet}{=}$ 

### Name & Address of Auditors:

Telephone No. Fax

E – mail address : \_



### FORM I

### LETTER OF APPLICATION

(Letter head of the applicant (Manufacturer) including full postal address, telephone and fax numbers and E - mail addresses). This form shall be signed by the Manufacturer.

	Date: 10/02/2023
То:	Chairman Department Procurement Committee, NWSDB, Galle Road, Ratmalana, Sri Lanka.  Sir,
	I/We

- 2. Attached to this letter please find copies of original documents defining all information given in Form I to XII herein.
  - the Applicant's legal states: (a).
  - (b) the principal place of business and
  - (c) the place of incorporation (for applicants who are corporations)
- 2. Your Institution and its authorized representatives are hereby authorized to conduct any inquires or investigations to verify the statements, documents and information submitted in connection with this application. This Letter of Application will also serve as authorization to any individual or authorized representative of any institution referred to in the supporting information, to provide such information deemed necessary and requested by yourselves to verify statements and information provided in this application, or with regard to resources, experience and competence of the Applicant.
- Authorized representatives of your Institution may contact the following persons for further 4. information. The undersigned in fully authorized to act on behalf of the Applicant.



### SECTION 4 LETTER OF APPLICATION



### **SECTION 5**

### PRE QUALIFICATION QUESTIONNAIRE FORMS

•	FORM II -	GENERAL INFORMATION
•	FORM III (a)-	EXPERIENCE RECORD (OVERSEAS)
•	FORM III (b)-	EXPERIENCE RECORD (MANUFACTURER'S COUNTRY)
•	FORM IV (a) -	DETAILS OF CURRENT CONTRACTS (OVERSEAS)
•	FORM IV (b)-	DETAILS OF CURRENT CONTRACTS
		(MANUFACTURER'S COUNTRY)
•	FORM V -	TECHNICAL DETAILS OF DUCTILE IRON VALVES
•	FORM VI(a) -	QUALITY MANAGEMENT CERTIFICATION
•	FORM VI(b) -	PRODUCT CONFORMITY CERTIFICATE
•	FORM VII -	FINANCIAL CAPABILITY OF APPLICANT
•	FORM VIII -	DETAILS OF MANUFACTURING PLANT
•	FORM IX -	DETAILS OF LOCAL ACCREDITED AGENT
•	FORM X	MANUFACTURER'S WARRANTY FOR THE GOODS
		SUPPLIED UNDER THE CONTRACT
•	FORM XI -	MANUFACTURER'S TECHNICAL SUPPORT TO THE
		LOCAL AGENT
•	FORM XII -	POWER OF ATTORNEY



### FORM II GENERAL INFORMATION

Applicants are requested to complete th	is form;	

Name of Manufacturer VALURIT SAL

- 1. Head Office Address: VALVETT STR-L

  VIA CADVTI DI NOGOIO SMILIAZS-ZZZ CAGALECCHIO DI ROND

  E-Mail IND & VALVETT. CON

  Telephone No. 739 OSA 9912714 Fax No. N/A
- 2. Regional Office Address (if any): FLUIDTECH FLE

  SHANDE SOIF ZOW UNE PO BOX 5144521

  E-Mail IMF6 FLUIDTECH FLE COT

  Telephone No. +971 SO4862766 Fax No. N/A
- 2 Local Office Address (If any):

E- Mail

Telephone No.

Fax No.

4. Trading Company (if any)

E- Mail

Telephone No.

Fax No.

Country and date on which the company was incorporated.

(i). Name:



Page 2 of 3

### FORM II

	(ii).	Country:				
	(iii).	Year of incorpora	ation: —			Sac
	(iv).	Years of incorpor	ration of Trading co	ompany (ifany	): ~	
	(v).	Main lines of Bus	siness:			
	From	_	<u>To</u>		Nature of Business :	
			_			
	******		••••••			
		_	J		<u></u>	
	••••••	***************************************				
		_	_			
		_	-			
	•••••		***************************************			
		_	_		_	
	••••••		••••••			
I attacl	this to	clause 2 -Instruction	istration and owner ons to Applicant)	-		م م در ا
5.	Local a	accredited Agent's	Office Address (If	any): GWBA	DRIVE INDUSTRIAL S	FOLVINO
	(i).	E- Mail GLOSAL DE	MINTIND & Grail.	con CPV	.301/A, 1/4, KOTTO A.	0001
	(ii).	Telephone No. c	77 5866447	Fax No	. NIA	600×
10						

5,



### **FORM II**

Page 3 of 3

			ruge 3 oj
	SRI LANK	late on which the company was in 20/01/2015	
	(iv). Name: GLON	ool duing sormions	CDVI) LTD
	(v). Country: $56$	al Lanks	
	(vi) Year of incorp	poration: 2015	
	(vii) Years of incor	poration of accredited agents (if	any): -
	(viii) Main lines of	Business:	
	From	<u>To</u>	Nature of Business:
	افي		
	J	<u> </u>	-
	ا ت		
			-
		_	<u> </u>
	-	_	
I attac	ch copy of certificate of	registration and ownership:	

(Refer this to clause 2-1)

## FORM III (a) - [Valves of diameter 300 mm and above]

Page 1 of 8

### EXPERIENCE OF THE MANUFACTURER IN SUPPLY OF DI VALVES **EXPERIENCE RECORD (Overseas)**

**FOR LAST FIVE YEARS** Name of the Manufacturer . VALVE IT .. SPL

	2	TOTAL INCLUDE VALUE HODTUS NOT SPECIFIED IN THIS TABLE
Š	5	TOTAL INCLUDE VALUE HODELS NOT SPECIFI IN THIS TABLE
Year of	Award	202
Total Weight/	nos. (M.Ton/ nos.)	Let.
Size Range	(шш)	hot by to ho
(e) Non return	valves (M.Ton/nos.)	112
(d) Pressure	valve (M.Ton/ nos.)	
(c) Pressure reducing	valve (M.Ton/ nos.)	1
lves	pneumatic	2 \
(b) Sluice Valves (M.Ton/ nos.)	m otorized	5
Slu (M.	[suns]/	١
alves os.)	əisemuəaq	1
(a) Butterfly Valves (M.Ton/ nos.)	bəzi toto m	m9E
Butte (M.1	isuns i /	201
act -	Contract Sum	2.30.44.60 102 364 6 (Bunos)
Contract SF4X Prosect	Name and Address of Client	OROSCOM MOTITO COBNA SOWT VEWAR

The above details are true and correct

Signature of the Manufacturer

Attach certified copies of completion certificates from respective clients in their letter heads in respect of at least five major supplies.

Additional pages may be added.

Attach certified copies of award letters of contracts.

R.I. BO C.F. e P. IVA 1703007691201 Valve Via Cadu Email 40033 Casa

Cap. Soc. € 100,000,60 i.v.

PQ/DI Valves : Questionnaire Forms September 2011 – Version I

### FORM III (a) - [Valves of diameter below 300 mm]

Page 2 of 8

### EXPERIENCE OF THE MANUFACTURER IN SUPPLY OF DI VALVES EXPERIENCE RECORD (Overseas)

FOR LAST FIVE YEARS Name of the Manufacturer ... VALVE IT SRL.

	Others	TOTAL	10108 HOPT	TARY X
, and A	Contract	2021		
Total	Weight' nos. (M.Ton/ nos.)	V677		
Size	Range (mm)	1677 0000-05		
95	return valves (M.Ton/ nos.)	395		
•	Pressure releasing valve (M.Ton/ nos.)	5.6		
(P)	Pressure reducing valve (M.Ton/ nos.)	1		
s.)	Double orifice	1		
(c) Air Valves (M.Ton/ nos.)	Single large orifice	1		
Air (M.7	Single orifice	30	-	
<b>(</b> e)	Sluice Valves (M.Ton/ nos.)	sah		
(a)	Butterfly Valves (M.Ton/ nos.)	234		0
act Pung & CT	Contract	1.863.471,00 23.4	(Sours)	`
Contract AL NAMMAM PANGECT	Name and Address of Client			P40/040

The above details are true and correct

Signature of the Manufacturer

\*Note:

Attach certified copies of completion certificates from respective clients in their letter heads in respect of at least five major supplies.

Additional pages may be added.

Attach certified copies of award letters of contracts.

eno (Bologna) SAL con S.U. Emilia, 27 VOVe Via Cadu 40033 Ca

R.I. BO C.F. e P.IVA TTC3007691201

Cap. Soc. € 100,000,00 l.v.

PQ/DI Valves : Questionnaire Forms September 2011 - Version 1

### FORM III (b) - [Valves of diameter below 300 mm]

Page 4 of 8

# EXPERIENCE RECORD (Manufacturer's Country) EXPERIENCE OF THE MANUFACTURER IN SUPPLY OF DI VALVES FOR LAST FIVE YEARS

Name of the Manufacturer ......

		7 0 0 5
	Others	7572L 14CUPT-
)	Contract	2019
Totai	Weight/ nos. (M.Ton/ nos.)	33
Size	Range (mm)	15-36
S	return valves (M.Ton/ nos.)	971
(e)	Pressure releasing valve (M.Ton/ nos.)	J
(Đ)	Pressure reducing valve (M.Ton/ nos.)	ň
3.)	Double orifice	1
(c) Air Valves (M.Ton/ nos.)	Single large sorifice	
Air V	-	
5	Single orifice	ì
(9	Sluice Valves (M. Ton/ nos.)	71
(6)	Butterfly Valves (M.Ton/ nos.)	1
act	Contract	186.766,00 E (Junoi)
Contract	Name and Address of Client	SIDURIONAULICABE.776,00 6 (comos)

The above details are true and correct

Signature of the Manufacturer

### \*Note

Attach certified copies of completion certificates from respective clients in their letter heads in respect of at least five major supplies.

Additional pages may be added.

Attach certified copies of award letters of contracts.

V Czdut/dike

Cap. **Soc. €** 1∪

## FORM III (b) - [Valves of diameter 300 mm and above]

### EXPERIENCE OF THE MANUFACTURER IN SUPPLY OF DI VALVES EXPERIENCE RECORD (Manufacturer's Country)

Page 3 of 8

FOR LAST FIVE YEARS

Name of the Manufacturer .. Nover 17 SRL

Size Total Year of		200 hz 00 00 00
(e) Non return	valves (M.Ton/n os.)	J
(d) Pressure	valve (M.Ton/ nos.)	
(c) Pressure	valve (M.Ton/ nos.)	J.
lves nos.)	pneumatic	<b>Y</b>
(b) Sluice Valves (M.Ton/ nos.)	bəzirotom	Ï.
	isuas14	
valves os.)	pheumatic	١
(a) Butterfly Valves (M. Ton/ nos.)	bəzirotom	)
	Isunsi	39
act	Contract Sum	51.000,000 E (8400)
Contract	Name and Address of Client	71512 17021,491471;

The above details are true and correct

Signature of the Manufacturer

### \*Note:

Attach certified copies of completion certificates from respective clients in their letter heads in respect of at least five major supplies.

Additional pages may be added.

Attach certified copies of award letters of contracts.

### DETAILS OF CURRENT CONTRACTS (Overseas)

Name of the Manufacturer VALVE IT SOLL

		K 3:3.
	Others	7070 L 1 NCLUDES VOIVES NOT 1 N TRIS TABLE
Year of	Contract	िल
Total	Weight/nos.  (M.Ton/nos.)	hav
Size	Kange (mm)	00 - sx
e <u>\$</u>	valves (M.Ton/ nos.)	3
•	Pressure releasing valve (M.Ton/ nos.)	1
(P)	Pressure reducing valve (M. Ton/ nos.)	
m (d)	Double orifice	)
(c) Air Valves (M.Ton/ nos.)	Single large 520110	1
Air (M.T	soffice office	)
æ	Sluice Valves (M. Ton/ nos.)	76
(3)	Butterfly Valves (M.Ton/ nos.)	9
act PASSECT	Contract Sum	55.380,03 6 (semb)
Contract TAUDOF STP PASSECT	Name and Address of Client	MUTITO WATEN TREATHENT S. A. B.

The above details are true and correct

Signature of the Manufacturer

\*Note:

Attach certified copies of awarding certificates from respective clients in their letter heads in respect of major supplies. Additional pages may be added.

VCI VO SRUCES SAUCHOS.U.
Via Caduti dizeggia Emilia, 27
40035 Casalgathio di Aerri (Bologra)
Tr. +39.05/8917(14
Email iith Sivalveit.com
R.I. BO C.F. e P.IVA ITO3007691201
Cap. Soc. € 100.000,00 i.v.

## FORM IV (a) - [Valves of diameter 300 mm and above]

Page 5 of 8

DETAILS OF CURRENT CONTRACTS (Overseas) Name of the Manufacturer ...VALVII. SAL.

		~
d		7072 L 1MCLUDES UALUE MOORES LOT LOT SPECIFIED 1M 7815 725 LE
Year of	Award	2023
Total Weight/	nos. (M.Ton/ nos.)	369
Size Range	(mm)	15 600
(e) Non return	valves (M.Ton/n os.)	15
(d) Pressure releasing	valve (M. Ton/ nos.)	1
(c) Pressure reducing	valve (M.Ton/ nos.)	4
lves os.)	pneumatic	7
(b) Sluice Valves (M.Ton/ nos.)	motorized	V
	launsM	976
alves os.)	oitemuənq	1
(a) Butterfly Valves (M.Ton/ nos.)	bəzirotom	1
Butto (M.	Manual	27
act A Pont	Contract Sum	128.103,00 22 6 (bunos)
Contract RIYADH AIRPORT	Name and Address of Client	MJ 170 Savol 270

The above details are true and correct

Signature of the Manufacturer

### \*Note:

Attach certified copies of award letters of contracts from respective clients in their letter heads in respect of major supplies. Additional pages may be added.

R.I. BO C.F. e P.IVA IT03007691201 Cap. Soc. € 100.000,00 i.v. Valve Via Caduti / 40033 Casale

## FORM IV (b) - [Valves of diameter 3-10 mm and above]

# DETAILS OF CURRENT CONTRACTS (Manufacturer's Country)

Name of the Manufacturer ......

Manual Ma			Butte (M.T.	(a) Butterfly Valves (M.Ton/ nos.)	alves s.)	Sluic (M.T	(b) Sluice Valves (M.Ton/ nos.)	ves ss.)	(c) Pressure	(d) Pressuge	Non Non	Size	Total	Year of	4
10.448,00 15.00 (Fall)		ntract	[suns]/	bəzirotom	oisemuang	[suns]/	bəzirotom	pneumatic	reducing valve (M.Ton/ nos.)	valva (M.Tor/ nos.)	valves (M.Ton/n os.)	Cange	weight nos. nos.)	Contract	Others
	F15) A (2.7)	018,00	(	- 1	,	,	,	Ť s	1	1 2	ſ		00 va 15 - 250	2023	
		nos)													

The above details are true and correct

Signature of the Manufacturer

\*Note:

Attach certified copies of award letters of contracts from respective clients in their letter heads in respect of major supplies. Additional pages may be added.



### FORM IV (b) - [Valves of diameter below 300 mm]

# DETAILS OF CURRENT CONTRACTS (Manufacturer's Country)

Page 8 of 8

Name of the Manufacturer ..... VALVETT SPL

CSUB Phravailfiation FILG For other LoFences)

Others Contract Year of Award Total Weight nos. (M.Ton/ nos.) Size Range (mm) (M.Ton/ return S s nos.) Pressure releasing M.Ton/ valve nos.) reducing Pressure (M.Ton/ valve nos.) Double (c) Air Valves (M.Ton/nos.) Single large orifice Single orifice Sluice Valves (M.Ton/nos.) • **Butterfly Valves** (M.Ton/nos.) Contract Sum Contract Address of Name and Client

The above details are true and correct

١

١

}

Ì

١

1

}

Į

Signature of the Manufacturer

Attach certified copies of award letters of contracts from respective clients in their letter heads in respect of at least five major supplies. Additional pages may be added.

Valve Via Cadu 40033 Cass

PQ/DI Valves : Questionnaire Forms September 2011 - Version 1

5-11



#### **FORM V**

#### TECHNICAL DETAILS OF DUCTILE IRON VALVES

#### 1. General

- 1.1. Country of manufacture: / TALY
- 1.2. Manufacturer/s and Address: VIA CADVII DI NAGGOO &MILIO 25, 27

  CASALICCHIO DI NAMO (BOLDENA), 40033
- 1.3. Is the certificate of product conformity to the relevant standards for DI Valves listed in clause 3 of letter of Invitation available from an accredited agency:
   (Attach copy of Product Conformity Certificate)(Scope of production shall be clearly specified)
- 1.4. Reference catalogues, technical literature provided with the Application. All catalogues provided should be in the English Language. Applications not accompanied by English translations of relevant material will be rejected.
- 1.5. Plant, Production capacity and production range, [minimum to maximum dia. (Fill in the Form VIII).

#### 2. Butterfly Valves

- 2.1 Standards to which valves conform: BS 5485 (FN 593)

  Attach copy of Product Conformity Certificate
  (Scope of production shall be clearly specified)
- 2.2 Type: FIG-VIT-16-BCW
  FIG-VIT-16-BCW
  VIT-16-BDV
  VIT-16-DES13
  VIT-16-DES14



#### **FORM V**

- 2.3 Material of lining & PDM / NBR
- 2.4 Nominal Pressure PN 16 / PN 25
- 2.5 Material of Disk DUCTILO IRON / STAINLOW 1980L
- 2.6 Standard to which external coating conform: FISION BONDED FROXY
- 2.7 Type of internal coating and standard Fisher Burgo & PDAY

#### 3. Sluice Valves:

- 3.1 Standards to which valve conform: BS SASO CON 4171) / BS SASU SUNIOS

  Attach copy of Product Conformity Certificate
  (Scope of production shall be clearly specified)
- 3.2 Type: FIG VIT -16 60N /VIT -16-60PL FIG - VIT - 20 - SCBZ
- 3.3 Nominal Pressure: PN 10 / PN 16 / PN 25
- 3.4 Type of internal coating & standard to which it conform FUSION BONDED BONDED CONTROL APPLICABLE)
- 3.5 Type of external coating & standard to which it conform FUSION BONDO BPOXY

  (WHEN APPLICABLE)
- 3.6 Materials of bolts nuts & washers & setscrews SIV DATASHEBTS
- 3.7 Details of motorize valve
  - i. Whether motor and valve assembled together at the valve manufacturing factory.  $V_F \subseteq$
  - ii. What are tests perform for the complete limit at the factory. FUNCTIONAL TOSTS



Cap. Soc. 100.000,00 Ir Valves (Water Works)

- Standard to which valve conform. MANN FO CIVATA STOUDOND Attach copy of Product Conformity Certificate (Scope of production shall be clearly specified)
- 4.2. Type: FIG-VIT-16 AV
- Nominal Pressure: PN 10 / PN 16 / PN 25 / PN 40 Working Pressure: 10 BAR / 16 BON / 25 BON / 40 RON 4.3.
- 4.4.
- 4.5. High velocity air discharge pressure:
- Internal Coating & the standard to which it conforms? Fusion Bras & poxy 4.6.
- FISION BOMORD RAXY 4.7. External Coating & the standard to which it conforms?

#### 5. Non Return Valves

- Standard to which valve conforms BS 5154 SENIES/B- BS 5153 CON 12334)/ 5.1 Attach copy of Product Conformity Certificate API SOLI (Scope of production shall be clearly specified)
- 5.2 Is vertical installation or horizontal installation
- 5.3 Nominal pressure PN AD/PN 16/PN 25
- Working pressure 10 BAR 1 28 BAR 5.4
- 5.5 Type of internal coating and standard to which it conform Fully Bouldo Broky
- Type of external coating and standard to which it conform FUSION BONDE GROWN 5.6
- 5.7 Is non sluice
- Is spring loaded you cour PLATE CHICK MODEL) 5.8

#### 6. Rubber ring

- 6.1 Standard to which Rubber rings conform Attach copy of Product Conformity Certificate (Scope of production shall be clearly specified)
- Tensile strength 6.2
- 6.3 Elongation at break —
- 6.4 Compression set
- 6.5 Hardness

#### 7. **Nuts & Bolts**

- 7.1 Standard to which Nuts & Bolts conform Attach copy of Product Conformity Certificate (Scope of production shall be clearly specified)
- 7.2 Tensile strength
- 7.3 Yield stress or stress at permanent set limit of 0.2% —
- 7.4 Percentage Elongation after fracture —
- 7.5 stress under proof load
- Strength under wedge loading -7.6
- Hardness 7.7
- 7.8 Standard to which galvanizing conforms —
- 7.9 Thickness of the galvanized coating



Page 1 of 1

#### **QUALITY MANAGEMENT SYSTEM CERTIFICATION**

1. Scope of the Certification

#### 2. DI VALVES

- (a) Name of manufacturer and address: V4LVF | T VA = CABUTO | DI PAGGIN OF MILLS

  (b) Name & Address of the manufacturing factory, to which the certificate is issued

  (c) Quality Management System Certification (ISO 9001): 2015
  - i. Certificate Number ......
    i. Name & address of issuing authority....
    ii. Validity period .....

    (Attach copy of Product Conformity Certificate)

Note: The size range should be indicated in either or both certificates.



Page 1 of 1

#### PRODUCT CONFORMITY CERTIFICATE

- 1. Scope of certification AIR VALVES (FIG VIT 16AV)
- 2. Name & address of the manufacturer V4 L V8 17 SPL \_ VIA CODVTI DI MGG10

  8 MILLA 25-27, CASALVCCHIO
- 3. Name & address of the factory VALVE IT SEL VIA CODUTI OI POSSIS BUILD TO 25-27, COSALECCHIO DI PONO
- 4. Certificate number 5 CS 1800 110132 Chologue ) 40033, 17114
- 5. Name & address of issuing authority SYSTAM CAMPIFICATION STRVICTS (SCS)
  PO BOX 127:511, SHANSO, UAB
- 6. Validity period 14 50LY 2022 13 JULY 2023





Page 1 of 1

PRODUCT CONFORMITY CERTIFICATE

BUTTせんチレイ MALVEI Scope of certification 1.

2. Name & address of the manufacturer VALVY IT

Name & address of the factory 3.

4. Certificate number SES - 1800110132

- SYSTEM CONTIFICATION SOUVERS (SCS) PO BOX 127341, SHONED, UND Name & address of issuing authority 5.
- Validity period 14 SULP 2022 13 SULP 2023 6.

(Please fill this form for different type of valves separately)

(Attach certified copies of Product Conformity Certificates)

4 1,000



Page 1 of 1

#### PRODUCT CONFORMITY CERTIFICATE

- 1. Scope of certification GATS VALUES (FIG-VIT-16-60N) VIT-16-60N)
- 2. Name & address of the manufacturer VALVETT SPL VIA CODUTI DI POGGIO EMILA 25.27, CASALECCHIO DI PONO (BOZDGIA), 40033, ITALIA
- 3. Name & address of the factory VYLVYTT (n), VIA CADUT) OI ROSGIO KNILIA
- 4. Certificate number SCS -18094 0132 COOLOGNA), 40033, 17ALK
- 5. Name & address of issuing authority SYSTEM CONTIFICATIONS SONVICOS (SCS)

  PO BOX 127311, SHANTA, WAY
- 6. Validity period 14 50LF 2022 13 50LF 2023






Page 1 of 1

#### PRODUCT CONFORMITY CERTIFICATE

- NALVOS (FIG- VIT-20-6BBN) 1. Scope of certification 6478
- Name & address of the manufacturer Valveit (nl, VIA CADUTI D) REGGE BAILIA 2.
- 3.
- 25,27, CAGALOCCHIO DI NONO Certificate number SCS + 18001101324. (BOWCHO), 40033, 170LIS
- Name & address of issuing authority Stiffs Confification Structor (SCS) 5. PO. BOX 127311, SHANTA, UNB
- Validity period 14 JULY 2012 13 JULY 2023 6.





Page 1 of 1

#### PRODUCT CONFORMITY CERTIFICATE

- 1. Scope of certification CHECK VALVES CF16 VIT- 16 SCC / F16-VIT-16
- 2. Name & address of the manufacturer VALVETT SPL, VIO CORTI DI NAGGIO BAILIA

  2(12), COSALOCCHIO DI NANO
- 3. Name & address of the factory UNIVETT IPL, VIA CADUTI DI PAGGIO ENILIA

  25-27, CASALECCINIO DI PERO
- 4. Certificate number SCS 1800110132 (BOLOGIA), 40033, 17ALM
- 5. Name & address of issuing authority SYSTEM CENTIFICATION SERVICES (SCS)
  PO. BOX 127311, SNAMA, VAF
- 6. Validity period 14 JULY 2022 13 SULY 2023





Page 1 of 1

#### PRODUCT CONFORMITY CERTIFICATE

- Scope of certification CHECK VALVUS (FIG- VIT- 16- WCC / FIG-VIT- 16- 1.
- Name & address of the manufacturer WOLVETT SRL, WIA CARTI DI ANCOLO TAMO 2. 25-27, COSOLOCC HID DI NOW (BOLDERS)
- 40033, 170240 3. Name & address of the factory
- CACALOCCHIO DI NOVO CEDIOGNO) Certificate number SCI - 18001101324. 40033, ITALIA
- Name & address of issuing authority SY1784 CONTIFICATION SONVICOS (SCS) 5. PO. BOX 127311, SHANSO, VAE
- Validity period 14 JULY 2022 1 13 JULY 2013 6.



Page 1 of 1

- Scope of certification  $STN_{SINSPL}$  CF16-V1T-16-YDSName & address of the ---1.
- VALVETT SPL, VIA COOVTI DI POGGIO MILIA 2.
- Name & address of the factory VIZVE IT (PL, VIA CADITI DI PEGGIO ENILID 3. 26-27, cosaloccidio os nono
- Certificate number (CS-1800110132 4. (BOZOGNO), 4003), ITALIA
- SPITEM CORTIFICATION SORVICOS (SCS) 5. Name & address of issuing authority PO. BOX 127311, SHARTA, UND
- Validity period 14 SULA 2012 13 JULY 2013 6.





Page 1 of 1

PRODUCT CONFORMITY CERTIFICATE

- 2. Name & address of the manufacturer Valve IT SRL, VIA CADITI DI ROCGIO BANDIA
  25-22/COSALOCCINO OF ASAO
- 3. Name & address of the factory VALVOIT (RL, VM CADVII DI ROGGES ONILIA
- 4. Certificate number (CS-1000110132 25=27) (A(ALOCCNIO DI ADNO CBOLOGIO), 40033, 170110
- 5. Name & address of issuing authority SPSTON CONTIFICOTION (TRVICUS CSCS)
- 6. Validity period 14 Sulf 2022 13 July 2023

## FORM VII (a)

#### FINANCIAL CAPACITY OF LOCAL ACCREDITED AGENT

(Accredited agents shall provide financial information to demonstrate that they meet the requirements as well as the manufacturer stated in the Instructions to Applicants.)

Copies of the audited financial statements for the last three years should be attached.

Shall submit following information for themselves in addition to the Manufacturer.

Name of Banker: SAMPATH BONC PIC

Banker's Address: COLOMBO SUPPON BRONCH NO. 103, DHARMAPALA MAWATHA

COLOMBO 7 1.

2.

Telephone: 4 94 112336112 E-mail:

3. Contract name and title -

4. Amount of Line of credit and its validity: (Provide the same information for other bankers in a separate sheet)

Summary of financial information of the applicant for the last three years

	20.7.2	202.1	20.?
	Total Assets 8, 245, 229	4,793,413	3,993,873
1.			a (2) 1 571
2.	Current Assets 8,094,762	4,516,507	3,643,731
3.	Total Liabilities 6, 6 46, 190	7,818,959	4,857,720
	Current Liabilities 2, 220,079	4 189,848	2,352,464
	Profits before taxes 2,363,091	2,181,699	957,817
	Profits after taxes 2, 363,901	2,181,699	959,520

Via Caduk of Regio Errilia, 27
40033 Casaleoning di Rerro (Bologna)
Tel. 459 / 51,991 / 714
Eryfil (xo@valveit.com
R.I. 20 C.F. e.P. IVA (T03007591201 ValvelT SRL con S.U. Cap. Soc. € 100.000,00 i.v.

FORM VIII

DETAILS OF MANUFACTURING PLANT

# Page I of I

Plant	Location	Valve Type	Diameter Range (mm)	Capacity (Nos./year)	Others
x /19/10/	VALUE! Se US CAPT!	Sluice valve -manual operated	300 mm & above	(work! for) COLL	
	D) 0 1/1/20		300 mm & above	1 500 CAOS/Yran)	
	2000	Sluice valve –Pneumatic	300 mm & above	800 (NOS/1/80M)	
	8 MILIA	Butterfly valve -manual	300 mm & above	4000 CNOSTY EAR)	
	15.27	operated	300 mm & above	100 (MOS) / YOUR)	
	==:	Butterfly valve -Mortorized	300 mm & above	(3/242/ 50° ) " " "	
	Cosolrach	Casol VChi Butterfly valve - Pneumatic		500 (NO) 1005	
	D) MANO	Non return valve	300 mm & above	800 CND/ Pran	
	W. O. C. C. C.	Pressure reducing valve	300 mm & above	SO CNS/YEAN	
	25 SS SS	Pressure release valve	300 mm & above	(NEA)/SON) 605	
	(100 32	Sluice valve	below 300 mm	1500 CNG/180N)	
		Butterfly valve	below 300 mm	5400 CNOB/PERMY	
	79001A	Single orifice air valve	below 300 mm	3300 (NOS/1891)	
		Single large orifice air valve	below 300 mm below	1400 (NO! / YEAR)	
		Double orifice air valve	300 mm	3200 CNOS/YOAN)	
		Non return valve	below 300 mm	1000 CMC/YOAN)	
		Pressure reducing valve	below 300 mm	SOO (NOS /PEAN)	
		Pressure release valve	below 300 mm	( Not / son) and	

The above details are true and correct

.....Signature of the Manufacturer

Revised on 23-01-2020

VCIVAT SAL con S.U.
Via Caduli di Rassid Emilia, 27
40033 Casalexchi i di Il no (Bologna)
Tel. 39.03-19/12714
Epzal Info. 24 della 27

#### FORM VII (a)

Cap. Soc. € 100 000 001.

(Accredited agents shall provide financial information to demonstrate that they meet the requirements as well as the manufacturer stated in the Instructions to Applicants.)

Copies of the audited financial statements for the last three years should be attached.

Shall submit following information for themselves in addition to the Manufacturer.

- 1. Name of Banker: SAMPOTA BANK PLC

  2. Banker's Address: COLOMBO, SUPER BROWN M. 103, DHORMOPALA MOUNTED 7

  Telephone: Fax: E-mail: 4 94 112336 112
- 3. Contract name and title -
- 4. Amount of Line of credit and its validity: 
  (Provide the same information for other bankers in a separate sheet)

Summary of financial information of the applicant for the last three years

	202.2	20.?.1	20.2.0
1.	Total Assets 8, 245, 229	4,793,413	3,993,873
2.	Current Assets 8, 094, 762	4,816,909	3,643,931
3.	Total Liabilities 6,644,790	71838,959	4,857,720
4.	Current Liabilities 2,220,079	4,289,848	2,382,464
5.	Profits before taxes 23 63, 091	21181/699	957,317
6.	Profits after taxes 7363,901	2,181,607	959,520



#### FORM IX

#### **DETAILS OF LOCAL ACCREDITED AGENT**

(Attach a certified copy of updated local Accredited Agency Agreement certified by the Ambassador or High Commissioner or other diplomatic representative of Sri Lanka in the manufacturer's country)

- 1. Name of Local Accredited Agent

  GLOBAL DAIVY INDUSMOL SOLUTIONS CONT) LTD
- 2. i. Official Address: No. 301/A, 1/1, KOTIE READ, NUGEGODA
  iii. Contact Nos. (E-mail and Telephone No.)

III. Contact Nos.(E-mail and Telephone No.)

GLOBOLDINVS IND & GMAIL. COT - 677 5866447

- 3. Details of Local Accredited Agent's Company
  - 3.1 Names of Directors
    ROHAN PRABHATH KUMANO SARUTHANTHAI
  - 3.2 Qualifications of Directors and their experience in business
  - 3.3 Registration with the Registrar of companies
    - (a). Registration Number 197401
    - (b). Date of Registration 20/01/2015
  - 3.4 Financial Capacity
    (Prove with Audit Financial Statements for last 3 years)
  - 3.5 Technical Competence
  - 3.6 Supporting staff
    - (a) Name:
    - (b) Qualification:
    - (c) Experience
  - 3.7 Office area (m<sup>2</sup>)
  - 3.8 Stores capacity:
    (Indicate the area and location)
  - 3.9 Yard capacity
    (Indicate the area and location)
  - Past Experience and history of performance
     Details of previous supplies to the NWSDB. Copies of the letters of contract Awards and completion certificates shall be attached.

#### FORM X

# MANUFACTURER'S WARRANTY FOR THE GOODS SUPPLIED UNDER THE CONTRACT

[Address of the Manufacturer]

CACALACCHIO DI NAMO CEOLOGNA), 40033

Via Caduti di Reggio Emilia, 27 40033 Casalecchio di Reno (Bologna) Tel. +39.051.9912714 Email info@valveit.com R.I. BO C.F. e P.IVA IT03007691201 Cap. Soc. € 100.000,00 i.v.

Chairman, Procurement Committee,

SUPPLY OF DI VALVES DOCUMENT NO.: PQ/DI VALVES/NWSDB/2011/01	
We, VALVENT SQZ  VIA CADVII DI RAGGOIO FAILIA 25-13, CASA  LIQO33, ITALY [address  valves supplied under this contract are new, unused, of the r  incorporated all recent improvements, and no defects as  workmanship from any act that may be develop under norm  months from the date of supply to the NWSDB.	most recent or current models and have rising out of the design, material or
If there is any defects during the warranty period, we shall a valves with all reasonable speed without any cost to the Puro	
Signature of the Authorised Officer of the Manufacturer.	
Signature of the Authorised Officer of the Manufacturer.	Seal of the Company.
Name: MOS(1/7/LIANO CANGINI	
In the capacity of	valvelT srL con s.U.

### FORM XII

### POWER OF ATTORNEY FOR THE SIGNATORY TO THE APPLICANT

[Date	
To:	Chairman  Department Procurement Committee,  NWSDB, Galle Road,  Rathmalana, Sri Lanka.  SRL con S.U.  Via Caduti of Flesh Emilia, 27  40033 Catales of Jeno (Bologna)  Tuly +5 1 25 2714  Emilia, 27  40033 Catales of Jeno (Bologna)  Tuly +5 2 2714  Emilia, 27  40033 Catales of Jeno (Bologna)  Tuly +5 2 2714  Cap. Soc. F. e. P. IVA ITO3007691201  Cap. Soc. € 100.000,00 I.v.
the pro	LL TO WHOM THESE PRESENTS SHALL COME  Dany Name) a company duly incorporated in   ITALY
	-: SENDS GREETINGS :-
of app	Company Name) is desirous ointing some fit and proper person as its Attorney to manage and transact all related works Pre-Qualification of Supply of DI Manhole Covers & to the National Water Supply & ge Board in Sri Lanka.
HOW /: Design	KNOW YE AND THESE PRESENTS WITNESSETH that  (A) (1/2) (1/2) (2/2) (1/2) (Name and ation of the Legal Representative of the Company)
Comp みらり of Nat	nny") have made nominated and appointed by these presents do make nominate and appoint (Name of the Attorney who signs the application) (holder ional Identity Card bearing No
"the sand Supply Compa	of  (address) the said Mr. MAJIMUMO  (Name of the Attorney who signs the application) (hereinafter referred to as aid Attorney") to be the Company's true and lawful Attorney in the Pre-Qualification of of DI Valves to the National Water Supply & Drainage Board in Sri Lanka to act for the any and on behalf of the Company and in the name of the Company or otherwise for all and and every or any of the following purposes.
1.	To sign and/or execute all such applications, forms and/or documents on behalf of the Company to participate in pre-qualification of Manufacturers for supply of DI Valves to the National Water Supply & Drainage Board, Sri Lanka and to represent the company for this purpose.
2.	To execute any agreement involving to this effect to make any application to the concerned authorities in the National Water Supply & Drainage Board, Sri Lanka for the purposes of

#### FORM XI

## MANUFACTURER'S TECHNICAL SUPPORT TO THE LOCAL AGENT IN CASE OF DEFECTS IDENTIFIED

Specify the Technical support and free materials to the local agent in case of defects identified.

- 1. VALVE IT STAFF ONLING / OFFLING TECHNICAL ASSISTANCE ON-SITE
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.

The above details are true and correct

X

Signature of the Manufacturer

valveIT SRL con S.U.

Via Caduti di Reggio amilia, 27
40033 Casaleccino di Reno (Bologna)
Tel. +29,051,351,714
Email Info@valveit.com
R.I. BO C.F. e P.IVA IT03007691201
Cap. Soc. € 100,000,00 l.v.

Revised on 13-11-2017

qualification Supply of DI Valves manufacturer.
3. This power of attorney shall, remain valid until the pre-qualification of Manufacturers for Supply of DI Valves to the National Water Supply & Drainage Board; and
4. This power of attorney shall in all respects interpreted in accordance with, and governed by, the laws applicable in
IN WITNESS WHERE OF
Specimen signature of the Attorney (Applicant)
The Common Seal of the Company
was affixed hereto in the presence of  Date 10 Francing 2023
(Signature)  MASS MINOR (Name of the Managing Director/ Authorized person as specified in the Article of Association)  Valvett = Coo (Position)  Valvett = Coo (Position)  Valvett = Coo (Signature)  Valvett = Coo (Position)
Witnesses
1. Name RICCORDO LUPPI Signature Signature
2. Name Mattio Marutto
I

obtaining any approvals, permits and/or consents as may be required for the pre-

me and who have caused the Comm the presence of		(Name of	f witnesses)
illegibly respectively the subscribing same was signed by the said executar presence and in the presence of or the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and in the presence of the said executary presence and the said executary presence and the said executary presence and the said executary presence of the said executary presence and the said executary pre	g witnesses hereto both on ants also by the said witn one another all being p	of whom are also known nesses and by me the sai present together at the	n to me and the id Notary in my same time at
(Place) on this(20).	(day) of .	(Month)	in the year
AND I further certify and attest that Rs	the Original of this instr	ument bears one stamp	to the value of
DATE OF ATTESTATION20		WHICH	I ATTEST

**NOTARY PUBLIC** 

Valva T srl. con s.U.

Via Caduli yi Rylisia Emilia, 27

40033 Casal Schill di Veno (Bologna)

Tal +39 11 912714

Emalini Qivalvett.com

R.I. BO C.F. e P.IVA IT03007691201

Cap. Soc. € 100.000,00 l.v.



# SECTION 6 SPECIFICATIONS

(Add the specification from NWSDB website under the "Restricted Links")