Ref. No.: NWSDB/SBD/SUP/DI(Sew)/FC/Ver 1

**REVISED ON 04-09-2024** 

THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

MINISTRY OF .....

# NATIONAL WATER SUPPLY AND DRAINAGE BOARD

# SUPPLY AND DELIVERY OF DI PIPES, FITTINGS,

# SPECIALS, ACCESSORIES DI VALVES, MANHOLE COVERS

AND SURFACE BOXES FOR SEWERAGE WORKS

SEWERAGE SCHEME

CONTRACT No.: .....

**REVISED ON 04-09-2024** 

NATIONAL WATER SUPPLY AND DRAINAGE BOARD GALLE ROAD RATMALANA SRI LANKA

MONTH & YEAR

### **DOCUMENT ISSUANCE CERTIFICATE**

(To be filled at the time of issue by the authorised issuing officer) 1. STANDARD SPECIMEN DOCUMENT NUMBER:NWSDB/SBD/SUP/DI(Sew)/FC/Ver1 2. CONTRACT NUMBER: ..... a) ISSUED TO : ..... 3 b) ADDRESS: ..... c) TELEPHONE NUMBER: ..... d) FACSIMILE NUMBER: ..... 4. a) TENDER FEE : Rs. ..... RECEIVED IN CASH/ BANK DRAFT b) COURIER FEE: Rs. c) RECEIPT/BANK DRAFT NUMBER: ..... 5. NUMBER OF COPIES ISSUED : ..... 6. NUMBER OF CANCELLED COPIES ISSUED : 7. CANCELLED COPY FEE : Rs..... RECEIVED/NOT RECEIVED (IN CASH/BANK DRAFT) 8. a) ISSUING OFFICER : ..... b) DESIGNATION : ..... c) SIGNATURE : ..... 9. PLACE OF ISSUE : ..... 10. SEAL : ..... 

i

### TABLE OF CONTENTS

SEC	TION	<u>PAGE N</u> From	I <u>UMBER</u> To
	Document Issuance Certificate	(	i)
	Table of Contents	(ii)	(iii)
	Check List of submissions	(i	v)
	Invitation for Bid	(*	v)
1.	Instructions to Bidders	1 - 1	1 – 23
2.	General Conditions of Contract	2 - 1	2 - 23
3.	Form of Bid	3 -1	3 -2
4.	Bidding Data	4 –1	4-3
5.	Contract Data		
	• General	5 -1	5 - 2
	Delivery Schedule	5	-3
	• Payment Schedule	5 -3	5 - 4
6	Specification	6n– 1	6bb - 15
7.	Schedule of Particulars	7 -1	7-26
8.	Deviation from Specifications	8	- 1
9.	Key Features of Specification	9-1	9 -2
10.	Bills of Quantities		
	Preamble Notes on Pricing	10 -1	10 - 3
	Bills of Quantities	10 -1	10 - 19
	Summary of Bills	10	- 20
	Grand Summary	10 -	- 21
11.	Specimen Forms		
	Letter of Acceptance	11 -1	11 - 2
	Contract Agreement	11-3	11 – 5
	Bid Security	11	- 6
	Performance Guarantee	11	-7

### 12 Appendices

12 - 1
12 - 2
12 – 3
12 - 4
12 – 5
12-6
12-7
12 - 8 12 - 13
12-14
12 - 16 - 12 - 27
12 –28
12 – 29
12 - 30
12 – 31
12 – 32
12 –33
12 – 34
12 -35
12-36
12-37
12-38

**CHECKLIST OF SUBMISSIONS** 

#### CHECKLIST OF SUBMISSIONS

\* Note: Please mark 'Y' in the cages under the "remarks" column if submissions are made. 'N' or 'N/A' should be marked for cases of 'No submissions' and 'not applicable' respectively.

	respectively.			
		ł	Reference	Remarks *
(a)	Documentary evidence to establish eligibility of Bidding.	Page No. 1–4, 1- 5	Clause No. 2.1,2.2	
(b)	Certified copy of business registration.	Page No. 1 - 5	Clause No. 2.1	
(c)	Documentary evidence to establish qualifications for the performance of the Contract.	Page No. 1 - 5	Clause No. 2.2	
(d)	Documentary evidence to establish that goods offered are from an eligible source and origin.	Page No. 1-6	Clause No. 2.2(b), 3	
(e)	The Bidder's technical and production capability necessary to perform the Contract.	Page No. 1 - 4 1 - 5	Clause No. 2.1 (e)& (f) 2.2 (b)	
(f)	Duly completed section 1 to 12 of Bidding Documents. (Bidder shall fill the Schedule of Particulars, BOQ etc., indicating any deviations to specifications under the corresponding schedule of particulars).	Page No. 1 - 7, 1–8	Clause No. 6.1, 10.1 (a)	
(g)	Subsequent Addendum/Addenda. (if any)	Page No. 1 - 9	Clause No. 10.1(b)	
(h)	Bid Security.	Page No. 1-13, 1-14	Clause No. 13	
(i)	Product Conformity Certificates.	Page No. 1 - 6	Clause No. 10.1	
(j)	Quality Assurance Certificates for items offered/Bidder.	Page No. 1 - 4	Clause No. 10.1	
(k)	In the case of a Bidder offering to supply Goods under the Contract which the Bidder does not manufacture or otherwise produce, authorisation by the manufacturer or producer of Goods as his accredited agent.	Page No. 1 - 6	Clause No. 2.2 (b)	
(1)	The agreement of the manufacturer or producer to confirm that the supply will be made in accordance with the Delivery Schedule.	Page No. 1 - 5	Clause No. 2.2 (b)	
(m)	Proof of Authorisation.	Page No. 1 - 15	Clause No.15.3	
(n)	Certified copy of the VAT registration certificate.	Page No. 1 - 11, 1-12	Clause No. 11.4	
(0)	Copies of relevant standard used for pipes, specials & fittings.	Page No. 7-1 7-26	Schedule of Particulars	
(p)	Certificates of registration of the contract with the registrar of public contracts as per the Act No. 3 of 1987. (If required)	Page No. 1-22	Clause No. 38	
Any	other document as given below:			

**INVITATION FOR BIDS** 

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD INVITATION FOR BIDS SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS, ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS

FOR ...... SEWERAGE SCHEME CONTRACT No.: .....

- 2. Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka between 09:00 hours to 15:00 hours on normal working days up to ....., upon payment of a non refundable fee of Rs .....plus applicable VAT.
- 3. Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
- 4. Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.
- 5. The bidder shall submit a valid certificate of registration of the Contract as per the Act No. 3 of 1987 with Register of Public Contract and subsequent paper advertisement published on 16<sup>th</sup> October 2018 in Daily News.
- 6. To be eligible for contract award, the successful bidder shall not have been blacklisted.
- 7. Alternative bids shall not be accepted.
- 8. Sealed bids may be either dispatched by registered post or hand delivered to the Chairman, Cabinet Appointed Procurement Committee, Procurement Division, Ministry of ....., "Lakdiya Madura", No. 35,New Parliament Road, Pelawatta, Battaramulla, Sri Lanka to receive on or before the closing time. Late bids will be rejected.
- 9. All Bids shall be accompanied by a bid security of Rupees.....and the bid security shall be valid upto......(*Specify the Date*).
- 10. Bids will be opened immediately after the closing of Bids, at the office of the Procurement Division, Ministry of ....., "Lakdiya Medura", No.35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka. Bidders or their authorised representatives may be present at the opening of bids.
- 11. For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.

#### Chairman NATIONAL WATER SUPPLY AND DRAINAGE BOARD

MINISTRY OF .....

### 

CONTRACT No.: .....

- 2. Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka. between 09:00 hours to 15:00 hours on normal working days up to ....., upon payment of a non refundable fee of Rs. .....plus applicable VAT.
- 3. Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
- 4. Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.
- 5. The bidder shall submit a valid certificate of registration of the Contract as per the Act No. 3 of 1987 with Register of Public Contract and subsequent paper advertisement published on 16<sup>th</sup> October 2018 in Daily News.
- 6. To be eligible for contract award, the successful bidder shall not have been blacklisted.
- 7. Alternative bids shall not be accepted.
- 9. All Bids shall be accompanied by a bid security of Rupees.....and the bid security shall be valid upto......(*Specify the Date*).
- 10. Bids will be opened immediately after the closing of Bids, at the office of the Procurement Division, Ministry of .....,"Lakdiya Medura", No.35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka. Bidders or their authorised representatives may be present at the opening of bids.
- 11. For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.

#### Chairman, NATIONAL WATER SUPPLY AND DRAINAGE BOARD

MINISTRY OF .....

# NATIONAL WATER SUPPLY AND DRAINAGE BOARD INVITATION FOR BIDS SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,

#### ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS

FOR ..... SEWERAGE SCHEME

#### CONTRACT No.: .....

- 1. The Chairman, Department Procurement Committee, National Water Supply and Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka on behalf of the National Water Supply & Drainage Board now invites sealed bids for the Supply & Delivery of DI Pipes, Fittings, Specials and Accessories for Sewerage works for ......Sewerage Scheme up to closing of bids at ....... hours on .....
- 2. Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka between 09:00 hours to 15:00 hours on normal working days up to ....., upon payment of a non refundable fee of Rs. .....plus applicable VAT.
- 3. Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
- 4. Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.
- 5. The bidder shall submit a valid certificate of registration of the Contract as per the Act No. 3 of 1987 with Register of Public Contract and subsequent paper advertisement published on 16<sup>th</sup> October 2018 in Daily News.
- 6. To be eligible for contract award, the successful bidder shall not have been blacklisted.
- 7. Alternative bids shall not be accepted.
- 8. Sealed bids may be either dispatched by registered post or hand delivered to the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka to receive on or before the closing time. Late Bids will be rejected.
- 9. All Bids shall be accompanied by a bid security of Rupees.....and the bid security shall be valid upto......(*Specify the Date*).
- 10. Bids will be opened immediately after the closing of Bids, at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka. Bidders or their authorised representatives may be present at the opening of bids.
- 11. For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.

#### Chairman NATIONAL WATER SUPPLY AND DRAINAGE BOARD

# **1. INSTRUCTIONS TO BIDDERS**

# 2. GENERAL CONDITIONS OF CONTRACT

# 3. FORM OF BID

#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

#### MINISTRY OF .....

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

# SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,

ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXESFOR SEWERAGE WORKS

FOR ..... SEWERAGE SCHEME

CONTRACT No.: .....

#### FORM OF BID

The Chairman, National Water Supply & Drainage Board, Galle Road, Ratmalana. Sri Lanka.

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents.
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract.
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- 6. Bid Security.
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data.
- 9. Duly filled Appendices.
- 10. Any other document.

I/We declare that the Photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001/BSEN ISO 9001 certificate(s), and Product conformity certificate (s) as listed in the specifications I/we confirm that I/we have verified that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001 : 2015/BSEN ISO 9001 : 2015certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.

	nce is as follows:
Signature of Bidder	:
Name of Bidder	:
Address	:
Capacity	:
Telephone Number	:
Facsimile Number	:
Date	·
Witnesses	
1. Signature	:
Name	:
Address	:
Capacity	:
2. Signature	·
Name	:
Address	·
Capacity	

# 4. BIDDING DATA

The Bidding Data is a part of Instructions to Bidders and should be read in conjunction with the Instructions to Bidders.

If there is a discrepancy found in the Instructions to Bidders and the Bidding Data, the Content in the Bidding Data shall supersede the Content in the Instructions to Bidders.

#### **BIDDING DATA**

#### **Clause Reference Number Instructions to Bidders**

(1) The bidder is expected to supply the following items of materials

#### 2.2. Qualification

- 2.2 (a)
  - (i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from ..........mm to ....... mm diameter range within the last five years. (This will be verified during the bid evaluation with the details available in the NWSDB).
- 2.2 (b)
  - - \*1 Working Capital = Current Assets Current Liabilities.
    - \*2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids.
    - \*3 Current work commitment = work remaining uncompleted. (Documentary evidence to justify shall be submitted)
    - \*4 15% of estimated cost of the Bid.
- (3.1) Add to Clause
  - a) The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document.
  - b) If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001 : 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation Corporation (ILAC).
- (4) Funds required for this contract is available under .....

(6.2) The address for the purchasing of Bidding Document/clarification of Bidding Document is

Assistant General Manager (Tenders & Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana. FAX 94 -11 - 2635885 TEL. 94 - 11-2605328

- (12.5) Add to the Clause 12.5As an alternative the purchaser shall establish Telegraphic Transfer as stated in the Clause 16.3 of Contract Data.
- (13.2) The amount of Bid Security shall be ...... Sri Lankan Rupees.
- (13.3) The validity of Bid Security shall be up to .....(specify the date)
- (14.1) The period of Bid Validity shall be 210 days from the date of closing of Bid.
- (17.2) (a) The inner and outer envelopes shall be addressed as follows:

The Chairman, Cabinet Appointed Procurement Committee, Procurement Division, Ministry of ....., "Lakdiya Medura", No. 35, New Parliyament Road, Pelawatta, Battaramulla, Sri Lanka.

- (c) "Not to be opened before ......(Time) on ...... (Date)"
- (18.1) The Procurement Committee's address for the purpose of Bid submission (and on behalf of the Board) is;

Cabinet Appointed Procurement Committee, Procurement Division, Ministry of ....., "Lakdiya Medura", No. 35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.

The deadline for submission of Bid

Date:....

Time: .....

(21.1) The place for opening of bids,

Procurement Division, 2<sup>nd</sup> floor, Ministry of ....., "Lakdiya Medura", No. 35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.

(24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of **Clause 24.1**, it will be considered substantially non responsive and rejected by the Procurement Committee.

#### (27.4) Add to Clause

Bill of Manhole covers and surface boxes will be evaluated and awarded separately.

Preference for Domestic Manufacturers for GOSL funded suppliers.

When manufacturer's of Domestic Manhole covers & Surface boxes are allowed to bid with Foreign Manufacturers, domestic preference for Domestic Manhole covers & Surface boxes manufacturers shall be applied for Manhole covers & Surface boxes supplies. Domestic Manufacturers are eligible for margin of Preference of 20% in comparison of their Bids with Foreign Manhole covers & Surface boxes, manufacturers subjected to the following conditions.

- a) Bidder shall establish to the satisfaction of the Procurement Committee that,
  - Labour, raw materials components from within Sri Lanka shall be indicated separately and will account to minimum of Thirty percent (30%) of EXW (Ex works) price of the Manhole covers & Surface boxes offered.
  - (ii) The production facility in which these Domestic Manhole covers & Surface boxes would be manufactured at least since the time of Bid submission

b) In addition to the above, bidder shall satisfy the following:

- (i) For an individual / sole proprietorship the bidder shall be a Sri Lankan.
- (ii) For partnership fifty percent (50%) of member of the partnership shall be Sri Lankan.
- (iii) For an individual firm:
  •Such firm shall be registered in Sri Lanka; and
  •Shall have more than fifty percent (50%) ownership by Sri Lankans
- (28.1) After evaluation of Bids in accordance with the procedures described under **Clauses** 23, 24, 25, 26, 27 and 28, the Employer will inform to all the bidders in writing the selection of the successful bidder and the intention of contract award to such bidder. The unsuccessful bidders if they so wish, within one week of such notice may make representation to the Procurement Appeal Board at the address given below. Such representation shall be self-contained to enable the Appeal Board to arrive at a conclusion and a cash deposit to amount given below shall be made. The Appeal

Board may request the bidder who had made representation to submit further evidence during the investigations. The cash deposit will be forfeited unless the Employer change the original contract award decision in favour of the bidder who has made such representation.

Address : The Secretary Appeal Board, Presidential Secretariat Colombo, Sri Lanka.

Cash Deposit: Rupees 50,000.00

- (33.2) The prevailing rate of stamp duty on contracts for supply of goods is nil.
- (34.1) The amount of Performance Guarantee shall be 10% of the Contract Price.

#### **BIDDING DATA**

#### **Clause Reference Number Instructions to Bidders**

(1) The bidder is expected to supply the following items of materials

.....

#### 2.2. **Qualification**

- 2.2 (a)
  - (i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from ......mm to ....... mm diameter range within the last five years. (This will be verified during the bid evaluation with the details available in the NWSDB).
- 2.2 (b)
  - (i) Working Capital  $^{*1}$  + present available credit facilities for the company $^{*2}$  + credit facilities exclusively for this contract 0.1 x current work commitments $^{*3}$ >Rs...... $^{*4}$ 
    - \*1 Working Capital = Current Assets Current Liabilities.
    - \*2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids.
    - \*3 Current work commitment = work remaining uncompleted. (Documentary evidence to justify shall be submitted)
    - \*4 15% of estimated cost of the Bid.
- (3.1) Add to Clause
  - a) The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document.
  - b) If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001 : 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation Corporation (ILAC).
- (4) Funds required for this contract is available under .....

(6.2) The address for the purchasing of Bidding Document/clarification of Bidding Document is

Assistant General Manager (Tenders & Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana. FAX 94 -11 - 2635885 TEL. 94 - 11-2605328

- (12.5) Add to the Clause 12.5As an alternative the purchaser shall establish Telegraphic Transfer as stated in the Clause 16.3 of Contract Data.
- (13.2) The amount of Bid Security shall be ...... Sri Lankan Rupees.
- (13.3) The validity of Bid Security shall be up to ......(specify the date)
- (14.1) The period of Bid Validity shall be119 days from the date of closing of Bid.
- (17.2) (a) The inner and outer envelopes shall be addressed as follows:

The Chairman, Ministry Procurement Committee,
Procurement Division,
Ministry of,
"Lakdiya Medura", No. 35,
New Parliament Road,
Pelawatta,
Battaramulla,
Sri Lanka.

- (c) "Not to be opened before ......(Time) on ......(Date)"
- (18.1) The Procurement Committee's address for the purpose of Bid submission (and on behalf of the Board) is;

The Chairman, Ministry Procurement Committee, Procurement Division, Ministry of ....., "Lakdiya Medura", No. 35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.

The deadline for submission of Bid

Date:..... Time: .....

(21.1) The place for opening of Bids,

Procurement Division, 2<sup>nd</sup> floor, Ministry of ....., "Lakdiya Medura", No. 35, New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.

(24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of **Clause 24.1**, it will be considered substantially non responsive and rejected by the Procurement Committee.

(27.4) Add to Clause

Bill of Manhole covers and surface boxes will be evaluated and awarded separately.

Preference for Domestic Manufacturers for GOSL funded suppliers.

When manufacturer's of Domestic Manhole covers & Surface boxes are allowed to bid with Foreign Manufacturers, domestic preference for Domestic Manhole covers & Surface boxes manufacturers shall be applied for Manhole covers & Surface boxes supplies. Domestic Manufacturers are eligible for margin of Preference of 20% in comparison of their Bids with Foreign Manhole covers & Surface boxes, manufacturers subjected to the following conditions.

- a) Bidder shall establish to the satisfaction of the Procurement Committee that,
  - Labour, raw materials components from within Sri Lanka shall be indicated separately and will account to minimum of Thirty percent (30%) of EXW (Ex works) price of the Manhole covers & Surface boxes offered.
  - (ii) The production facility in which these Domestic Manhole covers & Surface boxes would be manufactured at least since the time of Bid submission
- b) In addition to the above, bidder shall satisfy the following:
  - (i) For an individual / sole proprietorship the bidder shall be a Sri Lankan.
  - (ii) For partnership fifty percent (50%) of member of the partnership shall be Sri Lankan.
  - (iii) For an individual firm:
    •Such firm shall be registered in Sri Lanka; and
    •Shall have more than fifty percent (50%) ownership by Sri Lankans
- (28.1) After evaluation of Bids in accordance with the procedures described under Clauses 23, 24, 25, 26, 27 and 28, the Employer will inform to all the bidders in writing the selection of the successful bidder and the intention of contract award to such bidder. The unsuccessful bidders if they so wish, within one week of such notice may make representation to the Ministry Procurement Appeal Board at the address given below.

Such representation shall be self-contained to enable the Appeal Board to arrive at a conclusion and a cash deposit to amount given below shall be made. The Appeal Board may request the bidder who had made representation to submit further evidence during the investigations. The cash deposit will be forfeited unless the Employer change the original contract award decision in favour of the bidder who has made such representation.

Address :	The Secretary
	Appeal Board,
	Ministry of,
	"Lakdiya Medura", No. 35,
	New Parliament Road,
	Pelawatta,
	Battaramulla.

Cash Deposit: Rupees 25,000.00

(33.2) The prevailing rate of stamp duty on contracts for supply of goods is nil.

(34.1) The amount of Performance Guarantee shall be 10% of the Contract Price.

#### **BIDDING DATA**

#### **Clause Reference Number Instructions to Bidders**

(1) The bidder is expected to supply the following items of materials

#### 2.2. **Qualification**

- 2.2 (a)
- (i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from ......mm to ...... mm diameter range within the last five years. (This will be verified during the bid evaluation with the details available in the NWSDB).
- 2.2 (b)
  - - \*1 Working Capital = Current Assets Current Liabilities.
    - \*2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids.
    - \*3 Current work commitment = work remaining uncompleted. (Documentary evidence to justify shall be submitted)
    - \*4 15% of estimated cost of the Bid.
- (3.1) Add to Clause
  - a) The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document.
  - b) If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001 : 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation Corporation (ILAC).

Funds required for this contract is available under ..... (4) (6.2)The address for the purchasing of Bidding Document/clarification of Bidding Document is Assistant General Manager (Tenders & Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana. FAX 94-11-2635885 TEL. 94 - 11-2605328 (12.5) Add to the **Clause 12.5** As an alternative the purchaser shall establish Telegraphic Transfer as stated in the Clause 16.3 of Contract Data. (13.2) The amount of Bid Security shall be ...... Sri Lankan Rupees. (13.3) The validity of Bid Security shall be up to ......(specify the date) (14.1) The period of Bid Validity shall be 91 days from the date of closing of Bid. (17.2) (a) The inner and outer envelopes shall be addressed as follows: The Chairman, Department Procurement Committee, C/o, Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka. "Not to be opened before .......(Time) on ..................(Date)" c) (18.1)The Procurement Committee's address for the purpose of Bid submission (and on behalf of the Board) is: Department Procurement Committee, C/o, Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka. The deadline for submission of Bid Time: ..... Date:....

(21.1) The place for opening of Bids,

Tenders & Contracts Section, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka

#### (24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of **Clause 24.1**, it will be considered substantially non responsive and rejected by the Procurement Committee.

(27.4) Add to Clause

Bill of Manhole covers and surface boxes will be evaluated and awarded separately.

Preference for Domestic Manufacturers for GOSL funded suppliers.

When manufacturer's of Domestic Manhole covers & Surface boxes are allowed to bid with Foreign Manufacturers, domestic preference for Domestic Manhole covers & Surface boxes manufacturers shall be applied for Manhole covers & Surface boxes supplies. Domestic Manufacturers are eligible for margin of Preference of 20% in comparison of their Bids with Foreign Manhole covers & Surface boxes, manufacturers subjected to the following conditions.

- a) Bidder shall establish to the satisfaction of the Procurement Committee that,
  - Labour, raw materials components from within Sri Lanka shall be indicated separately and will account to minimum of Thirty percent (30%) of EXW (Ex works) price of the Manhole covers & Surface boxes offered.
  - (ii) The production facility in which these Domestic Manhole covers & Surface boxes would be manufactured at least since the time of Bid submission
- b) In addition to the above, bidder shall satisfy the following:
  - (i) For an individual / sole proprietorship the bidder shall be a Sri Lankan.
  - (ii) For partnership fifty percent (50%) of member of the partnership shall be Sri Lankan.
  - (iii) For an individual firm:
    - •Such firm shall be registered in Sri Lanka; and
    - •Shall have more than fifty percent (50%) ownership by Sri Lankans
- (33.2) The prevailing rate of stamp duty on contracts for supply of goods is nil.
- (34.1) The amount of Performance Guarantee shall be 10% of the Contract Price.

# 5. CONTRACT DATA

- **GENERAL**
- DELIVERY SCHEDULE
- PAYMENT SCHEDULE

The Contract Data is a part of General Conditions of Contract and should be read in conjunction with the General Conditions of Contract.

If there is a discrepancy found in the General Conditions of Contract and the Contract Data, the Content in the Contract Data shall supersede the Content in the General Conditions of Contract.

Revised on 09-11-2020

#### **Contract Data**

Contract Data is a part of condition of contact and shall be read together. If any discrepancy is founds content of the contract Data shall supersede the conditions of contract.

(Please note that the Clause nos. given hereunder are that of Conditions of Contract)

#### **Clause Reference Number**

#### **General Conditions of Contract**

1.1 (j)	The Emplo	oyer is
	Name:	National Water Supply and Drainage Board,
	Address:	Galle Road, Ratmalana
	The Chair National V	l Representative of the employer is : nan, Vater Supply& Drainage Board, l, Ratmalana.
1.1 (k)	The Engin	eer is
		anager, Vater Supply and Drainage Board, 1, Ratmalana.
3.2	of PD/DGM of	Representative shall be the
9.4		l not produce or sell any item bearing the name of National Water age Board or NWSDB to any third party.
10.2	such periods as	l be delivered at such places, in such quantities and within prescribed in the attached Delivery Schedule. from the date of acceptance of bid is days.
15.2	The validity of	warranty shall be 36 months.
16.3	component que Contract for ar goods/ material guarantee equa operating in Sri	<b>se 16.3 (b)</b> The the purchaser shall establish Telegraphic Transfer for the foreign of the accordance with <b>Clause 16.1</b> General Conditions of a equivalent sum of not exceeding US\$ 50,000, for purchase of s on submission of an unconditional, on demand advance payment and to the value of Telegraphic Transfer, from a reputed Bank Lanka, by the bidder. advance payment guarantee shall be 28 days beyond the contract

Advance payment guarantee shall be released upon handing over goods at site and acceptance by the Engineer. If the supplier fails to deliver the goods on time up to the requested quality, this Advance payment guarantee shall be forfeited.

- 23.1 The amount of Liquidated Damages shall be Rs. ..... per day of delay. Limit of Liquidated Damages shall not exceed 10% of Contract Price.
- 31.1 Purchaser's address for notice purposes shall be as follows:
  - General Manager, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.

Facsimile Number: Colombo, 011-2635885 e – Mail : gmnwsdb@sltnet.lk

Supplier's address for notice purposes shall be as follows:

• •	•	•	• •	• •	•	•	 •	•	• •	•	•	•	• •	• •	•	•	•	• •	 •	•	•	•	 •	•	•	 •	•	• •	• •	•	•	 •	•	• •	•	•	• •	 •	•	• •		•	•	•		•	•	• •	
••	•	•	• •	• •	•	•	 •	•	• •	•	•	•	• •	• •	•	•	•	• •	 •	•	•	•	 •	•	•	 •	•	• •	• •	•	•	 •	•	• •	•	•	• •	 •	•	• •	• •	•	•	•	• •	•	•	••	
••	•	•	• •	• •	•	•	 •	•	• •	•	•	•	• •	• •	•	•	•	• •	 •	•	•	•	 •	•	•	 •	•	• •	• •	•	•	 •	•	• •	•	•	• •	 •	•	• •	• •	•	•	•	• •	•	•	••	
• •	•	•	• •	• •	•	•	 •	•	• •	•	•	•	• •		•	•	•	• •	 •	•	•	•	 •	•	•	 •	•	• •	• •	•	•	 •	•	• •	•	•	• •	 •	•	• •			•	•		•	•	••	

#### **DELIVERY SCHEDULE**

Item No.	Description of Goods	Quantity	Final Destination [insert place of Delivery]	Delivery Date Purchaser's delivery date as per the contract
01.	Bill No. 1			
02.	Bill No. 2			

### PAYMENT SCHEDULE

Letter of Credit will be opened by the Purchaser. No Advance payment will be made.

	STAGE OF PAYMENT	STAGE OF CONTRACT	DOCUMENT TO BE SUBMITTED	AMOUNT OF PAYMENT	REMARKS
(A	) Foreign Payment				
1	First installment	On shipping the items part or fully.	<ul> <li>Copies of the Supplier's invoice showing description of Goods, quantity, unit price, total amount and HS Code Number;</li> <li>3 copies of clean on-board bill of lading marked freight prepaid.</li> <li>Copies of packing list identifying contents of each package and measurements.</li> <li>Manufacturer's warranty certificate as per Clause 15 hereof.</li> <li>Inspection certificates, issued by the nominated inspection agency and the Pre-shipment Inspection Team.</li> <li>Manufacturer's Inspection and Test Certificate.</li> <li>Certificate of origin.</li> <li>Certificate of conformity to the standards specified in the specifications.</li> <li>Inspection and test certificate by the NWSDB pre-shipment Inspection team.</li> </ul>	75% of foreign component of the items shipped on Letter of Credit.	
2	Balance foreign component	Final acceptance by the Engineer based on the delivery and other obligations.	On production of a Final Acceptance Certificate issued by the Engineer. Engineer's Representative's approval for the balance payment of Foreign Component.	Balance 25% of the foreign component shall be paid on Letter of Credit	The total Contract Sum shall become payable within <u>60</u> <u>days</u> from the date of the Engineer's Final Acceptance Certificate.
( <b>B</b>	) Local Payment				
3	First Payment of Supply Bill	On delivery and stacking of the Goods at site.	Document providing the delivered Goods are in compliance with the contract.	90% of the Local component of the Contract Price less Bank charges.	Sri Lankan Rupees component by a cheque in favour of the supplier.
4	Balance Local Payment	Final acceptance by the Engineer for the delivery and other obligations.	A written request for balance payment in the form of an invoice based on the BOQ and Engineer's approval for the payment.	10% of the Local component of the Contract Price less remaining Bank charges.	The total Contract Sum shall become payable within <u>60</u> <u>days</u> from the date of the Engineer's Final Acceptance Certificate.

# 6. SPECIFICATION

•	SPECIFICATION FOR MECHANICAL	6n-1 6n	-44
	COUPLINGS, REPAIR CLAMPS &		
	FLANGE ADAPTORS		
•	SPECIFICATION FOR PVC/ABS/STAINL	ESS	
	STEEL/BRONZE/DI/CI VALVES,		
	SHEAR GATES, SLIDE GATES AND		
	MANHOLE COVERS & FRAMES FOR		
	SEWERAGE APPLICATIONS	6x-1 6x	-34
•	SPECIFICATION FOR DI PIPES &		
	FITTINGS AND SPECILS FOR		
	SEWERAGE APPLICATIONS	6bb-1	6bb-15
	Download and add		
	above Specifications		
	from "NWSDB web"		
	under the "Restrict Links"		
	when preparing the Bidding		

Document

7. SCHEDULE OF PARTICULARS

#### SCHEDULE OF PARTICULARS

# TABLE OF CONTENTS

#### PAGE NUMBER

1	DI Pipes and Fittings	7 - 2
2	Mechanical Couplings, Repair clamps and Flange Adaptors	7 - 5
3	Gate/Sluice Valves	7-6
4	Butterfly Valves	7 - 7
5	Air Valves	7 - 9
6	Check Valves	7 - 10
7	Pressure Reducing Valves	7 – 12
8	Pressure Sustaining/Relief Valves	7 - 13
9	Altitude Valves	7 - 14
10	Ball Float Valves	7 - 15
11	Flap Valves	7 - 17
12	Surface Boxes and Manhole covers	7 - 18
	• Specimen form of test certificate for Pipes and Fittings	7 - 19
	• Specimen form of test certificate for Valves and Hydrants	7 - 20
	• Specimen form of test certificate for Joint Rings and Gaskets	7 - 21
	• Specimen form of test certificate for Nuts and Bolts	7 - 22
	• Specimen form of test certificate for Manhole covers	7 - 23

### SCHEDULE OF PARTICULARS

# 1 DI PIPES AND FITTINGS

1.1	Country of manufacture: (1) Pipes
1.2	Manufacturers' name and Address: (1) Pipes
	(2) Fittings
1.3	<ul> <li>1.3.1 Standards to which pipes and fittings conform: <ul> <li>(1) Pipes</li> <li>(2) Fittings</li> </ul> </li> </ul>
	1.3.2 No. of shipment proposed by the bidder :
1.4	Is Certificate for conformity to standards from relevant standards Institution provided to the factory/factories : (1) Pipes
1.5	Is ISO 9001:2015 Quality Management System Certificate provided to the factory/factories (1) Pipes
1.6	Class of Pipes and fittings : Class
	S/S PipesPipes with integral casted flangesPipes with factory welded flangesPipes with screwed flangesTeesBends & Other Fittings
1.7.	Whether factory welded flange pipes tested for each flanged joint?
1.8.	Whether Pipes & Fittings are from same Manufacturer ?
1.9	Gaskets, Joint rings and Lubricant :
1.9.1	Standard to which Gaskets, Joint rings conforms:
1.9.2	Is Certificate for conformity to standards from relevant standards Institution provided to the factory/factories :
1.9.3	Is ISO 9001:2015Quality Management System Certificate provided to the factory/factories :

1.10 Make of Gaskets, Joint rings and Lubricant :

		Make
	Gaskets	
	Joint rings	
	Lubricant	
1.11	Material of Gaskets	s, Joint rings and Lubricant :
	Gaskets	
	Joint rings	
	Lubricant	
1.12.	Hardness range of (	Gaskets and Joint Rings
		Hardness Range (1RHD)
	Gaskets	
	Joint Rings	
1.13	Standard to which Fla	anges conform :
1.14	Whether Flanges are	integrally casted or Factory welded ?
1.15	Type of external coat	ing and grade :
1.16	Standard to which ex	ternal coating conform:
1.17	Type of internal coati	ing/lining and standard:
1.18	Standard to which nu	ts and bolts, washers conform and the type of material:
	Standard	
	Material	
1.19.	Standard to which po	lyethylene sleeving conform and the colour
	Standard	
	Colour	

1.20 Quantity of joint protection materials required per flanged joint as per manufacturer's recommendation

	Diameter (mm)	Mastic /Primer (litres)	Paste (kg)	Tape (m)	uPVC/Polyethylene outer wrapping (m)
	150				
	200				
1.21	Port of shipm	ent :			
1.22	Packing and p	rotection in trans	sit :		
1.23	Time of delive	ery:			
1.24	Reference of the catalogues, technical literature, drawing provided with the Bid:				
1.25	Name and address of the Supplier's accredited agent in Sri Lanka:				
1.26	Deviations fro	om specifications	(if any):		
1.27	Marking of Pi	pes and Fittings;	Manufacturer's	s Name and Cla	ass as
	Embos	ssed	Cold Stamp		
1.28	Other Marking	rs: Cast on			
1.20		· ·			
	Cold S	Stamp	Painted with	an indelible pa	unt

# 2. MECHANICAL COUPLINGS, REPAIR CLAMPS AND FLANGE ADAPTORS

2.1 Country of manufacture :....

2.2 Manufacturers' Name and Address:

2.3 Make, Material, Hardness Range and Standard :

		Make	Material	Hardness Range	Standard	Date of Manufacture
	Sleeve:			N/A		
	Flange :			N/A		
	Gaskets:					
	Joint Rings:					
2.4	Type of exte	ernal coating	and thickne	ess:		
2.5	Type of inte	ernal coating	and lining:			
2.6	Time of Del	ivery :				
2.7.	Port of Ship	ment:				
2.8	Reference o	f the catalogu	ues, technic	al literature, dra	awings provide	d with the Bid :
2.9.	Name and A	ddress of su	pplier's age	ent (if any) in Si	ri Lanka	
2.10.	Deviations f	from Specific	ations (if a	ny) :		
2.11.	Is ISO 900	-	uality Man	agement Syster	m Certificate	provided to the Factory

## 3. GATE/SLUICE VALVES

3.1	Country of Manufacture :
3.2	Manufacturer's Name and Address:
3.3	Date of Manufacture:
3.4.	Standards to which valves conform
3.5.	Is certificate for conformity to standards from relevant Standards Institution provided to the factory/ factories
3.6.	Is ISO 9001 : 2015Quality Management System Certificate provided to the factory/ Factories
3.7	Material Body :
	Spindle :
	Metal faces and seal:
3.8.	Length between flanges (mm):
3.9	End flanges - Pressure Rating:
	Dimensions (mm):
	Bolt Circle dia (mm):
3.10	Whether gearing arrangement Provided :
	Gear Ratio
	Unbalanced head: bars
	Seat test pressure: bars
	Body test pressure: bars
3.14	Internal protection :
3.15.	External protective finish:
3.16	Weight of the valve
3.17.	Packing and protection of valves in transit:
3.18	Reference of the catalogues, technical literature and drawing provided with the Bid:

4.	BUTTERFLY VALVES
3.22.	Deviations from Specifications (if any):
3.21.	Name and Address of Supplier's accredited agent in Sri Lanka:
3.20.	Time of delivery of valves at the port of shipment:
3.19.	Port of shipment:

4.1	Country of Manufacture
4.2	Manufacturer's name and Address:
4.3	Date of Manufacture:
4.4	Standard to which valves conform:
4.5.	Is certificate for conformity to Standards from relevant Standard Institution provided to the factory/ factories.
4.6	Is ISO 9001 :2015 Quality Management System Certificate provided to the factory/ factories.
4.7	Material
	Valve body:
	Valve disc:
	Valve seat:
	Shaft:
	Shaft seals:
4.8	Valve body : Whether Rubber lined ? if so material :
4.8.1	Standards to which gaskets conforms :
4.8.2	Is certificate for conformity to Standards from relevant Standard Institution provided to gaskets :
4.8.3	Is ISO 9001 · 2015 Quality Management System Certificate provided to the factory/

4.8.3 Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory/ factories.

7-7

4.9.	Face to face dimensions of the valves (mm) :
4.10	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
4.11.	Standard to which nuts and bolts conform and the material:
4.12.	The type of operating gear for the valve:
4.13.	Operating method of the valve (hand wheel/Tee key):
4.14.	Whether Gearing arrangement is provided :
	Gear ratio of gearing:
	Unbalanced head: Bars
	Seat test pressure : Bars
	Body test pressure Bars
4.15.	Internal protective finish: Material :
	Thickness :
4.16.	External protective finish: Material :
	Thickness :
4.17.	Weight of the valve:Kg
4.18.	Packing and Protection of valves in transit:
4.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:
4.20.	Port of shipment:
4.21.	Time of delivery of valves at port of shipment:
4.22.	Name and Address of supplier's agent (if any) in Sri Lanka:
4.23.	Deviations from specifications (if any) :

### 5. AIR VALVES

- 5.1. Country of Manufacture : .....
- 5.2 Manufacturer's name and Address: .....

.....

- 5.3 Date of Manufacture: .....
- 5.4 Is ISO 9001:2015 Quality Management System Certificate provided to the factory / Factories : .....
- 5.5. Type of Valve (single orifice/double orifice): .....
- 5.6. For large orifice air valves;

Orifice dia mm	Minimum air outflow at 0.5 bar differential pressure $m^3/min$
	Minimum air inflow at 0.2 bar differential pressure $m^3/min$
	·····

- 5.7. For large orifice and Double orifice air valves; whether isolating valve has mitre gearing for making it Tee key operated: .....
- 5.8. Make of material of Ball (Stainless Steel or Plastic):.....
- 5.9. Flanges (if applicable)

Pressure rating : ..... Standard :.... Dimensions (mm) :..... Bolt circle dia (mm):.....

- 5.10. Seat test pressure : ..... bars
- 5.11 Body test pressure : ..... bars
- 5.12 Internal protective finish: .....
- 5.13. External protective finish:....
- 5.14. Weight of the valve :..... kg
- 5.15. Packing and protection of valves in transit: .....
- 5.16. Reference of the catalogues, technical literature and drawings provided with the Bid:

5.17. Port of shipment: ......
5.17. Time of delivery of valves at port of shipment: ......
5.18. Name and Address of supplier's agent (if any) in Sri Lanka: ......

5.19. Deviations from specifications (if any):.....

## 6 CHECK VALVES

6.1	Country of Manufacture :
6.2	Manufacturer's name and Address:
6.3	Date of Manufacture:
6.4	Standard to which valves conform:
6.5	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories:
6.6	Is product conformity certificate from relevant Standard Institution provided to the Factory / factories :
6.7	Is this Vertical Installation or Horizontal Installation :
6.8	Is this non Slam :
6.9	Is this Spring loaded :
6.10	Material
	Valve body: Hinge pin and bushes: Disc: Disc encapsulating material:
6.11	End Flanges
	Pressure rating: Dimensions (mm): Bolt circle dia (mm):

Bolt circle dia (mm):..... Standard :....

6.12.	Face to face dimensions of the valve (mm) :
6.13.	Seat test pressure : bars
6.14.	Body test pressure bars
6.15.	Internal protective finish:
6.16.	External protective finish:
6.17.	Weight of the value: Kg
6.18.	Packing and Protection of valves in transit:
6.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:
<b>( )</b>	
0.20.	Port of shipment:
6.21.	Time of delivery of valves at port of shipment:
6.22.	Name and Address of supplier's agent (if any) in Sri Lanka:
6.23.	Deviations from specifications (if any):

# 7. PRESSURE REDUCING VALVES

7.1	Country of Manufacture :
7.2	Manufacturers' Name and Address:
7.3	Date of Manufacture:
7.4	Is ISO 9001:2015Quality Management System provided to the factory/ factories:
7.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories:
7.6	Material Main valve: Body: Internal valve: Indicator rod:
	Relay Valve Body: Spindle: Diaphragm: Spring:
7.7	Length between flanges (mm):
7.8	End Flanges
	Pressure rating: Dimensions (mm): Bolt circle dia (mm): Standard :
7.9	Minimum running pressure difference: bars
7.10	Minimum control pressure bars
7.11	Internal protective finish:
7.12	External protective finish:
7.13	Weight of the valve: kg
7.14	Packing and Protection of valves in transit:

7.15 Reference of the catalogues, technical literature and drawings provided with the Bid: .....

- 7.16 Port of shipment:
- 7.17 Time of delivery of valves at port of shipment:.....

7.18 Name and Address of supplier's agent (if any) in Sri Lanka:.....

7.19 Deviations from specifications (if any):.....

## 8. PRESSURE SUSTAINING/RELIEF VALVES

8.1 Country of Manufacture :....

8.2 Manufacturer's name and Address:

- 8.3 Date of Manufacture:
- 8.4 Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
- 8.5 Is product conformity certificate from relevant Standard Institution provided to the factory/ factories:.....
- 8.6 Material

Main valve:..... Body:.... Internal valve:..... Indicator rod:....

### Relay Valve

- Body:.... Spindle:.... Diaphragm:... Spring:...
- 8.7 Length between flanges (mm):.....
- 8.8 End Flanges
  - Pressure rating:.....
  - Dimensions (mm):.....
  - Bolt circle dia (mm):....
  - Standard :....

8.9	Internal protective finish:
8.10	External protective finish:
8.11	Weight of the valve: kg
8.12	Packing and Protection of valves in transit:
8.13	Reference of the catalogues, technical literature and drawings provided with the Bid:
8.14	Port of shipment:
8.15	Time of delivery of valves at port of shipment:
8.16	Name and Address of supplier's agent (if any) in Sri Lanka:
8.17	Deviations from specifications (if any):

# 9 ALTITUDE VALVES

9.1	Country of Manufacture :
9.2.	Manufacturer's name and Address:
9.3.	Date of Manufacture:
9.4.	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
9.5	Is Product Conformity Certificate from relevant Standard Institution provided to the factory/ factories
9.6	Material Main value:

Main valve:..... Body:.... Internal valve:.... Indicator rod:....

Relay Valve Body:.... Spindle:.... Diaphragm:.... Spring:.... 9.7 Length between flanges (mm):.... 9.8 End Flanges Pressure rating:..... Dimensions (mm):.... Bolt circle dia (mm):.... Standard :.... 9.9 Minimum head required at valve inlet:.... 9.10 Internal protective finish: 9.11 External protective finish: 9.13 Packing and Protection of valves in transit: 9.14 Reference of the catalogues, technical literature and drawings provided with the Bid: ..... 9.15 Port of shipment: 9.16 Time of delivery of valves at port of shipment:..... 9.17 Name and Address of supplier's agent (if any) in Sri Lanka:.... 9.18 Deviations from specifications (if any): **10 BALL FLOAT VALVES** 10.1 Country of Manufacture :.....

- 10.2. Manufacturer's name and address :
- 10.3. Date of Manufacture:.....
- 10.4 Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
- 10.5. Is product conformity certificate from relevant Standard Institution provided to the factory/ factories.....

10.6	Body test pressure:
10.7	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
	Standard:
10.8	Material
	Valve Body:
	Float:
	Lever and links:
10.9	Body test pressure: bars
10.10.	Close assembly test pressure bars
10.11	Weight of the valve: kg
10.12	Packing and Protection of valves in transit:
10.13	Reference of the catalogues, technical literature and drawings provided with the Bid:
10.14	Port of shipment:
10.15	Time of delivery of valves at port of shipment:
10.16	Name and Address of supplier's agent (if any) in Sri Lanka:
10.17	Deviations from specifications (if any):

### 11. FLAP VALVES

11.1	Country of Manufacture :
11.2	Manufacturer's name and Address:
11.3	Date of Manufacture:
11.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
11.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories
11.6	Material
	Frame and door:
	Sealing:
	Hinge pin:
	Links:
11.7	Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
	Standard :
11.8	Weight of the valve: kg
11.9	Packing and Protection of valves in transit:
11.10	Reference of the catalogues, technical literature and drawings provided with the Bid:
11.11	Port of shipment:
11.12	Time of delivery of valves at port of shipment:
11.13	Name and Address of supplier's agent (if any) in Sri Lanka:
11.14	Deviations from specifications (if any)

12	SURFACE BOXES	AND MANHO	DLE COVERS	5	
12.1	Country of Manufactor	ure :			
12.2	Manufacturer's name	and Address :.			
12.3	Material :				
12.4	Class, Make, Standar	d and Date of M	Ianufacture		
		Class	Make	Standard	Date of Manufacture
	Manhole Covers :				
	Surface Boxes :				
12.5	Coating :				
12.6	Lifting arrangements:	:			
	Manhole Covers :				
	Surface Boxes :				
12.7	Name and Address of	Supplier's age	nt (if any) in Si	ri Lanka :	
12.8	Port of Shipment:				
12.9	Time of Delivery of M	Material at port	of shipment:		
12.10	Deviations from Spec	eification (if any	y):		
	certify that the details y with above.	given above a	are true and th	e Goods suppl	ied under this Contract

Signature of the Supplier

Note: Copies of the relevant standards used for pipes, specials and fittings should be forwarded along with the offer.

# 8. DEVIATION FROM SPECIFICATION

### **DEVIATIONS FROM SPECIFICATIONS**

### **Preamble**

The Bidder is required to list any deviations of materials workmanship etc. from the Specifications including such information as has already been given elsewhere in the Bidding Documents. The information shall be in sufficient detail to enable the Engineer to make a realistic assessment of the effect of such deviations on the performance or life of the materials to be supplied and also such deviation if any shall be subject to **Clause 24** of Instructions to Bidders.

The list shall also include deviations from the Specifications relating to the mode of operation and/or control of any item of equipment, and any deviations from the specified design requirements for plant components.

### **Deviations**

Note:

Additional sheets should be attached as necessary

# 9. KEY FEATURES OF SPECIFICATIONS

### **KEY FEATURES OF SPECIFICATIONS**

Some of the salient features of the specifications aresummarized below to furnish a quick reference. The Bidders are under obligations to refer the whole of the specifications in their entirety prior to perfecting their bidding documents, and will be deemed to have done so during the bidding stage.

Feature	Description	Standard of Conformity			
Class of		-			
• Socket and spigot pipes	C 40				
• Pipes with factory welded flanges	C 40				
• Pipes with integral flanges	C 40	ISO 7186 : 2011 and			
• Fittings except Tees and Crosses	C 40	BSEN 598 : 2009			
• Tees and crosses	C 40				
Length of Pipes		ISO 7186 : 2011 and			
Pressure rating of flanges	PN 16	BSEN 598:2009 BSEN 1092 – 2:1997			
External coating of pipes and fittings	Metallic zinc on zinc rich paint followed by two coats of bituminous based black paint or an approved coat of epoxy	ISO 8179-I, II BS 3416:1991 Type II			
Internal lining of pipes and fittings	Cement mortar	ISO 7186 : 2011 BSEN 598:2009 ISO 4179 : 2005 ISO 6600 : 1980			
The material for Joint Rings	EPDM	BSEN 681-1:1996			
The dual hardness of rings					
• Heal of the ring	76-84 1RHD	BSEN 681-1 : 1996			
• Bulb of the ring	46-55 1RHD	BSEN 681-1:1996			
The material for Gasket and Hardness Range.	EPDM, 76-84 1RHD	BSEN 681-1:1996			
The material for Nuts, Bolts and washers.	High Tensile Steel	BSEN 14399 : Part 2: 2005			
The colour for polyethylene sleeving.	Blue	BS 6076 : 1996 ISO 8180 : 2006			
The hardness of					
• Pipes	230 HB	ISO6506			
• Fittings and accessories	250 HB				
Protective coating of Mechanical	Polymeric anti-corrosion				
couplings, Repair clamps and Flange	coating in accordance with				
Adaptors.	WIS 4-52-01 Class B with				
-	a coating thickness of not less than 250 microns.				

Feature	Description	Standard of Conformity		
The material for valve Body	Ductile Iron	BS EN 1563 : 2018		
Sluice Valves				
<ul><li>Up to 600 mm</li><li>Above 600 mm</li></ul>	Shall comply with Shall comply with	BS 5163 : 2004 BS5150 : 1990		
Butterfly Valves	Shall comply with	BSEN 593 : 2004		
Check valves	Shall comply with	BSEN 12334 : 2001		
Fire Hydrants				
• Screw down Type	Shall comply with	BS 750 : 2006 (type 2)		
• Dry barrel Type	Shall comply with	AWWA C 502-80		
Surface Boxes				
Material	Ductile Iron	BS 5834:Part 2:1983		
Grade	Heavy duty			
Manhole covers and frames				
Material	Ductile Iron	BS EN 124 : 1994		
Class	Heavy Duty			

# **10. BILLS OF QUANTITIES**

- PREAMBLE NOTES ON PRICING
- BILLS OF QUANTITES
- SUMMARY OF BILLS
- **GRAND SUMMARY**

### PREAMBLE NOTES ON PRICING

### 1. General

1.1 The bidder's attention is specifically directed to the Form of Bid, Instructions to Bidders, Conditions of Contract, Contract Data, Delivery Schedule, Schedule of Particulars and Specifications which are to be read in conjunction with the Bills of Quantities. The following notes are given to assist in pricing the Bills of Quantities and enable the supplier to arrive at the total Bid Price. The Bidder shall insert rates and prices for the supply and delivery of **DI pipes, fittings, specials, accessories and DI valves** for sewerage works in strict accordance with the specifications.

### 2. **Description of Items**

2.1 Descriptions attached to the items in the Bills of Quantities are only in sufficient detail to ensure identification of the work described in the specification.

### 3. **<u>Rates and prices</u>**

- 3.1 In pricing the items of the Bills of Quantities, the bidder shall cover himself and will be deemed to have covered himself for:
  - a. All services and materials which according to the true intent and meaning of the contract may be reasonably inferred as necessary for completion of delivery of the materials in sound condition to the Stores which is specified in **Contract Data**.
  - b. All the duties, obligations, liabilities and responsibilities which the Contract documents place upon the bidders in connection with or in relation to the Contract.
  - c. All costs arising out of inspection except inspection as per **Clause 8** of General Conditions of Contract, testing, packing, transportation, clearing, loading, unloading, stacking, shipping line charges, warehouse rent, port charges, any demurrages, Agents Commission if any and other minor expenses.
  - d. All Costs including all taxes and duties and other charges imposed outside Sri Lanka on raw materials, production, manufacture, sales, transport and any other cost that may be incurred of all goods.
  - e. All duties and taxes if any except customs duty and port charges that may be levied in purchaser's country (Sri Lanka).
  - f. Cost of accessories not specifically listed, but necessary for proper completion
  - g. Price charged by the supplier for the preceding incidental services.

- h. Custom duties, import license fees and port charges levied on the goods supplied under contract shall be directly paid by the Purchaser as per **Clause 32.4** of the General Conditions of Contract
- 3.3 Bidder shall include FOB price under Foreign cost and all local costs which are incurred in Sri Lanka including Agency Commission under Local Cost. Freight, cost of pre-shipment inspection by Employer and Inspection and Testing by Independent Testing Agency shall be included in the summary of each Bill. Total of the Summary of each bill shall be carried forward to "Summary of Bills".
- 3.4 Insurance shall be done by the Purchaser.
- 3.5 Shipping shall be done as specified in the **Clause 37** of Instruction to Bidders.

# 4. Schedule of Particulars

- a) The bidders are necessarily be required to complete fully the schedule of particulars given in the Bidding document.
- b) where catalogues, technical literature and drawings accompanying the bid, their references should be quoted in the Schedule of Particulars;
- c) Where the bidder's specification is not conforming to the minimum specification, the offer will not be accepted;
- 5. A rate and/or price is to be entered against each item in the Bills of Quantities whether quantities are stated or not. If a bidder does not quote for a item of a bill, the particular bill shall be considered as incomplete and that bill shall not be taken for evaluation.
- 6. The Bills of Quantities contains metric sized pipes fittings specials and valves only.
- 7. The bidder shall include in the unit price for DI pipes, fittings, specials, accessories and DI valves for sewerage works and the cost of all materials required for jointing of pipes, (Rubber rings, lubricant, bolts, nuts, washes and gaskets for flanged fittings etc.) **unless separate items are provided.**
- 8. All loose items such as nuts, bolts, washers and rubber rings shall be separately packed in accordance with the relevant sub-section in the Bills of Quantities with a maximum weight of 100 kg.
- 9. Cost of combined allowance for pre-shipment inspection for two Engineers by the Employer shall be for the entire duration as per the **Clause 8.2** of the Conditions of Contract. If any shortage is found, the supplier shall bear the additional cost.
- 10. Cost of Inspection and Testing by the Independent Inspection and Testing Agency shall be as per the **Clause 8** of the Conditions of Contract.
- 11. The rates and/or prices entered against items in the Bills of quantities shall be excluding the VAT as the VAT is considered separately.

# 

CONTRACT No. ....

### BILL No. 01

- Note: (1) All spigot and socket pipes shall be of class C 40 for upto 300mm dia. Class C 30 for 350mm dia. to 600mm dia. (both inclusive) and C25 for above 600mm dia.
  (2) All flange pipes, fittings & flanges shall be PN 16
- Item No. Description Qty Unit Rate Amount Foreign Local Foreign Local (FOB) LKR (FOB) LKR USD USD **CLASS C 40; SPIGOT & SOCKET PIPES** Spigot and Socket Straight Pipes (excluding joint rings & lubricant) 01 250 mm dia. m EPDM Joint Rings for above spigot & socket pipes (including 10% extra) 02 250 mm dia. nr 03 Lubricant for above spigot & socket pipes (including 10% extra) kg **CLASS C 40; FLANGED PIPES & FITTINGS DI Double Flanged Straight Pipes (excluding** gaskets, nuts & bolts) m 250mm dia.(4000mm long) 04 m 250mm dia.(1500 mm long) 05 m 250mm dia.(3000mm long) 06 Sets of Nuts and Bolts including two Washers for each nut for above double flanged pipes Sets 250mm dia.(4000mm long) 07 Sets 250mm dia.(1500 mm long) 08 Sets 250mm dia.(3000mm long) 09 Total of page No. 10- ... carried to Summary in page 10 - ....

Item No.	Description	Qty	Unit	Ra	ite	Am	ount
				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	EPDM Gaskets for above double flange pipes						
10 11 12	250mm dia.(4000mm long) 250mm dia.(1500 mm long) 250mm dia.(3000mm long)		nr nr nr				
	CLASS C 40; FLANGED PIPES & FITTINGS						
	DI Double Flanged Straight Pipes (excluding gaskets, nuts & bolts)						
12	80 mm dia.		m				
13	100 mm dia.		m				
14 15	150 mm dia.		m				
15	200 mm dia.		m				
17			m				
18							
19							
	Sets of Nuts and Bolts including two Washers for each nut for above double flanged pipes						
20	80 mm dia.		Sets				
20	100 mm dia.		Sets				
21	150 mm dia.		Sets				
23	200 mm dia.		Sets				
24							
25							
26							
	EPDM Gaskets for above double flange pipes						
27	80 mm dia.		nr				
27 28	100 mm dia.		nr				
28 29	150 mm dia.		nr				
30	200 mm dia.		nr				
31							
32							
33							
	Total of page No. 10 carried to						
	Summary in page 10 –						

Item No.	Description	Qty.	Unit	R	ate	Am	ount
				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	DI Flanged and Plain Ended Straight Pipes (excluding gasket, nuts & bolts)						
34 35 36 37 38	80 mm dia. ( mm long) 100 mm dia.( mm long) 150 mm dia.( mm long) 200 mm dia.( mm long) 		nr nr nr nr nr				
	Sets of Nuts and Bolts including two Washers for each nut for above flanged and plain ended pipes						
39 40 41 42 43 44 45	80 mm dia. 100 mm dia. 150 mm dia. 200 mm dia.		Sets Sets Sets Sets				
	EPDM Gaskets for above flanged and plain ended pipes						
46 47 48 49 50 51 52	80 mm dia. 100 mm dia. 150 mm dia. 200 mm dia.		nr nr nr nr nr				
	DI Double Socketed Bends (excluding joint rings and lubricant)						
53 54 55 56 57 58 59	80 mm dia. 90 deg. 80 mm dia. 45 deg. 80 mm dia. 22½ deg. 80 mm dia. 11¼ deg. 100 mm dia. 90 deg. 100 mm dia. 45 deg. 100 mm dia. 22½ deg.		nr nr nr nr nr nr nr nr				
	Total of page No. 10 carried to Summary in page 10 –						

Item No.	Description	Qty	Unit	Ra	ite	Amo	ount
110.				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
60	100 mm dia. 11¼ deg.						
61							
62							
02							
	EPDM Joint Rings for above bends (including						
	10% extra)						
			nr				
63	80 mm dia.		nr				
64	100 mm dia.		nr				
65	150 mm dia.		nr				
66	200 mm dia.		nr				
67							
68							
00							
			1				
60	Lubricont for above hands (including 100/ avtra)		kg				
69	Lubricant for above bends (including 10% extra)						
	DI Double Flanged Bends (excluding gaskets,						
	nuts & bolts)						
			nr				
70	80 mm dia. 90 deg.		nr				
71	80 mm dia. 45 deg.		nr				
72	80 mm dia. 22 <sup>1</sup> / <sub>2</sub> deg.		nr				
73	80 mm dia. 11¼ deg.		nr				
74			nr				
75			nr				
76	$\dots$ mm dia 22 ½ deg.		nr				
77	mm dia. 11 $\frac{1}{4}$ deg.		nr				
78	mm dia deg.		nr				
79	mm diadeg.		nr				
80	mm dia deg.						
81	mm diadeg.						
	Sets of Nuts & Bolts, including two Washers for each nut for above double flanged bends						
			Sets				
82	80 mm dia.		Sets				
	100 mm dia.						
83			Sets				
84	150 mm dia.		Sets				
85	200 mm dia.						
86							
87							
88							
	Total of page No. 10– carried to						
		1	1				
	Summary in page 10 –						

88 89 90 91 92 93 94 95 96 97 98 99 100	EPDM Gaskets for above bends					
88 89 90 91 92 93 94 95 96 97 98 99 100	EPDM Gaskets for above bends		Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
<ul> <li>89</li> <li>90</li> <li>91</li> <li>92</li> <li>93</li> <li>94</li> </ul> 95 <ul> <li>96</li> <li>97</li> <li>98</li> <li>99</li> <li>100</li> </ul>						
89 90 91 92 93 94 95 96 97 98 99 100	80 mm dia.	nr				
90 91 92 93 94 95 96 97 98 99 100	100 mm dia.	nr				
91 92 93 94 95 96 97 98 99 100	150 mm dia.	nr				
92 93 94 95 96 97 98 99 100	200 mm dia.	nr				
93 94 95 96 97 98 99 100		nr				
94 95 96 97 98 99 100		nr				
95 96 97 98 99 100						
96 97 98 99 100	DI All Socket Concentric Tapers complete with EPDM Joint Rings and Lubricant					
97 98 99 100	200 - 80 mm dia.	nr				
98 99 100	400 - 100 mm dia.	nr				
99 100		nr				
100		nr				
		nr				
		nr				
101	DI All Flanged Concentric Tapers complete with EPDM Gaskets, Nuts & Bolts					
101	200 - 80 mm dia.	nr				
102	400 - 100 mm dia.	nr				
103		nr				
104		nr				
	DI All Flanged Level Invert Tapers complete with EPDM Gaskets, Nuts & Bolts					
105	200 - 80 mm dia.	nr				
106	400 - 100 mm dia.	nr				
107		nr				
108		nr				
	DI Bell mouth complete with EPDM Gaskets, Nuts & Bolts					
109	80 mm dia.	nr				
	100 mm dia.	nr				
	150 mm dia.	nr				
	200 mm dia.	nr				
110		nr				
114		nr				
117		nr				
116		nr				
	Total of page No. 10 carried to					

Item No.	Description	Qty	Unit	Ra	ite	Amo	ount
110				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	DI All Socketed Duck Foot Bends complete with EPDM Joint Rings and Lubricant						
117	80 mm dia.		nr				
118	100 mm dia.		nr				
119	150 mm dia.		nr				
120			nr				
121 122			nr				
122							
	DI All Flanged Duck Foot Bends complete with EPDM Gaskets, Nuts & Bolts						
123	80 mm dia.		nr				
124	100 mm dia.		nr				
125	150 mm dia.		nr				
126			nr				
127			nr				
128							
	DI Flange Adaptors complete with Fastners and Sealing Rings						
100			nr				
129	80 mm dia. 100 mm dia		nr				
130 131	150 mm dia.		nr nr				
131			nr				
	DI Couplings complete with Fastners and Sealing Rings						
133	80 mm dia.		nr				
134	100 mm dia.		nr				
135	150 mm dia.		nr				
136			nr				
137			nr				
138							
	Total of page No. 10 carried to						
	Summary in page 10 –						

Item No.	Description	Qty	Unit	Rate		Amount	
110.				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	DI Stepped Coupling complete with Sealing Rings and Fastners suitable for connecting DI pipes to CI pipes						
139 140 141	100 dia. DI - 200 dia DI 150 dia. DI - 250 dia. DI		nr nr				
141 142 143	· · · · · · · · · · · · · · · · · · ·		nr nr nr				
	DI Blank Flange complete with EPDM Gaskets, Nuts & Bolts						
144 145 146	50 mm dia. 80 mm dia. 100 mm dia.		nr nr nr				
147 148 149	· · · · · · · · · · · · · · · · · · ·		nr nr nr				
150			nr				
	Total of page No. 10 carried to Summary in page 10 –						

Item No.	Description	Qty	Unit	Rate		Amount	
100				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	CLASS C 40; TEES						
	DI All Socketed Tees complete with EPDM Joint Rings and Lubricant						
151 152 153 154 155 156 157	80 x 100 mm dia. 80 x 150 mm dia. 100 x 150 mm dia. 100 x 200 mm dia.		nr nr nr nr nr				
	DI All Flanged Tees complete with EPDM Gaskets, Nuts & Bolts						
158 159 160 161 162	80 x 100 mm dia. 80 x 150 mm dia. 100 x 150 mm dia. 250 x 350 mm dia.		nr nr nr nr nr				
163 164	DI All Flanged Reducing Tees complete with EPDM Gaskets, Nuts & Bolts						
165	80 x 100 mm dia.						
166 167	100 x 150 mm dia. 150 x 200 mm dia.		nr nr				
168	$250 \times 350$ mm dia.		nr				
169			nr				
170 171			nr				
	Socketed Tees with Flanged branch complete with EPDM Gaskets, Joint Rings, Nuts & Bolts and Lubricant.						
172	80 x 100 mm dia.		nr				
173	80 x 150 mm dia.		nr				
174	100 x 150 mm dia.		nr				
175	100 x 200 mm dia.		nr				
176 177 178	······		nr				
	Total of page No. 10 carried to Summary in page 10 –						

Item No.	Description	Qty	Unit	Ra	nte	Am	ount
110.				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	DI All Flanged Level Invert Tees complete with EPDM Gaskets, Nuts and Bolts						
179	80 x 100 mm dia.		nr				
180	80 x 150 mm dia.		nr				
181	100 x 150 mm dia		nr				
182			nr				
183 184			nr nr				
104			111				
	DI Level Invert Socketed Tees with Flanged branch complete with EPDM Gaskets, Joint Rings, Nuts and Bolts and Lubricants.						
			nr				
185	80 x 100 mm dia.		nr				
186 187	80 x 150 mm dia. 100 x 150 mm dia.		nr nr				
187			nr				
189			-				
190							
	Class D, DI Surface Box with clear opening						
191	mm xmm		nr				
192	mm x mm		nr				
	Class D, DI Manhole Cover complete with Frame with clear opening						
193	mm dia.		nr				
194	mm dia.		nr				
195	mm dia.		nr				
	A sufficient quantity of profiling mastic material, tape and primer compound for protecting all flanged joints and couplings described in Bill No. 01 (Catalogue or printed literature to be furnished with the offer to justify the quality and quantity of the product. A sample should be provided with the offer. Tape overlap shall be 55%.						
	(No of quantity calculation sheet for each dia. Joint shall be submitted)						
196 197 198 199 200	80 mm dia.(No. of joints)100 mm dia.(No. of joints)150 mm dia.(No. of joints)(No. of joints)(No. of joints)No. of joints)Length of tape providedLength of tape provided		Lump sum Lump sum Lump sum				
	Total of page No. 10 carried to Summary in page 10 –						

		Amount				
Page Number	Unit	Foreign Cost USD	Local Cost (LKR)			
Total of Page No. 10 –	_					
Total of Page No. $10 - \dots$	_					
Total of Page No. $10 - \dots$	_					
Total of Page No. $10 - \dots$	_					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10	-					
	0					
Freight	Sum					
Cost of Pre- shipment Inspection for two Engineers by Employer as per Clause No. 8.2 of Conditions of Contract. No. of Pre-shipment inspection (to be filled by the Engineer).	Sum					
Cost of Inspection and Testing by Independent Testing & Inspection Agency	Sum					
Summary of Bill No. 01 Carried to the Page No. $10 - \dots$	-					

#### SUMMARY OF BILL NO. 01

Name of the Inspection Authority :

.....

### SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS, ACCESSORIES, DI/CI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS

...... SEWERAGE SCHEME

CONTRACT No. ....

#### Bill No. 02 - Supply of DI Valves and Accessories

# Note: 1. All Valves shall be suitable for operation with a Valve Key unless otherwise stated.

2. All Flanges shall be of PN 16.

Item	Description	Qty.	Unit	Rate		Amount	
No.				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	VALVES Sluice Valves						
	DI Double Flanged Sluice Valves suitable for Valve Key operation, complete with Gaskets and Nuts & Bolts.						
01	80 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
02	100 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars )		nr				
03	150 mm dia (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
	DI Double Flanged Sluice Valves suitable for Valve Key Operation						
04	200 mm dia. (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
05	250 mm dia. (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
06	300 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
07	mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
	Total of page No. 10 carried to Summary in page 10 –						

Description	Qty.	Unit	R	ate	Ame	ount
			Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
AIR VALVES						
25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.		nr				
25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;						
80 mm branch dia. 100 mm branch dia.		nr nr				
Double Orifice Flanged type Air Valve complete with Double Flanged Isolating Gate Valve (key operated), Gaskets, Nuts & Bolts to suit branchdia						
80 mm branch dia. 100 mm branch dia.		nr nr				
Fire Hydrant Assemblies Screw Down (Type 2: BS 750) for DI Pipes						
80 mm dia		nr				
100 mm dia		nr				
······		nr nr				
Total of page No. $10 - \dots$ carried to Summary in page $10 - \dots$						
	AIR VALVES         25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.         25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;         80 mm branch dia.         100 mm branch dia.         Double Orifice Flanged type Air Valve complete with Double Flanged Isolating Gate Valve (key operated), Gaskets, Nuts & Bolts to suit branch dia.         80 mm branch dia.         100 mm branch dia.         100 mm branch dia.         100 mm branch dia.         80 mm branch dia.         100 mm dia	AIR VALVES         25 mm dia. Single Orifice Screw Down type Air         Valve with Isolating Cock.         25 mm dia. Single Orifice Flanged type Air         Valve complete with Isolating Cock, Gaskets,         Nuts & Bolts to suit branch dia;         80 mm branch dia.         100 mm branch dia.         Double Orifice Flanged type Air Valve         complete with Double Flanged         Isolating Gate Valve (key operated),         Gaskets, Nuts & Bolts to suit         branch dia.         80 mm branch dia.         100 mm branch dia.         100 mm branch dia.         S0 mm branch dia.         100 mm branch dia.         100 mm branch dia.         100 mm branch dia.         S0 mm branch dia.         100 mm branch dia.         S0 mm dia         100 mm dia	AIR VALVES         25 mm dia. Single Orifice Screw Down type Air         Valve with Isolating Cock.         25 mm dia. Single Orifice Flanged type Air         Valve complete with Isolating Cock, Gaskets,         Nuts & Bolts to suit branch dia;         80 mm branch dia.         100 mm branch dia.         Double Orifice Flanged type Air Valve         complete with Double Flanged         Isolating Gate Valve (key operated),         Gaskets, Nuts & Bolts to suit         branch dia.         80 mm branch dia.         100 mm branch dia.         100 mm branch dia.         Sol mm branch dia.         100 mm dia            80 mm dia         100 mm dia	AIR VALVESForeign (FOB) USD25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.nr25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;nr80 mm branch dia.nr100 mm branch dia.nrDouble Orifice Flanged type Air Valve complete with Double Flanged Isolating Gate Valve (key operated), Gaskets, Nuts & Bolts to suit branch dia.nr80 mm branch dia.nr100 mm dianr100 mm dianr10	AIR VALVESLocal (FOB)Local LKR25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.nrnr25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;nrnr80 mm branch dia.nrnrnr100 mm branch dia.nrnr90 mm branch dia.nrnr100 mm branch dia.nr100 mm branch dia.nr100 mm branch dia.nr100 mm branch dia.nr100 mm dianr100 mm dianr1	AIR VALVESLocal (POB)Local (POB)Foreign (POB)25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.nrnr25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;nrnr80 mm branch dia.nrnr100 mm branch dia.nr100 mm branch dia.nrFree Hydrant Assemblies Screw Down (Type 2: BS 750) for DI Pipes80 mm dianr100 mm dianr100 mm dianr100 mm dianr100 mb dianr100 mm dianr100 mb dianrnr100 mb dianr100 mb dia

Item No.	Description	Qty	Unit	Ra	ate	Amo	ount
				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	A sufficient quantity of profiling mastic material, tape and primer compound for protecting all flanged joints and couplings described in Bill No. 01 (Catalogue or printed literature to be furnished with the offer to justify the quality and quantity of the product. A sample should be provided with the offer. Tape overlap shall be 55%. (No of quantity calculation sheet for each						
	dia. Joint shall be submitted)						
17 18 19 19 20	80 mm dia.       (		nr nr nr nr nr				
	Width of tape provided						
	Total of page No. 10 – carried to						
	Summary in page 10 –						

		Amount								
`Page Number	Unit	Foreign Cost (USD)	Local Cost (LKR)							
Total of Page No. 10	-									
Total of Page No. 10	-									
Total of Page No. 10	-									
Freight	Sum									
Cost of Pre- shipment Inspection for two Engineers by Employer as per Clause No. 8.2 of Conditions of Contract No. of Pre-shipment inspection (to be filled by the Engineer)	Sum									
Cost of Inspection and Testing by Independent Testing & Inspection Agency	Sum									
Summary of Bill No. 02 Carried to the Page No. 10 –	-									

Name of the Inspection Agency : .....

#### SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS, ACCESSORIES, DI/CI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS

...... SEWERAGE SCHEME

CONTRACT No. .....

#### Bill No. 03 - Supply of DI Manhole Covers & Surface Boxes

Note:1. DI Manhole Covers & Surface Boxes shall be compliance with the Specification.

	Description	Qty.	Unit		ate	Amo	ount
No.				Foreign (FOB) USD	Local LKR	Foreign (FOB) USD	Local LKR
	DI Manhole Covers						
01			nr				
02			nr				
	DI Surface Boxes						
03			nr				
04			nr				
	Total of page No. 10 carried to Summary in page 10 –						

#### Note:

Bill of Manhole covers and surface boxes will be evaluated and awarded separately.

#### SUMMARY OF BILL NO. 03

		Amou	int
`Page Number	Unit	Foreign Cost (USD)	Local Cost (LKR)
Total of Page No. 10	-		
Freight	Sum		
Cost of Pre- shipment Inspection for two Engineers by Employer as per Clause No. 8.2 of Conditions of Contract No. of Pre-shipment inspection	Sum		
Cost of Inspection and Testing by Independent Testing & Inspection Agency	Sum		
Summary of Bill No. 03 Carried to the Page No. 10 –	-		

Name of the Inspection Agency :

.....

## ...... SEWERAGE SCHEME

## CONTRACT NO. .....

Bill		Amour	nt
No.	Description	Foreign (USD)	Local (LKR)
01	Supply of DI Pipes, Fittings & Specials		
02	Supply of DI Valves & Accessories		
03	Supply of DI Manhole Covers & Surface Boxes		
04			
A	Sub Total 1 carried forwarded to Grand Summary.		

#### **SUMMARY OF BIILS**

#### ..... SEWERAGE SCHEME

## CONTRACT NO.

## **GRAND SUMMARY**

Item	Description	Am	Amount									
No.		Foreign (USD)	Local (LKR)									
Α	Sub Total 1											
В	Less Discount (if any)											
С	Grand Total ( <b>A - B</b> ) carried to Form of Bid (excluding VAT) in page No. 3-1											
D	VAT (%)											
E	Grand Total including VAT (C+D)											

VAT Registration Number:....

(A copy of the VAT registration certificate shall be annexed.) Note: - The NWSDB VAT Registration No: - 4090 31820 7000

# **11. SPECIMEN FORMS**

- LETTER OF ACCEPTANCE
- SPECIMEN FORM FOR CONTRACT AGREEMENT
- SPECIMEN FORM FOR BID SECURITY
- SPECIMEN FORM FOR PERFORMANCE BANK GUARANTEE
- SPECIMEN FORM FOR ADVANCE PAYMENT GUARANTEE (FOR TELEGRAPHIC TRANSFER)

Revised on 27-08-2019

## Regd. Post

......[Date]

ľ	V	1	/	2	5	•			 •		•		•		•	•		•	•	•	•	•		•	•	•	•	•	•		•	•		•		•	•		•	•		•	•	•		•	•		•	•	•	•	•		•	•
•		•		•	•		•	•		•		•	•	•		•	•		•		•	•	•		•	•		•		•		•	•	•	•		•	•		•	•		•													
•	•	•		•	•		•	•		•		•	•	•		•	•		•		•	•	•		•	•		•		•		•	•	 •	•		•	•		•	•		•													
_																																																								

Dear Sirs,

Tender for	
Contract No	en en age seneme

## **LETTER OF ACCEPTANCE**

We are pleased to inform yo	ou that your offer submitted on	<i>[date]</i> on the
above tender, amounting to U	United States Dollars	
	(US\$	/=) Plus Sri Lankan Rupees
(LKR	.) has been accepted.	

- Applicable VAT will be payable on production of Tax Invoices. The Registered No. for NWSDB for VAT is 4090318207000.
- DI Pipes & Fittings should be from .....

All DI pipes & fittings under this contract should be delivered as per the delivery schedule attached herewith within ..... months from the date hereof.

The liquidated damages for any delay beyond the above period shall be LKR...../= per day of delay.

Performance Security in the form of demand guarantee in the prescribed format (a copy annexed) from a recognized bank operating in Sri Lanka approved by the Central Bank of Sri Lanka for an amount of 10% of the total Contract Price valid for a period of ..... months from the date hereof shall be submitted within 14 days from the date hereof. Performance Security shall be denominated in the currency of contract and proportionate to the each currency.

Please acknowledge receipt of this letter by return fax and make arrangements to sign the Agreement by prior appointment with the Asst. General Manager (Tenders & Contracts) within 28 days.

Engineers Representative of this contract is .....

Please contact Deputy General Manager (.....) on Tele No. ..... for further action on this contract.

Yours faithfully,

## National Water Supply & Drainage Board

## **General Manager**

Cc: Secretary, Ministry of ......
Auditor General – Duplicate offer and a copy of the Tender Board Decision attached Commissioner of Inland Revenue
Addl. General Manager (.....)
Deputy General Manager (F/C)
Deputy General Manager (IA)
Deputy General Manager (.....)
Project Director (......)
Chief Engineer (......)
Stores Copy

#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

## MINISTRY OF .....

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

#### SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXESFOR SEWERAGE WORKS

#### ..... SEWERAGE SCHEME

#### CONTRACT No.: .....

## CONTRACT AGREEMENT

AND WHEREAS the Bills of Quantities or Schedule of Rates and Specifications and General Conditions of Contract describing the Works to be done have been prepared by the Board and the same have been signed by the parties hereto.

NOW it is hereby agreed as follows:

2. The said General Conditions of Contract, the said Specifications, the said Bills of Quantities or Schedule of Rates, (a detailed list whereof is annexed hereto,) Instructions to Bidders, Contract Data, Bidding Data and Schedule of Particulars and Form of Bid, all duly signed by the Board and the Contractor shall for all purposes where so ever be read, regarded and construed as part and parcel of the Agreement.

3.	The Supplier will be paid for the said execution of the Works the sum of Foreign
Curr	ency
	words)(in
figur	es)and Sri Lankan Rupees
	(in words)
	<i>(in figures)</i> hereinafter sometimes referred to as the
"Cor	tract Price" or such other sum as shall become payable hereunder according to the terms

of the Contract.

5. The following terms used in this Agreement and or in the Specifications shall be understood as having the meanings hereby ascribed to them, namely;

"The Procurement Committee" shall mean the Procurement Committee appointed for the purpose of determining the Bid.

"Contractor" or "Supplier" shall mean the person or persons, firm or firms, company or companies who have contracted for the supply and delivery of the materials and equipment herein specified and includes its successors and permitted assigns.

"Chairman" shall mean the officer for the time being holding the office of or acting as the Chairman, National Water Supply and Drainage Board.

"Engineer" shall mean the Officer for the time being holding the Office of or acting as the General Manager, National Water Supply and Drainage Board.

"Engineer's Representative" shall mean the authorised Representative of the Engineer immediately responsible for the supervision of the Works or any other person appointed from time to time by the Engineer to act as Engineer and notified in writing to the Contractor.

"The Government" shall mean the Government of the Democratic Socialist Republic of Sri Lanka.

"Purchaser" or "The Board" or "Employer" shall mean the National Water Supply and Drainage Board.

"Months" shall mean calendar months.

"The Contract Documents" shall mean the Instructions to Bidders, Contract Data, Bidding Data, Schedule of Particulars, the General Conditions of Contract, the Form of Bid, the Specifications, Bills of Quantities, Addenda, Articles of Agreement and their annexures, Securities and Guarantees, Appendices.

"Contract Price" shall mean the sum stated in the Letter of Acceptance payable to the Contractor for the supply of Goods and Services in accordance with the provisions of the Contract.

"Works" shall mean the supply and delivery of Goods and the Services.

"Variation" shall mean any alteration of the description of any item in the Bills of Quantities or of the Specifications which in the opinion of the Engineer, is required for the perfect completion of the works outlined in the Agreement.

"Rs. or SL Rs. or LKR" shall mean Sri Lankan Rupees.

IN WITNESS WHEREOF the parties hereto have set their hands and seal to these presents at the places and dates hereinafter mentioned.

Signed by the said			
Chairman, National Water Supply and Drainage Board, Sri Lanka and.			
Board Member of the National Water Supply and Drainage	Board	l, Sri Lank	xa at
		on	the
day of	Two	Thousand	and
in the presence of the following Witne	sses.		

Chairman Boar	rd Member
---------------	-----------

## NATIONAL WATER SUPPLY AND DRAINAGE BOARD

WITNESSES			
Signature 1:		Signature 2 :	
Name	•	Name	
Address		Address	
Capacity	••••••	Capacity	
Signed by th	e said		in the Capacity of
			, of (name of the company) at
			on the
			Two Thousand
and		. in the presence o	f the following Witnesses.

# Signature of Supplier

#### WITNESSES

Signature1	:	Signature 2	:
Name	·	Name	·
Address		Address	
	•••••		
Capacity		Capacity	

#### FORM OF BID SECURITY (Unconditional)

...... [issuing agency's name, and address of issuing branch or office]

Beneficiary : Chairman

National Water Supply and Drainage Board, Galle Road, Ratmalana

Date..... BID SECURITY No :

Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Security.

- (a). has withdrawn its Bid during the period of bid validity specified ; or
- (b). does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB") or
- (c). having been notified of the acceptance of its Bid by the Employer/ Purchaser during the period of Bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB.

Consequently, any demand of payment under this Security must be received by us the office on or before that date.....

[Signature (s) of authorized representative (s)]

#### **PERFORMANCE SECURITY**

......[Issuing Agency's Name and Address of issuing Branch or Office]

Beneficiary : Chairman National Water Supply and Drainage Board, Galle Road, Ratmalana

Date .....

#### PERFORMANCE SECURITY No.:

Furthermore, we understand that according to the conditions of the Contract, a performance security is required.

[Signature (s)]

Signature and seal of the guarantor

#### FORM OF ADVANCE PAYMENT SECURITY (For Telegraphic Transfer)

ADVANCE PAYMENT SECURITY No.

Furthermore, we understand that according to the conditions of Contract an advance payment in the sum [amount in figures] (.....) [amount in words] is to be made against an advance payment security.

The maximum amount of this security shall be progressively reduced by the amount of the advance payment repaid by the Contractor.

Consequently, any demand for payment under this security must be received by us at this office on or before that date.

[Signature (s)]

Signature and seal of the guarantor ...... Witness :

Name : .....

# **12. APPENDICES**

## APPENDIX 1- DETAILS OF SIMILAR SUPPLIES COMPLETED WITHIN THE LAST FIVE YEARS AND ONGOING

Name and details of Contract	Value of Contract	Period of Contract		Remarks (Completed/ ongoing etc.)	Value of work remaining	
		From	То		incomplete	
			Contract Contract Con	Contract Contract Contract	ContractContractCompleted/ ongoing etc.)	

## **APPENDIX 2 – FINANCIAL STATEMENT**

Summary of assets and liabilities based on the audited financial statements for the last three financial years (Current statement may be unaudited) together with the Financial Performance as indicated in the following schedule shall be submitted.

If the business has not been in operation for the last three years, following schedule shall be submitted for the period that the business has been in operation together with the aforesaid financial statements.

Bidders whose financial capability is marginally less to undertake this tender may show credit facilities available to them from banks.

Year	XXXX	XXXX	XXXX
Turnover from Contracting			
Fixed Assets (FA)			
Current Assets (CA)			
Current Liabilities (CL)			
Long Term Liabilities (LL)			
Net Worth =Total Assets – Total Liabilities			
Current Ratio = <u>Current Assets</u> Current Liability			
Liquidity Ratio = <u>Current Assets (except stock)</u> Current Liability			
Gearing Ratio = <u>Debt Capital x 100</u> Total Capital Employed			
<u>Turnover</u> x 100 Total Operating Assets			
<u>Net Profit</u> x 100 Total Assets			

#### Financial performance for the last 3 years

## **APPENDIX 2A – AUTHORIZATION TO OBTAIN REFERENCES FROM BANKERS**

## BIDDER SHALL FILL THIS FORM AND PROVIDE WITH THE BID

.....[Bidder's Name] ......[Address]

Manager	[Name of Bank]
	[Address]

Dear sir,

We hereby Authorize the National Water Supply & Drainage Board, on behalt procurement Committee, to seek reference of Bank details in order to evaluate the statues of our company M/s	financial
[Bidder Name & Address] in Connections with the	
bid, submitted by Us.	linderj

Yours faithfully,

Authorized office of the Bidder.

Note:- If there are more than one bank, separate letters should be submitted for each Bank

#### APPENDIX 3- GUARANTEE FOR DI PIPES, FITTINGS AND RUBBER RINGS

[Address of the Manufacturer]

Chairman, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No. .....

DI pipes ,hereby guarantee that,

- 1 DI pipes, fittings and rubber rings supplied under the contract shall fit properly and adequately to ensure leak proof pipeline installations under all working conditions.
- 2. We will unconditionally undertake to replace any material rejected by the Engineer within the time period as agreed with the Engineer during implementation stage at no additional cost to NWSDB ensuring the timely implementation of the project.
- 3. We will unconditionally undertake that the Nominated Inspection Agency issues a certificate ensuring that DI pipes, fittings and rubber rings inspected shall fit properly and adequately to ensure leak proof pipeline installations under all working conditions upon shipment.

-	ture of the Auther on behalf of		
Pipe 1	nanufacturer		
Name Capao			
Witne	ess:		
1	Signature	:	
	Name	:	
	Capacity	:	
	Address	:	
2	Signature	:	
	Name	:	
	Capacity	:	
	Address	:	

# APPENDIX 4 - CONFIRMATION OF CAPABILITY OF PRODUCTION AND SUPPLY ACCORDING TO DELIVERY SCHEDULE

[Address of the Manufacturer]

.....

.....

Chairman, Procurement committee,

.....

*of manufacturer*]confirm that we have sufficient production capacity to produce the quantity of DI Pipes, Fittings and Specials submitted in our bid and shall deliver them according to the delivery schedule indicated in Contract Data in the bid.

Authorized Officer of the Manufacturer.

Seal of the Company.

Name :.....

# APPENDIX 5 - MANUFACTURER'S AUTHORIZATION TO SIGN THE BID/CONTRACT

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The bidder shall include it in its bid].

Date : [insert date (as day, month and year) of Bid Submission] No. : [insert contract number]

Chairman,Procurement committee,

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No.....

Signed : .....[insert signature(s) of authorized representative(s) of the Manufacturer]

Name : .....[insert complete name(s) of authorized representative(s) of the Manufacturer]

Duly authorized to sign this Contract on behalf of : ......[insert complete name of Manufacturer]

#### **APPENDIX 6 - BIDDER'S AUTHORIZATION TO SIGN THE BID/ CONTRACT**

[The Bidder shall require to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Bidder and should be signed by a person with the proper authority to sign documents that are binding on the Bidder. The bidder shall include it in its bid].

Date : [insert date (as day, month and year) of Bid Submission] No. : [insert contract number]

Chairman, Procurement committee,

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No.....

We ......[insert complete name of the Bidder], who ......[insert full address of Bidder], do hereby authorize .......[insert complete name of Bidders authorize officer who signs the contract] to submit a bid on behalf of our company and to subsequently negotiate and sign the Contract.

Specimen Signature .....

Signed : .....[insert signature(s) of authorized representative(s) of the Bidder]

Name : ......[insert complete name(s) of authorized representative(s) of the Bidder]

Duly authorized to sign this Authorization on behalf of : ......[insert complete name of Bidder]

This is to certify that the seal and signatures of legal representative and authorized person affixed to power of attorney attached hereto are found to be authentic.

Signature of Attorney at Law

Seal of Attorney at Law

In the place of (......address) Date .....

(1 of 6)

## **APPENDIX 7 - TOR FOR INDEPENDENT INSPECTION AGENCY**

#### **DI Pipes & Fittings**

	Activity	Test Performed	Results	Acceptability as per Specification
1.	Physical Proportion			
1.1	Socket & Spigot Pipes			
	Pipe wall thickness			
	External Diameter			
	Internal Diameter			
	Length of Pipe			
	Socket Length			
	Chamfering of Spigot end			
	C - Class			
	Grooves in the Socket.			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Pipes after Cement Lining.			
	Smoothness of external Bitumen Coating.			

# (2of 6)

	Activity	Test Performed	Results	Acceptability as per Specification
1.2	Flanged Pipes			
	Flange thickness			
	Flange diameters			
	No. of bolt holes			
	Length of pipe			
	Wall Thickness of Pipe.			
	C – Class of Pipe			
	Cleanliness of Flange.			
	Raised Face or Flat Face.			
	Smoothness of Raised Face/Flat Face.			
	Integrally casted or Factory Welded.			
	Condition of weld if welded.			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement Lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Pipes after Cement Lining.			
	Smoothness of external Bitumen Coating.			

(3 of 6)

	Activity	Test Performed	Results	Acceptability as per Specification
1.3	Socketed Bends			
	Socket Diameter			
	Length of Bend			
	C-Class of Bend			
	Wall Thickness of bend			
	Grooves in the Socket.			
	Thickness of Internal Cement lining			
	Smoothness of Internal Cement lining			
	External Zinc Coating			
	Thickness & Weight of external cement coating			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Bends after Cement Lining.			
	Smoothness of external Bitumen Coating.			
1.4	Flanged Bends			
	Flange Diameter			
	Length of Bend			
	Thickness of Flange			
	No. of Bolt holes			
	Wall Thickness of Pipe			
	Raised Face or Flat Face			
	Smoothness of Raise Face/ Flat Face			
	Integrally Casted /Factory welded condition of weld if welded.			

	Activity	Test Performed	Results	Acceptability as per Specification
	C – class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of External Coating.			
	Compressive Strength of the Cement Lining.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Bends after Cement.			
	Smoothness of external Bitumen Coating.			
1.5	Tees			
	Socketed Tees			
	Length of Tees			
	Length of Branch			
	Diameter of Tee (all faces)			
	Wall Thickness of Tees			
	Wall Thickness of Branch			
	Condition of grooves in socket			
	C – Class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			

# (5 of 6)

	Activity	Test Performed	Results	Acceptability as per Specification
	Thickness & Weight of External Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Tees after Cement Lining.			
	Smoothness of external Bitumen coating.			
1.6	Flanged Tees			
	Length of Tee			
	Length of Branch			
	Diameter of Tee (all Branches)			
	Wall Thickness of Tee			
	Diameter of Flanges (All faces)			
	No of Bolt holes			
	Flange thickness			
	Integrally Casted or Factory Welded			
	Condition of weld if welded			
	Flanges of Raised Face or Flat Face			
	Smoothness of Raised Face/ Flat Face			
	C – Class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Smoothness of external Bitumen coating.			

# (6 of 6)

	Activity	TestPerform ed	Results	Acceptability as per Specification
2.	Strength & Metalogical Properties			
2.1	DI Pipes & Fittings			
	1. Method of Casting Metelogical Properties 			
	2. Manufacturing Standards of Pipes & Fittings.			
	<ol> <li>Lubricant make &amp; seal type of designation of lubricant.</li> </ol>			
	4. Manufacturing of lubricant			
	5. Manufacturing Standard of lubricant			
	Joint Rings/ Gaskets			
	6. Materials of Joint Ring/ Gasket			
	<ol> <li>Manufacturing Standards of Joint Ring/ Gasket</li> </ol>			
	8. Hardness of materials of Joint Ring/ Gasket.			
	9. Seal Type designation of Joint Ring/			
	Gasket.			
	Gasket Nuts & Bolts.			
	10. Materials of Nuts & Bolts Washers			
	11. Manufacturing Standard of Nuts & Bolts			
	12. Number of Washers/ Bolt.			

#### APPENDIX 8 - MANUFACTURER'S AWARENESS OF THE TOR FOR INDEPENDENT INSPECTION AGENCY AND CHECK LIST FOR PRE-SHIPMENT INSPECTIONS

[Address of the Manufacturer]

.....

Chairman, Procurement committee,

.....

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No.....

We,	[nam	ne of manufacturer]
of		
		[address of

manufacturer]confirm that we have noticed that

- a) Appendix 7 TOR for Independent Inspection Agency.
- b) Appendix 9 Check list for Pre-shipment Inspection of DI Pipes & Fittings.
- c) Clause 8.1 of General Conditions of Contract.

Authorized Officer of the Manufacturer.

Seal of the Company.

Name :....

#### APPENDIX 9 - PRE-SHIPMENT INSPECTION OF DI PIPES & FITTINGS BY NWSDB ENGINEERS -CHECK LIST

Pipe	:						
Fittings	:						
Valves							
Couplings							
Adaptors	:						
Flanged Pipes	:						
(Requirement - manufacturing ;		gs should	be manufactured by	same manufacture	er or		
Applicable Standards							
	Manufacturing Standards : (ISO 2531 : 2009/BSE) Of pipes & Fittings						
Manufacturing Joint Rings	Standards of						
Quality Assurate	nce Standards	:	(ISO 9001: 2008)				
Parameters to be checked	ed						
Mechanical Pro Hydrostatic Pre Wall Thickness Length of straig Straightness External Coating Internal Coating Testing of Weld	ght pipes g ded Flanges position of Pipes	ss, Elong ipes &fitt					
	g or shrinkage or other defects	s detrime	ntal to functionality	: Satisfactory/	Unsatisfactory		
Handlin	ng of pipes, Fitti	ngs after	production	: Satisfactory/	Unsatisfactory		
Inspection Procedure							
-	a sample with F with Independe	: Yes/N : Yes/N					

Name & Location of the Factory

(2 of 13)

## PRE-SHIPMENT INSPECTION OF DI PIPES & FITTINGS

# **CHECK LIST**

Mark Yes or No in the Remarks Column as Appropriate

Date of Inspection .....

Technical Specifications Clause No.	Description		Values as per Specifications	Satisfactory/ Unsatisfactory	Remarks
GENERAL					
Quality Assurance	Availability of Valid Quality Standard Certificates		ISO 9001:2008		
Independent Inspection	Availability of Inspection Agency. Certificate before Shipment		-		
Markings	Pipe Material (Ductile Iron)		-		
	Year of Manufacture (Last Two Digits)	)	-		
	Manufacturers Identification Mark/Nan	ne	-		
	Nominal Diameter in mm		-		
	Class Designation		-		
	Quality Standard & Product Conform	ity	-		
	Client Identification				
	Socket Penetration Lines (2 Lines)				
	In case of Fittings, these marks sh appear on the body of each fitt together with its main characteristics su as angle of bend, pressure rating of flar etc.	_			
Material Chara	cteristics				
	Mechanical Properties				
	Minimum Tensile Strength	42	0 N/mm <sup>2</sup>		
	Minimum Bending Strength	593	ble 8 BSEN 8:2007+A1:2009		
	Modulus of Elasticity		- 18 N/mm <sup>2</sup>		
	Brinell hardness for pipes		OHB		
	Brinell hardness for fittings	25	0 HB		

## PRE –SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test		]	Hydrostati	c Test								(30
Bill No:								Sample size	e:			
Description of Item : DI Pipes (SS/DF) Class :							Dia x Length :					
Tech Spec Clause No:Reference Standard : BSEN598:2010 - Clause 6.5 & Table 11ISO 7186:2011- Clause 6.5 & Table 10												
Sample No	Item of Testing	Pressure Class			Test	Condition			Deviation	Tolerance Allowed	Comply?	Remarks
	6	("C" class)	Flexibl	e joints	Push-fi	it joints	Flanges &	flanged joints				
			+ve int. pressure	-ve int. pressure	+ve ext. Pressure	Dynamic int. pressure	Flanged joints	Screwed & welded flanges				
1												
2												
3												
4												
5												
6												
7												
8												
9												
Inspectio	Inspection & Testing Witnessed by											
	1.						me: 2.					
Signature	e: 1.					Sig	gnature: 2.					
Date :												

(**3 of 13**)

## PRE –SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test	Test Length of Straight Pipes and Fittings									
Bill No:	Bill No:				Qty.		Sample size:			
Description of	f Item : DI Pipes (SS	S/DF) , Fittin	gs	Class :			Dia x Length :			
Tech Spec Cla	Tech Spec Clause No:Reference Standard : BSEN 598:2009 – Clause 4.2.3 & Table 2 ISO 7186 :2011 - Clause 4.3.3 & Tables 1&2,3,4									
Sample No	Item of testing		Measured lue	Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks			
		Standard	Measured	-						
1										
2										
3										
4										
5										
6										
7										
8										
9										
Inspection &	Testing Witnessed by	v								
Name : 1.		J		]	Name : 2.					
Signature: 1.					Signature: 2.					
Date :					<u> </u>					

## (5 of 13)

## PRE –SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test	S	Straightness							
Bill No:		Item M	No. & Qty.						
Description of	f Item : DI Pipes (SS/DF)	Class :		Dia x Length :					
Tech Spec Cla	ause No:	Reference Standard : BSEN598:2009 – Clause 4.2.4 ISO 7186 :2011 -Clause 4.3.4							
Sample No	Item of testing	Physical/Measured Value		Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks		
		Standard	Measured						
1									
2									
3									
4									
5									
6									
7									
8									
9									
Inspection &	Testing Witnessed by		I	I	1				
Name : 1.				Name : 2.					
Signature: 1. Date :				Signature: 2	•				

Test     Internal & External Diameter of Pipes & Fittings							
Bill No:				Item No. & Qty.			Sample size:
Descripti	on of Item : DI Pipe	es (SS/DF),	Fittings	Class :			Dia x Length :
Tech Spe ISO 7186	ec Clause No: 5 :2011 - Clause 4.3	8.1		Refe	rence Standard	: BSEN598:2009 – Cla	use 4.2.2
Sample No	Item of testing		Measured alue Measured	Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
Name :							
Signature	e: 1.				Signatu	re: 2.	
Date :							

Test	Test Wall Thickness of Pipes & Fittings						
Bill No:	ill No:			Item No. & Qty.			Sample size:
Descripti	on of Item : DI Pipes (SS	S/DF), Fitting	gs	Class :			Dia x Length :
Tech Spe	ec Clause No:			Reference		N598:2009 – Clau 186 :2011 - Clau	
Sample No	Item of testing	Physical/Measured Value Standard Measured		Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks
1		Standard	incusurea				
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
	Name : 1. Name : 2.						
Signature	e: 1.				Signature: 2.		
Date :							

Test	Test Internal Coating (Strength & Thickness)						
Bill No:	Bill No:				& Qty.		Sample size:
Descripti	on of Item : DI Pipes (SS	S/DF) , Fitting	gs	Class :			Dia x Length :
Tech Spe	ec Clause No:			Reference		N598:2009 – Clause 7186 :2011 - Clause	
Sample No	Item of testing	Physical/Measured Value		Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks
1		Standard	Measured				
1							
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
	Name : 1. Name : 2.						
Signature	2:1.				Signature: 2.		
Date :							

## (9 of 13)

Test External Coating (Thickness of Zinc Mass & Paint coating)							
Bill No:				Item	No. & Qty.		Sample size:
Description of Item : DI Pipes (SS/DF), & Coating for fittings and Accessories			Class :			Dia x Length :	
	c Clause No: 5 :2011 - clause 4.5& 4.6 &	z 4.9	Reference	Standard : 1	BSEN598:2009	9- clause 4.4& 4.5 & 4	.6
Sample No	Item of testing	Physical/Measured Value Standard Measured		Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
Name : 1. Name : 2.							
Signature	2:1.			S	ignature: 2.		
Date :							

(10 of 13)

Test		Chemical Compositi	on				
Bill No:		Item No. & Qt	ty. :	Sample size:			
Descripti	on of Item : C	Class :	Dia x Length :				
Tech Spe	c Clause No:	Reference Sta	undard : BSEN598:2009 & ISO 7186 :20	011			
Sample No	Item of testing	Name of the Metal	Available %	Remarks			
1		Fe					
		С					
		Zn					
		Cr					
Microscopic Inspection of DI sample : % of DI							
Increatio	n & Testing Witnessed by						
	Inspection & Testing Witnessed by       Name : 1.     Name : 2.						
Signature			Signature: 2.				
Date :							

(11 of 13)

## **INSPECTION OF DI PIPES & FITTINGS**

### **CHECK LIST**

Technical Specifications Clause No.	Description	Requirements as per Specifications	Satisfactory/ Unsatisfactory	Remarks		
HANDLING OF	PIPES AND FITTINGS AFTER	PRODUCTION				
	Packing					
	Handling					
	Stacking					
	Inspection by Factory/Inspection Authority					
	Transport Arrangements within manufacturers Country					
	Shipping Arrangements					
	Freight Insurance Arrangements					
CONCLUSION AT THE END OF THE INSPECTION TOUR						
Total Process of Production, Testing, Packing,         Handling, Insurance and Freight arrangements Satisfactory						

Observations

Signature 1

Name & Designation 1:

:

Signature 2

Name & Designation 2:

#### **Physical Parameter**

1.	Dimensions	:
2.	Diameter	:
3.	Hardness	:
4.	Appearance	:
5.	Lot Numbers	:

#### Quality

- 1. Product Conformity certificate
- 2. ISO 9001:2015 certificate

#### **Packing Arrangements**

- 1. Inspection by Independent Inspection Agency :.....
- 2. Shipping Arrangements :.....

(13 of 13)

Sample No	Diameter	Thickness mm	Hardness	Appearance	Deviation	Tolerance allowable	Whether Comply	Remarks

ISO 9001:2015Quality Management System certificate available and acceptable: .....

(witness the original certificate)

#### APPENDIX 10 - MANUFACTURER'S WARRANTY FOR THE GOODS SUPPLIED UNDER THE CONTRACT

[Address of the Manufacturer]

.....

.....

Chairman, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No.....

If there is any defects during the warranty period specified in the Clause 15 of the General Conditions of Contract, we shall attend to repair or replace the defective goods with all reasonable speed without any cost to the Purchaser.

.....

Authorised Officer of the Manufacturer.

Seal of the Company.

Name :.....

#### APPENDIX 11 – 1 SPECIMEN FORM OF TEST CERTIFICATE FOR PIPES AND FITTINGS

**Customer:** 

Date:

Manufacturer:

Cert. No. :

Material to be tested : Pipes and fittings

Customer Order No. :

Identification of the Sample tested:

This is to certify that the inspection and testing of the above mentioned materials were duly made by us and in accordance with the specifications and the result was found satisfactory. [The followings, which shall be the test results/compliance, shall be included in the test certificate]

- 1 Specification/Standard of conformity:
- 2 Appearance and shape :
  - i. Surface finish
  - ii. Check out roundness (ovality)
- 3 Physical properties
  - i. Tensile strength :
  - ii. Elongation :
  - iii. Hardness :
  - iv. Microstructure :
- 4 Metallurgical Analysis:
- 5 Dimensions :
  - i. Wall thickness
  - ii. Socket dimensions (drawing / sketch)
  - iii. Plain end chamfer details

#### 6 Coating and Lining

Details of standards, composition and thickness of

- i. External zinc coating :
- ii. External bitumen coating :
- iii. Cement mortar lining :
- 7 Pressure (Hydrostatic) tests:

#### SPECIMEN FORM OF TEST CERTIFICATE FOR VALVES

**Customer:** 

Date:

Manufacturer:

Cert. No. :

Material to be tested : Valves and Hydrants

Customer Order No. :

Identification of the Sample tested:

This is to certify that the inspection and testing of the above mentioned materials were duly made by us and in accordance with the specifications and the result was found satisfactory.

[The followings, which shall be the test results/compliance, shall be included in the test certificate]

- 1 Specification/Standard of conformity:
- 2 Appearance and finish :
  - i. Casting
  - ii. Surface finish

3 Coating & Lining

Details of standards, composition & thickness

- i. Internal coating :
- ii. External coating :
- 4 Test Pressures :
  - i. Body test pressure & result:
  - ii. Seat test pressure & result:

(The medium used in the test shall be included.)

#### SPECIMEN FORM OF TEST CERTIFICATE FOR JOINT RINGS AND GASKETS

**Customer:** 

Date:

Manufacturer:

Cert. No. :

Material to be tested : Joint Rings and Gaskets

Customer Order No. :

Identification of the Sample tested:

This is to certify that the inspection and testing of the above mentioned materials were duly made by us and in accordance with the specifications and the result was found satisfactory.

[The followings, which shall be the test results/compliance, shall be included in the test certificate]

- 1 Specification/Standard of conformity:
- 2 Appearance and finish :
- 3 Mechanical Properties
  - i. Tensile Strength & result :
  - ii. Elongation at break & result:
  - iii. Compression set & result
  - iv. Hardness & result:
- 4 Test for microbiological deterioration :

Recommendation.....

-----

.....

Authorized Signature of Testing Agency

Name and Address of Testing Agency

Fax: ......e-mail: .....

#### SPECIMEN FORM OF TEST CERTIFICATE FOR NUTS AND BOLTS

**Customer:** 

#### Date:

Manufacturer:

Cert. No. :

Material to be tested : Nuts and Bolts

Customer Order No. :

Identification of the Sample tested:

This is to certify that the inspection and testing of the above mentioned materials were duly made by us and in accordance with the specifications and the result was found satisfactory.

[The followings, which shall be the test results/compliance, shall be included in the test certificate]

- 1. Specification/Standard of conformity:
- 2. Mechanical properties of bolts
  - i. Tensile strength & result:
  - i. Yield stress or stress at permanent set limit of 0.2% :
  - ii. Percentage elongation after fracture:
  - iii. Stress under proof load :
  - iv. Strength under wedge loading :
  - v. Hardness & result :

#### 3. Galvanizing

- i. The standard which it conforms:
- ii. Thickness of galvanized coating :

Recommendation

#### SPECIMEN FORM OF TEST CERTIFICATE FOR MANHOLE COVERS

**Customer:** 

#### Date:

Manufacturer:

Cert. No. :

Material to be tested : Manhole covers

Customer Order No. :

Identification of the Sample tested:

This is to certify that the inspection and testing of the above mentioned materials were duly made by us and in accordance with the specifications and the result was found satisfactory.

[The followings, which shall be the test results/compliance, shall be included in the test certificate]

1.Specification/Standard of conformity:

2. Outer Dimensions of cover

Length :

Width :

Height of outer rim :

3.Coating :

4.Load test results:

Recommendation	
Authorized Signature of Testing Agency	
Name and Address of Testing Agency	
Fax:e-mail:	

#### SPECIMEN FORM OF TEST CERTIFICATE FOR LEAK TIGHTNESS TEST PERFORMANCE

Pipe dia.	Fitting type	Test period	Successful / unsuccessful

Recommendation	 	 

Authorized Signature of Testing Agency

Name and Address of Testing Agency	
Fax:	
e-mail:	

## APPENDIX 12 - CONFIRMATION OF SUPPLYING GOODS MANUFACTURED AT THE FACTORY QUOTED

[This form shall be filled on the letter head of the pipe manufacturer's company]

Date :....

Chairman, Procurement committee, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.

Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works ...... Sewerage Scheme Contract No.: .....

- 5. The Supply of Restraint Joints shall be manufactured at the manufacturing factory at

Signature of the Chief Executive Officer/ General Manager of the manufacturer

Seal of the Company

The above signed declare that the statement made above is true and correct in every detail.

Signature of the Attorney at Law

Name :..... Address : Seal of the Attorney

#### **APPENDIX 13 – AFFIDAVIT BY THE BIDDEER**

I ..... of ..... being a ..... (Buddhist or any other religionist), do hereby solemnly sincerely and truly declare and affirm as follows.

- 01. I am the Affirmant above named.
- 02. I hereby declare that I have applied for the contract of National Water Supply and Drainage Board bearing No: ..... and my spouse or dependent does not work in National Water Supply and Drainage Board on permanent, casual or contract basis.

The foregoing affidavit having been read over and explained to the affirmant above named who having understood its nature content and context affirmed hereto and set his usual signature hereto in		Before me	Declarant
---	--	-----------	-----------

Justice of the Peace /

Commissioner for oaths

#### APPENDIX 14 – PRE-QUALIFICATION OF MANUFACTURERS FOR SUPPLY & DELIVERY OF DI PIPES, FITTINGS, DI/CI VALVES, DI MANHOLE COVERS AND PVC PIPES AND FITTINGS

#### Note:

Pre-Qualified pipe manufacturer has been pre-qualified together with pipe fitting manufacturer and rubber ring manufacturer. Therefore, when selecting a pre-qualified pipe manufacturer, his relevant pipe fitting manufacturer and rubber ring manufacturer shall be selected.

## When Bidding Document is prepared please include updated list of prequalified manufactures list from NWSDB web site under this Appendix

# APPENDIX 15 - ENTITLED ALLOWANCES ON FOREIGN TRAVELS & RELATED EXPENSES

0	ory of Countries					Combined
Category No.	Countries					
1st cate gory	A fganistan Albania Algeria Azerbaijan Bahamas Balarus Barbados	Burundi Cambodia Canary Island Capevrde Cooks Island Domenica El Salvador	Guam Kiribati Lao Peoples Dem.Rep. Lesothe Liechtenstein Nacedonia Rep. Malawi	Nambia Nauru Netherlands Anti Nicaragua Palau Paraguay Samoa	Tanzania Swaziland Tajikistan Tunisia Uganda Uzbekistan	US\$ 140
	Belize Bhutan Bolivia Bosnia Botswana	Etihiyopiya Equatorial Gabon Gambia Gibraltar	Malta Mauritania Mongolia Montenegro Myanmar	Sao Tome & Prince Serbia Sierra Leon Soloman Island Somalia		+ US\$ 40
2 <sup>nd</sup> category	Antigue Barbuda Armenia Argentina Bulgaria Bangaldesh Brunei Cameroon Coted Ivoria Costa Rica	Ecuador Fiji French Guiana Guyana Grenada Gerogia Guatemala Greenland	Guinea Bissaw Hawai Haiti Honduras Ireland Iraq Jamaica Korea Dem.Rep.	Liberia Mexico Micronesia Fed. Monaco Mozambique Papua new Guinea Suriname Yeman Rep.	Yogoslavia Tahiti Tonga Vanuatu	US\$ 182 + US\$ 40
3 <sup>1d</sup> category	Baharain Chile Cyprus Egypt Arab Rep. Estonia Guinea Hungary Indinesia Iran Islamic Rep. Kenya	Kuwait Lithuania Madagascar Mauritius Malayasia Maldives Morocco Macedonia Rep Nepal Oman	Pakistan Panama Peru Pholippines Poland Quarter Romania Ruwada Saudi Arabia Solvenia	Sriyan Arab Rep. South Africa St.Lucia Sudan Thailand Togo Trinidad & Tobago Uruguay Ukrain Venezuela	Vietnam Zaire Zambia Zimbabwe	US\$ 231 + US\$ 40
4 <sup>th</sup> category	Belgium Benin Burkina Faso Comoros Central African Rep. Colombia Congo	Croatia Cuba Czech Republic Dem.Rep.of Congo Djibouti Greece Iceland	India Ivory Coast Jordan Kazakhastan Latvia Lebanon Luxemburg	Mali New Caledonia Nigeria Portugal Slovak Rep. Spain Taiwan	Turkey United Arab Emirates	US\$ 280 + US\$ 40
5 <sup>th</sup> category	Angola Australia Austria Brazil Canada Chad	China (Beijin) Denmark France Germany Finland Hongkong	Israel Italy Japan Libiya Netherland New Zealand	Niger Norway Russia Senagal Swedan Seychelles	Singapore South Korea Switzerland United Kingdom USA	US\$ 371 + US\$ 40

**Category of Countries**