REVISED ON 04-06-2024

THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

MINISTRY OF
NATIONAL WATER SUPPLY AND DRAINAGE BOARD
SUPPLY AND DELIVERY OF DI PIPES, FITTINGS,
SPECIALS, ACCESSORIES DI VALVES, MANHOLE COVERS
AND SURFACE BOXES FOR SEWERAGE WORKS
SEWERAGE SCHEME
SEWERAGE SCHEME
CONTRACT No.:

REVISED ON 04-06-2024

NATIONAL WATER SUPPLY AND DRAINAGE BOARD
GALLE ROAD
RATMALANA
SRI LANKA

MONTH & YEAR

DOCUMENT ISSUANCE CERTIFICATE

(To be filled at the time of issue by the authorised issuing officer)

1.	STANDARD SPECIMEN DOCUMENT NUMBER: NWSDB/SBD/SUP/DI(Sew)/FC/Ver1
2.	CONTRACT NUMBER:
3	a) ISSUED TO:
	b) ADDRESS:
	c) TELEPHONE NUMBER:
	d) FACSIMILE NUMBER:
4.	a) TENDER FEE : Rs
	b) COURIER FEE: Rs.
	c) RECEIPT/BANK DRAFT NUMBER:
5.	NUMBER OF COPIES ISSUED :
6.	NUMBER OF CANCELLED COPIES ISSUED :
7.	CANCELLED COPY FEE: Rs
8.	a) ISSUING OFFICER : (IN CASH/BANK DRAFT)
	b) DESIGNATION :
	c) SIGNATURE :
9.	PLACE OF ISSUE :
10.	SEAL:
11	DATE: TIME:

C: MPC: DPC - August 2014 – Version 1 i Revised on 18-05-2020

TABLE OF CONTENTS

SEC	TION	PAGE N From	TO
	Document Issuance Certificate	(i)
	Table of Contents	(ii)	(iii)
	Check List of submissions	(i	v)
	Invitation for Bid	(-	v)
1.	Instructions to Bidders	1 - 1	1 - 23
2.	General Conditions of Contract	2 - 1	2 - 23
3.	Form of Bid	3 -1	3 -2
4.	Bidding Data	4 –1	4 - 3
5.	Contract Data		
	• General	5 -1	5 - 2
	Delivery Schedule	5	-3
	Payment Schedule	5 -3	5 – 4
6	Specification	6n– 1	6bb – 15
7.	Schedule of Particulars	7 -1	7–26
8.	Deviation from Specifications	8	- 1
9.	Key Features of Specification	9-1	9 -2
10.	Bills of Quantities		
	Preamble Notes on Pricing	10 -1	10 - 3
	Bills of Quantities	10 -1	10 - 17
	Summary of Bills	10	-18
11.	Specimen Forms		
	Letter of Acceptance	11 -1	11 - 2
	Contract Agreement	11-3	11 - 5
	Bid Security	11	- 6
	Performance Guarantee	11	-7

12 **Appendices** Appendix 1 - Details of similar supplies carried 12 - 1 out within the last five years and ongoing Appendix 2 - Financial statement 12 - 2 Appendix 2 A - Authorization for Bank References 12 - 3Appendix 3 - Guarantee for DI pipes, fittings and 12 - 4 rubber rings - Confirmation of capability of 12 - 5Appendix 4 Production and supply according to Delivery Schedule Appendix 5 - Manufacture's Authorization to 12-6 Sign the Contract Appendix 6 -Bidders Authorization to sign the 12-7 contract $12 - 8 \quad 12 - 13$ Appendix 7 - TOR for Independent Inspection Agency Appendix 8 - Manufacturer's awareness of the TOR 12- 14 Appendix 9 -Pre shipment Inspection for Pipes and 12 - 16 - 12 - 27 Fittings Appendix 10 Manufacturer's warranty for goods 12 - 28supplied Appendix11 12 - 2911 - 1 - Specimen Form of Test Certificate for Pipes & Fittings 11 - 2 12 - 30- Specimen Form of Test Certificate for Valves 11 - 3 - Specimen Form of Test Certificate for 12 - 31Joint Rings & Gaskets 11 - 4 - Specimen Form of Test Certificate for 12 - 32**Nuts & Bolts** 12 - 33Specimen Form of Test Certificate for 11 - 5 -Manhole Covers 12 - 3411 - 6 - Specimen Form of Test Certificate for Leak Tightness Test Performance Appendix 12 - Confirmation of Supplying Goods 12 - 35 Manufactured at the Factory quoted Appendix 13 - Affidavit by the Bidder 12-36 Appendix 14 - Pre-Qualification of Manufacturers for 12-37 Supply & Delivery of DI Pipes & Fittings Appendix 15 -Entitle allowances on foreign travels & 12-38 related expenses

iii

NWSDB/SBD/SUP/DI(Sew)/FC :Table of Contents CAPC : MPC : DPC -August 2014 - Version 1



CHECKLIST OF SUBMISSIONS

* Note: Please mark 'Y' in the cages under the "remarks" column if submissions are made.

'N' or 'N/A' should be marked for cases of 'No submissions' and 'not applicable' respectively.

		I	Reference	Remarks *
(a)	Documentary evidence to establish eligibility of Bidding.	Page No. 1–4, 1-5	Clause No. 2.1,2.2	
(b)	Certified copy of business registration.	Page No. 1 - 5	Clause No. 2.1	
(c)	Documentary evidence to establish qualifications for the performance of the Contract.	Page No. 1 - 5	Clause No. 2.2	
(d)	Documentary evidence to establish that goods offered are from an eligible source and origin.	Page No. 1-6	Clause No. 2.2(b), 3	
(e)	The Bidder's technical and production capability necessary to perform the Contract.	Page No. 1 - 4 1 - 5	Clause No. 2.1 (e)& (f) 2.2 (b)	
(f)	Duly completed section 1 to 12 of Bidding Documents. (Bidder shall fill the Schedule of Particulars, BOQ etc., indicating any deviations to specifications under the corresponding schedule of particulars).	Page No. 1 - 7, 1–8	Clause No. 6.1, 10.1 (a)	
(g)	Subsequent Addendum/Addenda. (if any)	Page No. 1 - 9	Clause No. 10.1(b)	
(h)	Bid Security.	Page No. 1-13, 1-14	Clause No. 13	
(i)	Product Conformity Certificates.	Page No.	Clause No. 10.1	
(j)	Quality Assurance Certificates for items offered/Bidder.	Page No. 1 - 4	Clause No. 10.1	
(k)	In the case of a Bidder offering to supply Goods under the Contract which the Bidder does not manufacture or otherwise produce, authorisation by the manufacturer or producer of Goods as his accredited agent.	Page No. 1 - 6	Clause No. 2.2 (b)	
(1)	The agreement of the manufacturer or producer to confirm that the supply will be made in accordance with the Delivery Schedule.	Page No. 1 - 5	Clause No. 2.2 (b)	
(m)	Proof of Authorisation.	Page No. 1 - 15	Clause No.15.3	
(n)	Certified copy of the VAT registration certificate.	Page No. 1 - 11, 1-12	Clause No. 11.4	
(0)	Copies of relevant standard used for pipes, specials & fittings.	Page No. 7-1 7-26	Schedule of Particulars	
(p)	Certificates of registration of the contract with the registrar of public contracts as per the Act No. 3 of 1987. (If required)	Page No. 1-22	Clause No. 38	

iV

NWSDB/SBD/SUP/DI(Sew)/FC: Checklist of Submissions CAPC : MPC : DPC -August 2014 – Version 1



NATIONAL WATER SUPPLY AND DRAINAGE BOARD **INVITATION FOR BIDS**

SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,

	ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS			
	FOR SEWERAGE SCHEME			
	CONTRACT No.:			
1.	The Chairman, Cabinet Appointed Procurement Committee, Ministry of			
2.	Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka between 09:00 hours to 15:00 hours on normal working days up to			
3.	Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.			
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.			
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted.			
6.	Alternative bids shall not be accepted. Bidders may purchase bidding documents in required number and may submit one or more independent offers. The independent offers shall be in separate set of bidding documents together with separate bid securities. Bids with alternative offers in one document will be rejected without assigning reasons.			
7.	Sealed bids may be either dispatched by registered post or hand delivered to the Chairman Cabinet Appointed Procurement Committee, Procurement Division, Ministry of			
8.	All Bids shall be accompanied by a bid security of Rupees			
9.	Bids will be opened immediately after the closing of Bids, at the office of the Procurement Division, Ministry of			
10.	For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.			

Chairman

NATIONAL WATER SUPPLY AND DRAINAGE BOARD

MINISTRY	OF.	•••••
-----------------	-----	-------

NATIONAL WATER SUPPLY AND DRAINAGE BOARD INVITATION FOR BIDS

	SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,
	ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS
	FOR SEWERAGE SCHEME
	CONTRACT No.:
1.	The Chairman, Ministry Procurement Committee, Ministry of
2.	Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka. between 09:00 hours to 15:00 hours on normal working days up to
3.	Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted.
6.	Alternative bids shall not be accepted. Bidders may purchase bidding documents in required number and may submit one or more independent offers. The independent offers shall be in separate set of bidding documents together with separate bid securities. Bids with alternative offers in one document will be rejected without assigning reasons.
7.	Sealed bids may be either dispatched by registered post or hand delivered to the Chairman, Ministry Procurement Committee, Procurement Division, Ministry of
	, No. 35, "Lakdiya Madura", New Parliament Road, Pelawatta, Battaramulla, Sri Lanka to receive on or before the closing time. Late bids will be rejected.
8.	All Bids shall be accompanied by a bid security of Rupees
9.	Bids will be opened immediately after the closing of Bids, at the office of the Procurement Division, Ministry of
10.	For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94-11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94-11-2635885.

Chairman,

NATIONAL WATER SUPPLY AND DRAINAGE BOARD

MINISTRY	OF	***************************************
----------	-----------	-----------------------------------------

NATIONAL WATER SUPPLY AND DRAINAGE BOARD INVITATION FOR BIDS

SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS,			
ACC	ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS FOR SEWERAGE SCHEME		
	CONTRACT No.:		
1.	The Chairman, Department Procurement Committee, National Water Supply and Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka on behalf of the National Water Supply & Drainage Board now invites sealed bids for the Supply & Delivery of DI Pipes, Fittings, Specials and Accessories for Sewerage works for		
2.	Bidding Documents are available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka between 09:00 hours to 15:00 hours on normal working days up to		
3.	Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.		
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local Accredited Agents for supply of DI pipes, fittings, specials and accessories for sewerage works upon production of a letter of request for documents on a business letterhead.		
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted.		
6.	Alternative bids shall not be accepted. Bidders may purchase bidding documents in required number and may submit one or more independent offers. The independent offers shall be in separate set of bidding documents together with separate bid securities. Bids with alternative offers in one document will be rejected without assigning reasons.		
7.	Sealed bids may be either dispatched by registered post or hand delivered to the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka to receive on or before the closing time. Late Bids will be rejected.		
8.	All Bids shall be accompanied by a bid security of Rupees		
9.	Bids will be opened immediately after the closing of Bids, at the office of the Assistant General		

9. Bids will be opened immediately after the closing of Bids, at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka. Bidders or their authorised representatives may be present at the opening of bids.

10. For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2605328 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.

Chairman NATIONAL WATER SUPPLY AND DRAINAGE BOARD

1. INSTRUCTIONS TO BIDDERS

2. GENERAL CONDITIONS OF CONTRACT



THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA MINISTRY OF NATIONAL WATER SUPPLY AND DRAINAGE BOARD SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS. ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXESFOR SEWERAGE WORKS FOR SEWERAGE SCHEME CONTRACT No.: FORM OF BID The Chairman. Cabinet Appointed Procurement Committee, Ministry of, No. 35, "Lakdiya Medura" New Parliament Road. Pelawatta. Battaramulla.

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents.
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract.
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- Bid Security.
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data.
- 9. Duly filled Appendices.
- 10. Any other document.

NWSDB/SBD/SUP/DI(Sew)/FC : Form of Bid CAPC - August 2014 – Version 1 I/We declare that the Photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001/BSEN ISO 9001 certificate(s), and Product conformity certificate (s) as listed in the specifications. I/we confirm that I/we have verified that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001: 2015/BSEN ISO 9001: 2015certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.		
My/Our Bank Reference is as follows:		
Signature of Bidder	:	
Name of Bidder	:	
Address	:	
Capacity	:	
Telephone Number	:	
Facsimile Number	:	
Date	:	
Witnesses		
1. Signature	:	
Name	:	
Address	:	
Capacity	:	
2. Signature	·	
Name	:	
Address	:	
Capacity		

THE GOVERNMENT OF THE DEMOCRATIC SOCIALISTREPUBLIC OF SRI LANKA

MINISTRY OF.	
NATIONAL	L WATER SUPPLY AND DRAINAGE BOARD
SUPPLY AND	DELIVERY OF DI PIPES, FITTINGS, SPECIALS,
ACCESSORIES, DI VA	LVES, MANHOLE COVERS AND SURFACE BOXESFOR SEWERAGE WORKS
FOR	SEWERAGE SCHEME

FORM OF BID

CONTRACT No.:

The Chairman. Ministry Procurement Committee, Ministry of, No. 35, "Lakdiya Medura" New Parliament Road. Pelawatta. Battaramulla.

I/We, the undersigned, having authority to sign this Bid and having read and fully acquainted myself/ourselves with the contents of the Information and Instructions to Bidders and Terms and Conditions of Bid and Delivery Schedule pertaining to the above Bid, along with Bills thereto, do hereby undertake to supply the Goods and Services referred to therein, in accordance with the aforesaid Instructions, Terms and Conditions for a total Bid price of foreign currency in United States Dollars (US\$)......(in Lanka Rupees (excluding VAT) The make up of the aforesaid total Bid Price is given in the accompanying Bills of Quantities

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents.
- 2. Documentary evidence to establish eligibility of Bidder.
- Documentary evidence to Establish qualification to consider for the responsiveness to the 3. contract.
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- Documentary evidence to establish eligibility of goods offered.
- Bid Security. 6.
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data.
- Duly filled Appendices.
- 10. Any other document.

3 - 1

I/We declare that the Photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001/BSEN ISO 9001 certificate(s), and Product conformity certificate (s) as listed in the specifications. I/we confirm that I/we have verified that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001: 2015/BSEN ISO 9001: 2015certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.

My/Our Bank Reference is as follows:		
	:	
Name of Bidder	:	
Address	:	
Capacity	·	
Telephone Number	:	
Facsimile Number	:	
Date	:	
Witnesses		
1. Signature	:	
Name	:	
Address	:	
Capacity	:	
2. Signature	:	
Name	:	
Address	·	
Capacity		

THE GOVERNMENT OF THE DEMOCRATIC SOCIALISTREPUBLIC OF SRI LANKA

MINISTRY OF	• • • • • • • • • • • • • • • • • • • •
NATIONAL WATE	R SUPPLY AND DRAINAGE BOARD
SUPPLY AND DELIVE	RY OF DI PIPES, FITTINGS, SPECIALS,
	IANHOLE COVERS AND SURFACE BOXESFOR EEWERAGE WORKS
FOR	SEWERAGE SCHEME
CONTRACT	No.:

FORM OF BID

The Chairman,
Department Procurement Committee,
National Water Supply & Drainage Board,
Galle Road,
Ratmalana.
Sri Lanka.

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents.
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract.
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- 6. Bid Security.
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data.
- 9. Duly filled Appendices.
- 10. Any other document.

NWSDB/SBD/SUP/DI(Sew)/FC: Form of Bid 3 - 1

Revised on 08-06-2022

I/We declare that the Photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001/BSEN ISO 9001 certificate(s), and Product conformity certificate (s) as listed in the specifications. I/we confirm that I/we have verified that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001: 2015/BSEN ISO 9001: 2015 certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.

My/Our Bank Reference is as follows:		
Signature of Bidder	:	
Name of Bidder	:	
Address	:	
Capacity	ː	
Telephone Number	·	
Facsimile Number	:	
Date	:	
Witnesses		
1. Signature	:	
Name	:	
Address	:	
Capacity	:	
2. Signature	·	
Name	:	
Address	:	
Capacity		

4. BIDDING DATA

The Bidding Data is a part of Instructions to Bidders and should be read in conjunction with the Instructions to Bidders.

If there is a discrepancy found in the Instructions to Bidders and the Bidding Data, the Content in the Bidding Data shall supersede the Content in the Instructions to Bidders.

BIDDING DATA

The bidder is expected to supply the following items of materials

Clause Reference Number Instructions to Bidders

2.2.	Qualif	fication
2.2 (a)	(i)	Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from

2.2 (b)

(1)

- (i) Working Capital *1 + present available credit facilities for the company*2 + credit facilities exclusively for this contract 0.1 x current work commitments*3> Rs......*4
 - *1 Working Capital = Current Assets Current Liabilities.
 - *2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids.
 - *3 Current work commitment = work remaining uncompleted.
 (Documentary evidence to justify shall be submitted)
 - *4 15% of estimated cost of the Bid.

(3.1) Add to Clause

- a) The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document.
- b) If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001: 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation Corporation (ILAC).

NWSDB/SBD/SUP/DI(Sew)/FC : Bidding Data CAPC: August 2014 – Version 1

(4)	Funds required	d for this contract is availab	le under
(6.2)	The address f Document is		g Document/clarification of Bidding
		Assistant General Manager National Water Supply & I Galle Road, Ratmalana. FAX 94-11 – 2635885	r (Tenders & Contracts), Drainage Board (NWSDB), TEL. 94 - 11-2605328
(12.5)			ablish Telegraphic Transfer as stated in the
(13.2)	The amount of	f Bid Security shall be	Sri Lanka Rupees.
(13.3)	The validity o	f Bid Security shall be up to	o(specify the date)
(14.1)	The period of	Bid Validity shall be 210 da	ays from the date of closing of Bid.
(17.2)	(a)	The inner and outer envelo	opes shall be addressed as follows:
		Procurement Division,	opointed Procurement Committee,
	(c)	"Not to be opened before	(Time) on (Date)"
(18.1)		nent Committee's address fo Board) and Bid opening is;	or the purpose of Bid submission (and on
		Cabinet Appointed Procur Procurement Division, Ministry of	rement Committee,
		for submission of Bid	Time:

(21.1) The place for opening of bids,

(24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of **Clause 24.1**, it will be considered substantially non responsive and rejected by the Procurement Committee.

(28.1) After evaluation of Bids in accordance with the procedures described under Clauses 23, 24, 25, 26, 27 and 28, the Employer will inform to all the bidders in writing the selection of the successful bidder and the intention of contract award to such bidder. The unsuccessful bidders if they so wish, within one week of such notice may make representation to the Procurement Appeal Board at the address given below. Such representation shall be self-contained to enable the Appeal Board to arrive at a conclusion and a cash deposit to amount given below shall be made. The Appeal Board may request the bidder who had made representation to submit further evidence during the investigations. The cash deposit will be forfeited unless the Employer change the original contract award decision in favour of the bidder who has made such representation.

Address: The Secretary

Appeal Board, Presidential Secretariat

Colombo, Sri Lanka.

Cash Deposit: Rupees 50,000.00

- (33.2) The prevailing rate of stamp duty on contracts for supply of goods is nil.
- (34.1) The amount of Performance Guarantee shall be 10% of the Contract Price.

CAPC: August 2014 – Version 1

4 -3

BIDDING DATA

Clause Reference Number Instructions to Bidders

(1)	The	The bidder is expected to supply the following items of materials		
2.2.	Qu	alification		
2.2 (a)	(i)	Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from		
2.2 (b)	(i)	Working Capital *1 + present available credit facilities for the company *2 + credit facilities exclusively for this contract - 0.1 x current work commitments *3 >Rs *4		
		 *1 Working Capital = Current Assets – Current Liabilities. *2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids. *3 Current work commitment = work remaining uncompleted. (Documentary evidence to justify shall be submitted) *4 15% of estimated cost of the Bid. 		
(3.1)	Adda)	The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document. If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001: 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited		
		which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation		

(4)

Corporation (ILAC).

Funds required for this contract is available under

(0.2)	Document is
	Assistant General Manager (Tenders & Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana. FAX 94-11-2635885 TEL. 94-11-2605328
(12.5)	Add to the Clause 12.5 As an alternative the purchaser shall establish Telegraphic Transfer as stated in the Clause 16.3 of Contract Data.
(13.2)	The amount of Bid Security shall be
(13.3)	The validity of Bid Security shall be up to(specify the date)
(14.1)	The period of Bid Validity shall be 119 days from the date of closing of Bid.
(17.2)	(a) The inner and outer envelopes shall be addressed as follows:
	The Chairman, Ministry Procurement Committee, Procurement Division, Ministry of, No. 35, "Lakdiya Medura" New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.
	(c) "Not to be opened before(Time) on (Date)"
(18.1)	The Procurement Committee's address for the purpose of Bid submission (and on behalf of the Board) and Bid opening is;
	The Chairman, Ministry Procurement Committee, Procurement Division, Ministry of, No. 35, "Lakdiya Medura" New Parliament Road, Pelawatta, Battaramulla, Sri Lanka.
	The deadline for submission of Bid Date: Time:

(21.1) The place for opening of Bids,

(24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of **Clause 24.1**, it will be considered substantially non responsive and rejected by the Procurement Committee

(28.1) After evaluation of Bids in accordance with the procedures described under **Clauses 23, 24, 25, 26, 27 and 28,** the Employer will inform to all the bidders in writing the selection of the successful bidder and the intention of contract award to such bidder. The unsuccessful bidders if they so wish, within one week of such notice may make representation to the Ministry Procurement Appeal Board at the address given below.

Such representation shall be self-contained to enable the Appeal Board to arrive at a conclusion and a cash deposit to amount given below shall be made. The Appeal Board may request the bidder who had made representation to submit further evidence during the investigations. The cash deposit will be forfeited unless the Employer change the original contract award decision in favour of the bidder who has made such representation.

Address: The Secretary

Appeal Board,

Ministry of,

No. 35, "Lakdiya Medura" New Parliament Road,

Pelawatta, Battaramulla.

Cash Deposit: Rupees 25,000.00

- (33.2) The prevailing rate of stamp duty on contracts for supply of goods is nil.
- (34.1) The amount of Performance Guarantee shall be 10% of the Contract Price.

BIDDING DATA

Clause Reference Number Instructions to Bidders

(1)	The bidder is expected to supply the following items of materials		
2.2.	Qual	ification	
2.2 (a)			
	(i)	Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide the pipes & fittings from	
2.2 (b)			
	(i)	Working Capital *1 + present available credit facilities for the company*2 + credi facilities exclusively for this contract - 0.1 x current work commitments*3> Rs*4	
		*1 Working Capital = Current Assets – Current Liabilities.	
		*2 A letter to prove the availability of credit facilities issued by a Bank within a month prior to date of closing of Bids.	
		*3 Current work commitment = work remaining uncompleted.	
		(Documentary evidence to justify shall be submitted)	
		*4 15% of estimated cost of the Bid.	

(3.1) Add to Clause

- a) The supplier shall not be allowed to state or supply any good apart from the prequalified lists of manufacturers given in Appendix-14 for relevant goods mentioned in Bills of Quantities in this document.
- b) If there is no pre-qualified manufacturers list in Appendix-14 for any good mentioned in Bills of Quantities, the supplier shall state and provide all required details of manufacturer compliance with the Specifications given in Section 6 of this document and for the Couplings, Flange Adaptors, Stepped Couplings and Dismantling Joints for DI, Asbestos, GRP, HDPE and PVC Connections; Manufacturer shall have a valid ISO 9001: 2015 Quality Management System Certificate and a valid product certificate conforming to the EN 14525:2022 or WIS 4-21-02 or ASTM F1476 or AWWA C219 issued by an Accredited Agency which is a member of International Accreditation Forum (IAF) or accredited laboratory which is a member of International Laboratory Accreditation Corporation (ILAC).

NWSDB/SBD/SUP/DI(Sew)/FC : Bidding Data 4 -1

(4)	Funds required for this contract is available under
(6.2)	The address for the purchasing of Bidding Document/clarification of Bidding Document is
	Assistant General Manager (Tenders & Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana. FAX 94-11-2635885 TEL. 94-11-2605328
(12.5)	Add to the Clause 12.5 As an alternative the purchaser shall establish Telegraphic Transfer as stated in the Clause 16.3 of Contract Data.
(13.2)	The amount of Bid Security shall be
(13.3)	The validity of Bid Security shall be up to
(14.1)	The period of Bid Validity shall be 91 days from the date of closing of Bid.
(17.2)	•
	The Chairman, Department Procurement Committee, C/o, Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.
	c) "Not to be opened before(Time) on (Date)"
(18.1)	The Procurement Committee's address for the purpose of Bid submission (and on behalf of the Board) and Bid opening is;
	Department Procurement Committee, C/o, Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.
	The deadline for submission of Bid
	Date: Time:

(21.1)The place for opening of Bids,

Tenders & Contracts Section, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka

(24.1) Add to Clause

If a Bid does not meet any one of the requirements (a), (b), (c) & (d) of Clause 24.1, it will be considered substantially non responsive and rejected by the Procurement Committee.

- (33.2)The prevailing rate of stamp duty on contracts for supply of goods is nil.
- The amount of Performance Guarantee shall be 10% of the Contract Price. (34.1)

DPC - August 2014 - Version 1

5. CONTRACT DATA

- **GENERAL**
- DELIVERY SCHEDULE
- PAYMENT SCHEDULE

The Contract Data is a part of General Conditions of Contract and should be read in conjunction with the General Conditions of Contract.

If there is a discrepancy found in the General Conditions of Contract and the Contract Data, the Content in the Contract Data shall supersede the Content in the General Conditions of Contract.

Contract Data

Contract Data is a part of condition of contact and shall be read together. If any discrepancy is founds content of the contract Data shall supersede the conditions of contract.

(Please note that the Clause nos. given hereunder are that of Conditions of Contract)

Clause Reference Number

General Conditions of Contract

1.1 (j)	The Employer is	
	Name: National Water Supply and Drainage Board,	
	Address: Galle Road, Ratmalana	
	Authorized Representative of the employer is : The Chairman,	
	National Water Supply& Drainage Board, Galle Road, Ratmalana.	
1.1 (k)	The Engineer is	
	General Manager, National Water Supply and Drainage Board, Galle Road, Ratmalana.	
3.2	The Engineer's Representative shall be the (PD/DGM of relevant (RSC)	
10.2	The Goods shall be delivered at such places, in such quantities and within	

- The validity of warranty shall be 36 months.
- 16.3 Add **Sub-Clause 16.3 (b)**

As an alternative the purchaser shall establish Telegraphic Transfer for the foreign component quoted in accordance with **Clause 16.1** General Conditions of Contract for an equivalent sum of not exceeding US\$ 50,000, for purchase of goods/ materials on submission of an unconditional, on demand advance payment guarantee equal to the value of Telegraphic Transfer, from a reputed Bank operating in Sri Lanka, by the bidder.

Validity of the advance payment guarantee shall be 28 days beyond the contract period.

	time up to the requested quality, this Advance payment guarantee shall be forfeited.
23.1	The amount of Liquidated Damages shall be Rs per day of delay. Limit of Liquidated Damages shall not exceed 10% of Contract Price.
31.1	Purchaser's address for notice purposes shall be as follows:
	(a) General Manager, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.
	Facsimile Number: Colombo, 011-2635885 e – Mail: gmnwsdb@sltnet.lk
	Supplier's address for notice purposes shall be as follows:

Advance payment guarantee shall be released upon handing over goods at site and acceptance by the Engineer. If the supplier fails to deliver the goods on

DELIVERY SCHEDULE

Item No.	Description of Goods	Quantity	Final Destination [insert place of Delivery]	Delivery Date Purchaser's delivery date as per the contract
01.	Bill No. 1			
02.	Bill No. 2			

PAYMENT SCHEDULE

Letter of Credit will be opened by the Purchaser. No Advance payment will be made.

	STAGE OF PAYMENT	STAGE OF CONTRACT	DOCUMENT TO BE SUBMITTED	AMOUNT OF PAYMENT	REMARKS			
(A	(A) Foreign Payment							
1	First installment	On shipping the items part or fully.	 Copies of the Supplier's invoice showing description of Goods, quantity, unit price, total amount and HS Code Number; 3 copies of clean on-board bill of lading marked freight prepaid. Copies of packing list identifying contents of each package and measurements. Manufacturer's warranty certificate as per Clause 15 hereof. Inspection certificates, issued by the nominated inspection agency and the Pre-shipment Inspection Team. Manufacturer's Inspection and Test Certificate. Certificate of origin. Certificate of conformity to the standards specified in the specifications. Inspection and test certificate by the NWSDB pre-shipment Inspection team. 	75% of foreign component of the items shipped on Letter of Credit.				
2	Balance foreign component	Final acceptance by the Engineer based on the delivery and other obligations.	On production of a Final Acceptance Certificate issued by the Engineer. Engineer's Representative's approval for the balance payment of Foreign Component.	Balance 25% of the foreign component shall be paid on Letter of Credit	The total Contract Sum shall become payable within <u>60</u> days from the date of the Engineer's Final Acceptance Certificate.			
(B	(B) Local Payment							
3	First Payment of Supply Bill	On delivery and stacking of the Goods at site.	Document providing the delivered Goods are in compliance with the contract.	90% of the Local component of the Contract Price less Bank charges.	Sri Lanka Rupees component by a cheque in favour of the supplier.			
4	Balance Local Payment	Final acceptance by the Engineer for the delivery and other obligations.	A written request for balance payment in the form of an invoice based on the BOQ and Engineer's approval for the payment.	10% of the Local component of the Contract Price less remaining Bank charges.	The total Contract Sum shall become payable within <u>60</u> days from the date of the Engineer's Final Acceptance Certificate.			

NWSDB/SBD/SUP/DI(Sew)/FC : Payment Schedule CAPC : MPC : DPC - August2014 - Version 1

6. SPECIFICATION

- SPECIFICATION FOR MECHANICAL 6n-1 6n-44 COUPLINGS, REPAIR CLAMPS & FLANGE ADAPTORS
 - SPECIFICATION FOR PVC/ABS/STAINLESS
 STEEL/BRONZE/DI/CI VALVES,
 SHEAR GATES, SLIDE GATES AND
 MANHOLE COVERS &FRAMES FOR
 SEWERAGE APPLICATIONS 6x-1 6x-34
 - SPECIFICATION FOR DI PIPES &
 FITTINGS AND SPECILS FOR
 SEWERAGE APPLICATIONS 6bb-1 6bb-15

Download and add above Specifications from "NWSDB web" under the "Restrict Links" when preparing the Bidding Document

7. SCHEDULE OF PARTICULARS

SCHEDULE OF PARTICULARS

	TABLE OF CONTENTS	PAGE NUMBER
1	DI Pipes and Fittings	7 - 2
2	Mechanical Couplings, Repair clamps and Flange Adaptors	7 - 5
3	Gate/Sluice Valves	7 – 6
4	Butterfly Valves	7 - 7
5	Air Valves	7 - 9
6	Check Valves	7 - 10
7	Pressure Reducing Valves	7 – 12
8	Pressure Sustaining/Relief Valves	7 - 13
9	Altitude Valves	7 - 14
10	Ball Float Valves	7 - 15
11	Flap Valves	7 - 17
12	Surface Boxes and Manhole covers	7 - 18
	• Specimen form of test certificate for Pipes and Fittings	7 - 19
	• Specimen form of test certificate for Valves and Hydrants	7 - 20
	• Specimen form of test certificate for Joint Rings and Gaskets	7 - 21
	• Specimen form of test certificate for Nuts and Bolts	7 - 22
	 Specimen form of test certificate for Manhole covers 	7 - 23

SCHEDULE OF PARTICULARS

1	DI PIPES AND FITTINGS			
1.1	Country of manufacture: (1) Pipes			
1.2	Manufacturers' name and Address: (1	1) Pipes		
		D) Fittings		
		2) Fittings		
1.3				
	(2) Fittings 1.3.2 No. of shipment proposed by	y the bidder:		
1.4	Is Certificate for conformity to standards from relevant standards Institution provided to the factory/factories: (1) Pipes			
1.5	Is ISO 9001:2015 Quality Management System Certificate provided to the factory/factories (1) Pipes			
1.6	Class of Pipes and fittings:	Class		
	S/S Pipes Pipes with integral casted flanges Pipes with factory welded flanges Pipes with screwed flanges Tees Bends & Other Fittings			
1.7.	Whether factory welded flange pipe	es tested for each flanged joint?		
1.8.	Whether Pipes & Fittings are from s	same Manufacturer ?		
1.9	Gaskets, Joint rings and Lubricant:			
1.9.1	Standard to which Gaskets, Joint rin	gs conforms:		
1.9.2	Is Certificate for conformity to stand to the factory/factories :	lards from relevant standards Institution provided		
1.9.3	Is ISO 9001:2015Quality Management factory/factories:	ent System Certificate provided to the		

		Make	
	Gaskets		
	Joint rings		
	Lubricant		
1.11	Material of Gaskets,	Joint rings and Lubricant :	
	Gaskets		
	Joint rings		
	Lubricant		
1.12.	Hardness range of C	Saskets and Joint Rings	
		Hardness Range (1RHD)	
	Gaskets		
	Joint Rings		
1.13	Standard to which Fla	nges conform:	
1.14		ntegrally casted or Factory welded ?	
	5 Type of external coating and grade:		
	5 Standard to which external coating conform:		
1.17	<u> </u>		
1.18		s and bolts, washers conform and the type of material:	
	Material		
1.19.		yethylene sleeving conform and the colour	
	-		
	Colour		

Make of Gaskets, Joint rings and Lubricant :

1.10

1.20	Quantity of joint protection materials required per flanged joint as per manufacturer's
	recommendation

	Diameter (mm)	Mastic /Primer (litres)	Paste (kg)	Tape (m)	uPVC/Polyethylene outer wrapping (m)
	150				
	200				
1.21	Port of shipn	nent:			
1.22	Packing and	protection in trans	sit :		
1.23	Time of deliv	very:			
1.24	Reference of the catalogues, technical literature, drawing provided with the Bid:				
1.25	Name and address of the Supplier's accredited agent in Sri Lanka:				
1.26	Deviations from specifications (if any):				
1.27	Marking of F	Pipes and Fittings;	Manufacturer	's Name and C	lass as
	Embo	ossed	Cold Stamp		
1.28	Other Markin	gs; Cast on			
	Cold	Stamp	Painted with	n an indelible p	aint

2. MECHANICAL COUPLINGS, REPAIR CLAMPS AND FLANGE ADAPTORS

2.1	Country of manufacture :					
2.2	Manufacturers' Name and Address:					
2.3	Make, Material, Hardness Range and Standard:					
		Make	Material	Hardness Range	Standard	Date of Manufacture
	Sleeve:			N/A		
	Flange:			N/A		
	Gaskets:					
	Joint Rings:					
2.4	Type of exte	ernal coating	and thickne	ess:		
2.5	Type of internal coating and lining:					
2.6	Time of Delivery:					
2.7.	Port of Shipment:					
2.8	Reference of the catalogues, technical literature, drawings provided with the Bid:					
2.9.	Name and A	ddress of sup	oplier's age	nt (if any) in S	ri Lanka	
2.10.	Deviations f	from Specific	ations (if ar	ıy) :		
2.11.	Is ISO 9001: 2015 Quality Management System Certificate provided to the Factory					

3.	GATE/SLUICE VALVES		
3.1	Country of Manufacture :		
3.2	Manufacturer's Name and Address:		
3.3	Date of Manufacture:		
3.4.	Standards to which valves conform		
3.5.	Is certificate for conformity to standards from relevant Standards Institution provided to the factory/ factories		
3.6.	Is ISO 9001 : 2015Quality Management System Certificate provided to the factory/ Factories		
3.7	Material Body:		
	Spindle:		
	Metal faces and seal:		
3.8.	Length between flanges (mm):		
3.9	End flanges - Pressure Rating:		
	Dimensions (mm):		
	Bolt Circle dia (mm):		
3.10.	Whether gearing arrangement Provided :		
	Gear Ratio		
	Unbalanced head: bars		
	Seat test pressure: bars		
	Body test pressure: bars		
3.14.	Internal protection:		
3.15.	External protective finish:		
3.16.	Weight of the valve kgs		
3.17.	Packing and protection of valves in transit:		
3.18.	Reference of the catalogues, technical literature and drawing provided with the Bid:		

3.19.	Port of shipment:	
3.20.	Time of delivery of valves at the port of shipment:	
3.21.	Name and Address of Supplier's accredited agent in Sri Lanka:	
3.22.	Deviations from Specifications (if any):	
4.	BUTTERFLY VALVES	
4.1	Country of Manufacture	
4.2	Manufacturer's name and Address:	
4.3	Date of Manufacture:	
4.4	Standard to which valves conform:	
4.5.	Is certificate for conformity to Standards from relevant Standard Institution provided to the factory/ factories	
4.6	Is ISO 9001 :2015 Quality Management System Certificate provided to the factory, factories.	
4.7	Material	
	Valve body:	
	Valve disc:	
	Valve seat:	
	Shaft:	
	Shaft seals:	
4.8	Valve body: Whether Rubber lined? if so material:	
4.8.1	Standards to which gaskets conforms:	
4.8.2	Is certificate for conformity to Standards from relevant Standard Institution provided to gaskets:	
4.8.3	Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory/factories.	

4.9.	Face to face dimensions of the valves (mm) :
4.10	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
4.11.	Standard to which nuts and bolts conform and the material:
4.12.	The type of operating gear for the valve:
4.13.	Operating method of the valve (hand wheel/Tee key):
4.14.	Whether Gearing arrangement is provided:
	Gear ratio of gearing:
	Unbalanced head: Bars
	Seat test pressure : Bars
	Body test pressure Bars
4.15.	Internal protective finish: Material:
	Thickness:
4.16.	External protective finish: Material:
	Thickness:
4.17.	Weight of the valve: Kg
4.18.	Packing and Protection of valves in transit:
4.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:
4.20.	Port of shipment:
4.21.	Time of delivery of valves at port of shipment:
4.22.	Name and Address of supplier's agent (if any) in Sri Lanka:
4.23.	Deviations from specifications (if any):

5 .	AIR VALVES		
5.1.	Country of Manufacture :		
5.2	Manufacturer's name and Add	ress:	
5.3	Date of Manufacture:		
5.4	Is ISO 9001:2015 Quality Management System Certificate provided to the factory Factories:		
5.5.	Type of Valve (single orifice/de	ouble orifice):	
5.6.	For large orifice air valves;		
	Orifice dia mm	Minimum air outflow at 0.5 bar differential pressure m³/min	
		Minimum air inflow at 0.2 bar differential pressure m ³ /min	
5.7.5.8.	for making it Tee key operated	ifice air valves; whether isolating valve has mitre gearing	
5.9.	Flanges (if applicable)		
	Pressure rating :		
5.10.	Seat test pressure :	bars	
5.11	Body test pressure :	bars	
5.12	2 Internal protective finish:		
5.13.	3. External protective finish:		
5.14.	4. Weight of the valve : kg		
5.15.	Packing and protection of valv	res in transit:	
5.16.	Reference of the catalogues, ted	chnical literature and drawings provided with the Bid:	

5.17	. Port of shipment:
5.17	. Time of delivery of valves at port of shipment:
5.18	. Name and Address of supplier's agent (if any) in Sri Lanka:
5.19	. Deviations from specifications (if any):
6	CHECK VALVES
6.1	Country of Manufacture :
6.2	Manufacturer's name and Address:
6.3	Date of Manufacture:
6.4	Standard to which valves conform:
6.5	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories:
6.6	Is product conformity certificate from relevant Standard Institution provided to the Factory / factories :
6.7	Is this Vertical Installation or Horizontal Installation :
6.8	Is this non Slam :
6.9	Is this Spring loaded:
6.10	Material
	Valve body:
6.11	End Flanges
	Pressure rating: Dimensions (mm): Bolt circle dia (mm): Standard:

6.12.	Face to face dimensions of the valve (mm) :		
6.13.	Seat test pressure : bars		
6.14.	Body test pressure bars		
6.15.	Internal protective finish:		
6.16.	External protective finish:		
6.17.	Weight of the valve: Kg		
6.18.	Packing and Protection of valves in transit:		
6.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:		
6.20.	Port of shipment:		
6.21.	Time of delivery of valves at port of shipment:		
6.22.	Name and Address of supplier's agent (if any) in Sri Lanka:		
6.23.	Deviations from specifications (if any):		

7.	PRESSURE REDUCING VALVES
7.1	Country of Manufacture :
7.2	Manufacturers' Name and Address:
7.3	Date of Manufacture:
7.4	Is ISO 9001:2015Quality Management System provided to the factory/ factories:
7.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories:
7.6	Material Main valve: Body: Internal valve: Indicator rod:
	Relay Valve Body: Spindle: Diaphragm: Spring:
7.7	Length between flanges (mm):
7.8	End Flanges
	Pressure rating: Dimensions (mm): Bolt circle dia (mm): Standard :
7.9	Minimum running pressure difference: bars
7.10	Minimum control pressure bars
7.11	Internal protective finish:
7.12	External protective finish:
7.13	Weight of the valve: kg
7 14	Packing and Protection of valves in transit:

7.15 Reference of the catalogues, technical literature and drawings provided with the Bid:
7.16 Port of shipment:
7.17 Time of delivery of valves at port of shipment:
7.18 Name and Address of supplier's agent (if any) in Sri Lanka:
7.19 Deviations from specifications (if any):
8. PRESSURE SUSTAINING/RELIEF VALVES
8.1 Country of Manufacture :
8.2 Manufacturer's name and Address:
8.3 Date of Manufacture:
8.4 Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
8.5 Is product conformity certificate from relevant Standard Institution provided to the factory/ factories:
8.6 Material Main valve: Body: Internal valve: Indicator rod:
Relay Valve Body: Spindle: Diaphragm: Spring:
8.7 Length between flanges (mm):
8.8 End Flanges
Pressure rating:
Dimensions (mm):
Bolt circle dia (mm):
Standard:

CAPC : MPC : DPC- August 2014 – Version 1 7-13 Revised on 10-10-2018

8.9	Internal protective finish:		
8.10	External protective finish:		
8.11	Weight of the valve: kg		
8.12	Packing and Protection of valves in transit:		
8.13	Reference of the catalogues, technical literature and drawings provided with the Bid:		
8.14	Port of shipment:		
8.15	Time of delivery of valves at port of shipment:		
8.16	Name and Address of supplier's agent (if any) in Sri Lanka:		
8.17	Deviations from specifications (if any):		
9	ALTITUDE VALVES		
9.1	Country of Manufacture :		
9.2.	Manufacturer's name and Address:		
9.3.	Date of Manufacture:		
9.4.	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories		
9.5	Is Product Conformity Certificate from relevant Standard Institution provided to the factory/ factories		
9.6	Material		

	Relay Valve
	Body:
	Spindle:
	Diaphragm:
	Spring:
9.7	Length between flanges (mm):
9.8	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
	Standard:
9.9	Minimum head required at valve inlet:
9.10	Internal protective finish:
9.11	External protective finish:
9.12	Weight of the valve: kg
9.13	Packing and Protection of valves in transit:
9.14	Reference of the catalogues, technical literature and drawings provided with the Bid:
9.15	Port of shipment:
9.16	Time of delivery of valves at port of shipment:
9.17	Name and Address of supplier's agent (if any) in Sri Lanka:
9.18	Deviations from specifications (if any):
10 B	ALL FLOAT VALVES
10.1	Country of Manufacture :
10.2.	Manufacturer's name and address:
10.3.	Date of Manufacture:
10.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
10.5.	Is product conformity certificate from relevant Standard Institution provided to the

10.6	Body test pressure:		
10.7	End Flanges		
	Pressure rating:		
	Dimensions (mm):		
	Bolt circle dia (mm):		
	Standard:		
10.8	Material		
	Valve Body:		
	Float:		
	Lever and links:		
10.9	Body test pressure: bars		
10.10.	Close assembly test pressure bars		
10.11	Weight of the valve: kg		
10.12	Packing and Protection of valves in transit:		
10.13	Reference of the catalogues, technical literature and drawings provided with the Bid:		
10.14	Port of shipment:		
10.15	Time of delivery of valves at port of shipment:		
10.16	Name and Address of supplier's agent (if any) in Sri Lanka:		
10.17	Deviations from specifications (if any):		

11.	FLAP VALVES		
11.1	Country of Manufacture :		
11.2	Manufacturer's name and Address:		
11.3	Date of Manufacture:		
11.4	Is ISO 9001: 2015 Quality Management System provided to the factory/ factories		
11.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories		
11.6	Material		
	Frame and door:		
	Sealing:		
	Hinge pin:		
	Links:		
11.7	Flanges		
	Pressure rating:		
	Dimensions (mm):		
	Bolt circle dia (mm):		
	Standard:		
11.8	Weight of the valve: kg		
11.9	Packing and Protection of valves in transit:		
11.10	Reference of the catalogues, technical literature and drawings provided with the Bid:		
11.11	Port of shipment:		
11.12	Time of delivery of valves at port of shipment:		
11.13	Name and Address of supplier's agent (if any) in Sri Lanka:		
11.14	Deviations from specifications (if any)		

12	SURFACE BOXES AND MANHOLE COVERS				
12.1	Country of Manufact	ture:			
12.2	Manufacturer's name	e and Address:	:		
12.3	Material:				
12.4	Class, Make, Standar	rd and Date of	Manufacture		
		Class	Make	Standard	Date of Manufacture
	Manhole Covers:				
	Surface Boxes:				
12.5	Coating :				
12.6	Lifting arrangements	::			
	Manhole Covers :				
	Surface Boxes :				
12.7	Name and Address of Supplier's agent (if any) in Sri Lanka :				
12.8	Port of Shipment:				
12.9	Time of Delivery of Material at port of shipment:				
12.10	Deviations from Specification (if any):				
	certify that the details y with above.	s given above	are true and t	he Goods supp	blied under this Contract
					Signature of the Supplier
				_	

Note: Copies of the relevant standards used for pipes, specials and fittings should be forwarded along with the offer.

8.	DEVIATION FROM SPECIFICATION

DEVIATIONS FROM SPECIFICATIONS

Preamble

The Bidder is required to list any deviations of materials workmanship etc. from the Specifications including such information as has already been given elsewhere in the Bidding Documents. The information shall be in sufficient detail to enable the Engineer to make a realistic assessment of the effect of such deviations on the performance or life of the materials to be supplied and also such deviation if any shall be subject to **Clause 24** of Instructions to Bidders.

The list shall also include deviations from the Specifications relating to the mode of operation and/or control of any item of equipment, and any deviations from the specified design requirements for plant components.

Deviations

Note:

Additional sheets should be attached as necessary

9. KEY FEATURES OF SPECIFICATION	ONS

KEY FEATURES OF SPECIFICATIONS

Some of the salient features of the specifications are summarized below to furnish a quick reference. The Bidders are under obligations to refer the whole of the specifications in their entirety prior to perfecting their bidding documents, and will be deemed to have done so during the bidding stage.

Feature	Description	Standard of Conformity
Class of		
 Socket and spigot pipes 	C 40	
 Pipes with factory welded flanges 	C 40	
• Pipes with integral flanges	C 40	ISO 7186 : 2011 and
Fittings except Tees and Crosses	C 40	BSEN 598 : 2009
Tees and crosses	C 40	
Length of Pipes		ISO 7186 : 2011 and
Pressure rating of flanges	PN 16	BSEN 598:2009 BSEN 1092 – 2:1997
External coating of pipes and fittings	Metallic zinc on zinc rich paint followed by two coats of bituminous based black paint or an approved coat of epoxy	ISO 8179-I, II BS 3416:1991 Type II
Internal lining of pipes and fittings	Cement mortar	ISO 7186 : 2011 BSEN 598:2009 ISO 4179 : 2005 ISO 6600 : 1980
The material for Joint Rings	EPDM	BSEN 681-1:1996
The dual hardness of rings		
 Heal of the ring 	76-84 1RHD	BSEN 681-1: 1996
• Bulb of the ring	46-55 1RHD	BSEN 681-1:1996
The material for Gasket and Hardness Range.	EPDM, 76-84 1RHD	BSEN 681-1 : 1996
The material for Nuts, Bolts and washers.	High Tensile Steel	BSEN 14399 : Part 2: 2005
The colour for polyethylene sleeving.	Blue	BS 6076 : 1996 ISO 8180 : 2006
The hardness of		
Pipes	230 HB	ISO6506
 Fittings and accessories 	250 HB	
Protective coating of Mechanical	Polymeric anti-corrosion	
couplings, Repair clamps and Flange	coating in accordance with	
Adaptors.	WIS 4-52-01 Class B with	
	a coating thickness of not less than 250 microns.	

NWSDB/SBD/SUP/DI(Sew)/FC: Key Features CAPC: MPC: DPC- August 2014 – Version 1

Feature	Description	Standard of Conformity
The material for valve Body	Ductile Iron	BS EN 1563 : 2018
Sluice Valves		
 Up to 600 mm 	Shall comply with	BS 5163 : 2004
• Above 600 mm	Shall comply with	BS5150 : 1990
Butterfly Valves	Shall comply with	BSEN 593 : 2004
Check valves	Shall comply with	BSEN 12334 : 2001
Fire Hydrants		
Screw down Type	Shall comply with	BS 750 : 2006
		(type 2)
Dry barrel Type	Shall comply with	AWWA C 502-80
Surface Boxes		
Material	Ductile Iron	BS 5834:Part 2:1983
• Grade	Heavy duty	
Manhole covers and frames		
Material	Ductile Iron	BS EN 124 : 1994
• Class	Heavy Duty	

10. BILLS OF QUANTITIES

- PREAMBLE NOTES ON PRICING
- BILLS OF QUANTITES
- SUMMARY OF BILLS

PREAMBLE NOTES ON PRICING

1. **General**

1.1 The bidder's attention is specifically directed to the Form of Bid, Instructions to Bidders, Conditions of Contract, Contract Data, Delivery Schedule, Schedule of Particulars and Specifications which are to be read in conjunction with the Bills of Quantities. The following notes are given to assist in pricing the Bills of Quantities and enable the supplier to arrive at the total Bid Price. The Bidder shall insert rates and prices for the supply and delivery of **DI pipes, fittings, specials, accessories and DI valves** for sewerage works in strict accordance with the specifications.

2. <u>Description of Items</u>

2.1 Descriptions attached to the items in the Bills of Quantities are only in sufficient detail to ensure identification of the work described in the specification.

3. Rates and prices

- 3.1 In pricing the items of the Bills of Quantities, the bidder shall cover himself and will be deemed to have covered himself for:
 - a. All services and materials which according to the true intent and meaning of the contract may be reasonably inferred as necessary for completion of delivery of the materials in sound condition to the Stores which is specified in **Contract Data**.
 - b. All the duties, obligations, liabilities and responsibilities which the Contract documents place upon the bidders in connection with or in relation to the Contract.
 - c. All costs arising out of inspection except inspection as per **Clause 8** of General Conditions of Contract, testing, packing, transportation, clearing, loading, unloading, stacking, shipping line charges, warehouse rent, port charges, any demurrages, Agents Commission if any and other minor expenses.
 - d. All Costs including all taxes and duties and other charges imposed outside Sri Lanka on raw materials, production, manufacture, sales, transport and any other cost that may be incurred of all goods.
 - e. All duties and taxes if any except customs duty and port charges that may be levied in purchaser's country (Sri Lanka).
 - f. Cost of accessories not specifically listed, but necessary for proper completion
 - g. Price charged by the supplier for the preceding incidental services.

- h. Custom duties, import license fees and port charges levied on the goods supplied under contract shall be directly paid by the Purchaser as per Clause 32.4 of the General Conditions of Contract
- 3.3 Bidder shall include FOB price under Foreign cost and all local costs which are incurred in Sri Lanka including Agency Commission under Local Cost. Freight, cost of pre-shipment inspection by Employer and Inspection and Testing by Independent Testing Agency shall be included in the summary of each Bill. Total of the Summary of each bill shall be carried forward to "Summary of Bills".
- 3.4 Insurance shall be done by the Purchaser.
- 3.5 Shipping shall be done as specified in the **Clause 37** of Instruction to Bidders.

4. Schedule of Particulars

- a) The bidders are necessarily be required to complete fully the schedule of particulars given in the Bidding document.
- b) where catalogues, technical literature and drawings accompanying the bid, their references should be quoted in the Schedule of Particulars;
- c) Where the bidder's specification is not conforming to the minimum specification, the offer will not be accepted;
- 5. A rate and/or price is to be entered against each item in the Bills of Quantities whether quantities are stated or not. If a bidder does not quote for a item of a bill, the particular bill shall be considered as incomplete and that bill shall not be taken for evaluation.
- 6. The Bills of Quantities contains metric sized pipes fittings specials and valves only.
- 7. The bidder shall include in the unit price for DI pipes, fittings, specials, accessories and DI valves for sewerage works and the cost of all materials required for jointing of pipes, (Rubber rings, lubricant, bolts, nuts, washes and gaskets for flanged fittings etc.) unless separate items are provided.
- 8. All loose items such as nuts, bolts, washers and rubber rings shall be separately packed in accordance with the relevant sub-section in the Bills of Quantities with a maximum weight of 100 kg.
- 9. Cost of combined allowance for pre-shipment inspection for two Engineers by the Employer shall be for the entire duration as per the **Clause 8.2** of the Conditions of Contract. If any shortage is found, the supplier shall bear the additional cost.
- 10. Cost of Inspection and Testing by the Independent Inspection and Testing Agency shall be as per the **Clause 8** of the Conditions of Contract.
- 11. The rates and/or prices entered against items in the Bills of quantities shall be excluding the VAT as the VAT is considered separately.

NWSDB/SBD/SUP/DI(Sew)/FC: Bill of Quantities CAPC: MPC: DPC - August 2014 – Version 1

SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS, ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR SEWERAGE WORKS SEWERAGE SCHEME CONTRACT No.

BILL No. 01

Note: (1) All spigot and socket pipes shall be of class C 40 for upto 300mm dia. Class C 30 for 350mm dia. to 600mm dia. (both inclusive) and C25 for above 600mm dia.

(2) All flange pipes, fittings & flanges shall be PN 16

Item No.	Description	Qty	Unit	Ra	nte	Am	ount
		C -3		Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	CLASS C 40; SPIGOT & SOCKET PIPES						
	Spigot and Socket Straight Pipes (excluding joint rings & lubricant)						
01	250 mm dia.		m				
	EPDM Joint Rings for above spigot & socket pipes (including 10% extra)						
02	250 mm dia.		nr				
03	Lubricant for above spigot & socket pipes (including 10% extra)		kg				
	CLASS C 40; FLANGED PIPES & FITTINGS						
	DI Double Flanged Straight Pipes (excluding gaskets, nuts & bolts)						
04	250mm dia.(4000mm long)		m				
05	250mm dia.(1500 mm long)		m				
06	250mm dia.(3000mm long)		m				
	Sets of Nuts and Bolts including two Washers for each nut for above double flanged pipes						
07	250mm dia.(4000mm long)		Sets				
08	250mm dia.(1500 mm long)		Sets				
09	250mm dia.(3000mm long)		Sets				
	Total of page No. 10 carried to						
	Summary in page 10 –						

NWSDB/SBD/SUP/DI (Sew)/FC: Bill of Quantities CAPC: MPC: DPC -August 2014 – Version 1

Item No.	Description	Qty	Unit	Ra	ite	Am	ount
1101				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	EPDM Gaskets for above double flange pipes						
10 11	250mm dia.(4000mm long) 250mm dia.(1500 mm long)		nr nr				
12	250mm dia.(3000mm long)		nr				
	CLASS C 40; FLANGED PIPES & FITTINGS						
	DI Double Flanged Straight Pipes (excluding gaskets, nuts & bolts)						
1.2	80 mm dia.		m				
13 14	80 mm dia. 100 mm dia.		m				
15	150 mm dia.		m				
16	200 mm dia.		m				
17			m				
18							
19							
	Sets of Nuts and Bolts including two Washers for each nut for above double flanged pipes						
20	80 mm dia.		Sets				
21	100 mm dia.		Sets				
22	150 mm dia.		Sets				
23	200 mm dia.		Sets				
24							
25							
26							
	EPDM Gaskets for above double flange pipes						
27	80 mm dia.		nr				
28	100 mm dia.		nr				
29	150 mm dia.		nr				
30	200 mm dia.		nr				
31							
32							
33							
	Total of page No. 10 carried to Summary in page 10 –						

Item No.	Description	Qty.	Unit	Ra	ate	Am	ount
110.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	DI Flanged and Plain Ended Straight Pipes (excluding gasket, nuts & bolts)						
34 35 36 37 38	80 mm dia. (nr nr nr nr nr				
39 40 41 42 43 44 45	for each nut for above flanged and plain ended pipes 80 mm dia. 100 mm dia. 150 mm dia. 200 mm dia.		Sets Sets Sets Sets				
	EPDM Gaskets for above flanged and plain ended pipes						
46 47 48 49 50 51 52	80 mm dia. 100 mm dia. 150 mm dia. 200 mm dia.		nr nr nr nr nr				
	DI Double Socketed Bends (excluding joint rings and lubricant)						
53 54 55 56 57 58 59	80 mm dia. 90 deg. 80 mm dia. 45 deg. 80 mm dia. 22½ deg. 80 mm dia. 11¼ deg. 100 mm dia. 90 deg. 100 mm dia. 45 deg. 100 mm dia. 22½ deg.		nr nr nr nr nr nr nr				
	Total of page No. 10 carried to Summary in page 10 –						

Item No.	Description	Qty	Unit	Ra	ate	Am	ount
				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
60	100 mm dia 111/ dag						
61	100 mm dia. 11¼ deg.						
62	•••••						
02	•••••						
	EPDM Joint Rings for above bends (including 10% extra)						
			nr				
63	80 mm dia.		nr				
64	100 mm dia.		nr				
65	150 mm dia.		nr				
66	200 mm dia.		nr				
67							
68							
			kg				
69	Lubricant for above bends (including 10% extra)						
	DI Double Flanged Bends (excluding gaskets,						
	nuts & bolts)						
70	90 4:- 00 4		nr				
70	80 mm dia. 90 deg.		nr				
71	80 mm dia. 45 deg.		nr				
72	80 mm dia. 22½ deg.		nr				
73	80 mm dia. 11 ¹ / ₄ deg.		nr				
74	mm dia 90 deg.		nr				
75 75			nr				
76	mm dia 22 ½ deg.		nr				
77			nr				
78	mm dia deg.		nr				
79	mm diadeg.		nr				
80	mm dia deg.						
81	mm diadeg.						
	Sets of Nuts & Bolts, including two Washers						
	for each nut for above double flanged bends		Sets				
82	80 mm dia.		Sets				
82	80 mm dia. 100 mm dia.						
83 84			Sets				
84	150 mm dia.		Sets				
85	200 mm dia.						
86							
87							
88							
	Total of page No. 10 carried to						
	Summary in page 10 –						
				1		1	

Item No.	Description	Qty	Unit	Rate		Amount		
				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.	
	EPDM Gaskets for above bends							
88	80 mm dia.		nr					
89	100 mm dia.		nr					
90	150 mm dia.		nr					
91	200 mm dia.		nr					
92			nr					
93			nr					
94								
	DI All Socket Concentric Tapers complete with EPDM Joint Rings and Lubricant							
95	200 - 80 mm dia.		nr					
96	400 - 100 mm dia.		nr					
97			nr					
98			nr					
99			nr					
100			nr					
	DI All Flanged Concentric Tapers complete with EPDM Gaskets, Nuts & Bolts							
101	200 - 80 mm dia.		nr					
102	400 - 100 mm dia.		nr					
103			nr					
104			nr					
	DI All Flanged Level Invert Tapers complete with EPDM Gaskets, Nuts & Bolts							
105	200 - 80 mm dia.		nr					
106	400 - 100 mm dia.		nr					
107			nr					
108			nr					
	DI Bell mouth complete with EPDM Gaskets, Nuts & Bolts							
109	80 mm dia.		nr					
110	100 mm dia.		nr					
111	150 mm dia.		nr					
112	200 mm dia.		nr					
113			nr					
114			nr					
115			nr					
116			nr					
	Total of page No. 10 carried to							
	Summary in page 10 –							

Item No.	Description	Qty	Unit	Ra	ite	An	ount
110.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	DI All Socketed Duck Foot Bends complete with EPDM Joint Rings and Lubricant						
117	80 mm dia.		nr				
118	100 mm dia.		nr				
119	150 mm dia.		nr				
120			nr				
121			nr				
122							
	DI All Flanged Duck Foot Bends complete with EPDM Gaskets, Nuts & Bolts						
123	80 mm dia.		nr				
124	100 mm dia.		nr				
125	150 mm dia.		nr				
126			nr				
127			nr				
128							
	DI Flange Adaptors complete with Fastners and Sealing Rings						
			nr				
129	80 mm dia.		nr				
130	100 mm dia		nr				
131	150 mm dia.		nr				
132			nr				
	DI Couplings complete with Fastners and Sealing Rings						
133	80 mm dia.		nr				
134	100 mm dia.		nr				
135	150 mm dia.		nr				
136			nr				
137			nr				
138							
	Total of page No. 10 carried to Summary in page 10						
	Summary in page 10 –	1]		<u> </u>	

Item No.	Description	Qty	Unit	Ra	ite	Amo	ount
				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	DI Stepped Coupling complete with Sealing Rings and Fastners suitable for connecting DI pipes to CI pipes						
139	100 dia. DI - 200 dia DI		nr				
140	150 dia. DI - 250 dia. DI		nr				
141			nr				
142			nr				
143			nr				
	DI Blank Flange complete with EPDM Gaskets, Nuts & Bolts						
144	50 mm dia.		nr				
145	80 mm dia.		nr				
146	100 mm dia.		nr				
147			nr				
148			nr				
149			nr				
150			nr				
	Total of page No. 10 carried to						
	Summary in page 10 –						

Item No.	Description	Qty	Unit	Ra	ite	Amo	ount
No.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	CLASS C 40; TEES						
	DI All Socketed Tees complete with EPDM Joint Rings and Lubricant						
151	80 x 100 mm dia.		nr				
152	80 x 150 mm dia.		nr				
153	100 x 150 mm dia.		nr				
154	100 x 200 mm dia.		nr				
155			nr				
156							
157							
	DI All Flanged Tees complete with EPDM Gaskets, Nuts & Bolts						
158	80 x 100 mm dia.		nr				
159	80 x 150 mm dia.		nr				
160	100 x 150 mm dia.		nr				
161	250 x 350 mm dia.		nr				
162			nr				
163							
164							
	DI All Flanged Reducing Tees complete with EPDM Gaskets, Nuts & Bolts						
165	80 x 100 mm dia.						
166	100 x 150 mm dia.		nr				
167	150 x 200 mm dia.		nr				
168	250 x 350 mm dia.		nr				
169			nr				
170			nr				
171							
	Socketed Tees with Flanged branch complete with EPDM Gaskets, Joint Rings, Nuts & Bolts and Lubricant.						
172	80 x 100 mm dia.		nr				
173	80 x 150 mm dia.		nr				
174	100 x 150 mm dia.		nr				
175	100 x 200 mm dia.		nr				
176			nr				
177							
178							
	Total of page No. 10 carried to						
	Summary in page 10 –						

Item No.	Description	Qty	Unit	R	ate	Am	ount
110.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	DI All Flanged Level Invert Tees complete with EPDM Gaskets, Nuts and Bolts			2 12			
179	80 x 100 mm dia.		nr				
180	80 x 150 mm dia.		nr				
181	100 x 150 mm dia		nr				
182			nr				
183			nr				
184			nr				
	DI Level Invert Socketed Tees with Flanged branch complete with EPDM Gaskets, Joint Rings, Nuts and Bolts and Lubricants.						
			nr				
185	80 x 100 mm dia.		nr				
186 187	80 x 150 mm dia. 100 x 150 mm dia.		nr				
188	100 x 130 mm dia.		nr nr				
189			111				
190							
	Class D, DI Surface Box with clear opening						
191	mm xmm		nr				
192	mm x mm		nr				
	Class D, DI Manhole Cover complete with Frame with clear opening						
193	mm dia.		nr				
194	mm dia.		nr				
195	mm dia.		nr				
	A sufficient quantity of profiling mastic material, tape and primer compound for protecting all flanged joints and couplings described in Bill No. 01 (Catalogue or printed literature to be furnished with the offer to justify the quality and quantity of the product. A sample should be provided with the offer. Tape overlap shall be 55%.						
	(No of quantity calculation sheet for each dia. Joint shall be submitted)						
196 197 198 199 200	80 mm dia. (Lump sum Lump sum Lump sum				
	Width of tape provided Length of tape provided						
	Total of page No. 10 carried to Summary in page 10 –						

SUMMARY OF BILL NO. 01

		Amount				
Page Number	Unit	Foreign Cost USD	Local Cost (SL Rs.)			
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10 –	-					
Total of Page No. 10	-					
Freight	Sum					
Cost of Pre- shipment Inspection for two Engineers by Employer as per Clause No. 8.2 of Conditions of Contract. No. of Pre-shipment inspection	Sum					
Cost of Inspection and Testing by Independent Testing & Inspection Agency	Sum					
Summary of Bill No. 01 Carried to the Page No. 10 –	-					

Name	of the	Inspection	on Autl	nority	:					

Bill No. 02 - Supply of DI Valves, Accessories, Manhole Covers & Surface Boxes

Note: 1. All Valves shall be suitable for operation with a Valve Key unless otherwise stated.

2. All Flanges shall be of PN 16.

Item	Description	Qty.	Unit	Ra	ate	Amo	ount
No.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	VALVES Sluice Valves						
	DI Double Flanged Sluice Valves suitable for Valve Key operation, complete with Gaskets and Nuts & Bolts.						
01	80 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
02	100 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
03	150 mm dia (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
	DI Double Flanged Sluice Valves suitable for Valve Key Operation						
04	200 mm dia. (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
05	250 mm dia. (depth of installation is m below Ground level and maximum unbalanced pressure is bars)		nr				
06	300 mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
07	mm dia. (depth of installation is m below Ground level . and maximum unbalanced pressure is bars)		nr				
	Total of page No. 10 carried to Summary in page 10 –						

NWSDB/SBD/SUP/DI (Sew)/FC: Bill of Quantities CAPC: MPC: DPC -August 2014 – Version 1

Item	Description	Qty.	Unit	R	ate	Amo	ount
No.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.
	AIR VALVES						
08	25 mm dia. Single Orifice Screw Down type Air Valve with Isolating Cock.		nr				
	25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;						
09 10	80 mm branch dia. 100 mm branch dia.		nr nr				
	Double Orifice Flanged type Air Valve complete with Double Flanged Isolating Gate Valve (key operated), Gaskets, Nuts & Bolts to suit branchdia						
11 12	80 mm branch dia. 100 mm branch dia.		nr nr				
	Fire Hydrant Assemblies Screw Down (Type 2: BS 750) for DI Pipes						
13 14 15 16	80 mm dia 100 mm dia 		nr nr nr nr				
	Total of page No. 10 – carried to Summary in page 10 –						

Item No.	Description	Qty	Unit	Ra	Rate		Amount		
110.				Foreign (FOB) USD	Local SLRs.	Foreign (FOB) USD	Local SLRs.		
	A sufficient quantity of profiling mastic material, tape and primer compound for protecting all flanged joints and couplings described in Bill No. 01 (Catalogue or printed literature to be furnished with the offer to justify the quality and quantity of the product. A sample should be provided with the offer. Tape overlap shall be 55%. (No of quantity calculation sheet for each dia. Joint shall be submitted)								
17 18 19 19 20	80 mm dia. (nr nr nr nr nr						
	Total of page No. 10 – carried to Summary in page 10 –								

SUMMARY OF BILL NO. 02

		Amount				
`Page Number	Unit	Foreign Cost (USD)	Local Cost (SL Rs.)			
Total of Page No. 10	-					
Total of Page No. 10	-					
Total of Page No. 10	-					
Freight	Sum					
Cost of Pre- shipment Inspection for two Engineers by Employer as per Clause No. 8.2 of Conditions of Contract No. of Pre-shipment inspection (to be filled by the Engineer)	Sum					
Cost of Inspection and Testing by Independent Testing & Inspection Agency	Sum					
Summary of Bill No. 02 Carried to the Page No. 10 –	-					

Name of the Inspection A	Agency:	

SUMMARY OF BIILS

	SEWERAGE SCHEME
CONTRACT NO	

Bill No.	Description	Amount	
		Foreign (USD)	Local (SLRs.)
01	Supply of DI Pipes, Fittings & Specials		
02	Supply of DI Valves & Accessories		
03			
	Sub Total		
	Less Discount (if any)		
	Total of Bid carried to Form of Bid (excluding VAT) in page no. 3-1.		

VAT Registration Number:
(A copy of the VAT registration certificate shall be annexed.)
Note: - The NWSDB VAT Registration No: - 4090 31820 7000

11. SPECIMEN FORMS

- LETTER OF ACCEPTANCE
- SPECIMEN FORM FOR CONTRACT AGREEMENT
- SPECIMEN FORM FOR BID SECURITY
- SPECIMEN FORM FOR PERFORMANCE BANK GUARANTEE
- SPECIMEN FORM FOR ADVANCE PAYMENT GUARANTEE (FOR TELEGRAPHIC TRANSFER)

Regd. Post

T&C/[Date]
M/s
Dear Sirs,
Tender for
Contract No.
LETTER OF ACCEPTANCE
We are pleased to inform you that your offer submitted on
(US\$/=) Plus Sri Lanka Rupees
(LKR) has been accepted.
 Applicable VAT will be payable on production of Tax Invoices. The Registered No. for NWSDB for VAT is 4090318207000.
DI Pipes & Fittings should be from
Inspection and Testing of goods shall be carried as per Clause 8 of General Conditions of Contract (Page 2-6 to 2-9) with respect to quantity, quality and loading prior to shipment and certificates should be forwarded to

	I pipes & fittings under this contract should be delivered as per the delivery schedule ed herewith within months from the date hereof.
	iquidated damages for any delay beyond the above period shall be LKR/= ay of delay.
annex Lanka from	rmance Security in the form of demand guarantee in the prescribed format (a copy red) from a recognized bank operating in Sri Lanka approved by the Central Bank of Sri a for an amount of 10% of the total Contract Price valid for a period of months the date hereof shall be submitted within 14 days from the date hereof. Performance ity shall be denominated in the currency of contract and proportionate to the each acy.
Agree	e acknowledge receipt of this letter by return fax and make arrangements to sign the ement by prior appointment with the Asst. General Manager (Tenders & Contracts) in 28 days.
Engin	eers Representative of this contract is
	e contact Deputy General Manager () on Tele No for further action s contract.
Yours	s faithfully,
Natio	nal Water Supply & Drainage Board
Gene	ral Manager
	Secretary, Ministry of

THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

MINISTRY OF
NATIONAL WATER SUPPLY AND DRAINAGE BOARD
SUPPLY AND DELIVERY OF DI PIPES, FITTINGS, SPECIALS, ACCESSORIES, DI VALVES, MANHOLE COVERS AND SURFACE BOXESFOR SEWERAGE WORKS
SEWERAGE SCHEME
CONTRACT No.:
CONTRACT AGREEMENT
Contract Agreement made and entered into between the National Water Supply and Drainage Board, a corporate body duly established under the provisions of the National Water Supply and Drainage Board Law No. 2 of 1974 and having its Head Office at Ratmalana in Sri Lanka (hereinafter sometimes referred to as "the Board") of the one part and Messrs
incorporated under the laws of Democratic Socialist Republic of Sri Lanka and having registered its office at
(hereinafter called "the Supplier" which term of expression shall where the context so requires or admits mean and include its successors and permitted assigns) of the other part.
WHEREAS the Board is desirous of entering into a contract with the Supplier for the supply and delivery of
in the Delivery Schedule and has accepted a Bid by the Supplier for the execution and completion of such works.
AND WHEREAS the Bills of Quantities or Schedule of Rates and Specifications and General Conditions of Contract describing the Works to be done have been prepared by the Board and the same have been signed by the parties hereto.
NOW it is hereby agreed as follows:
1. For the consideration hereinafter mentioned the Supplier shall, upon and subject to the conditions hereto annexed, complete the Works referred to in the said Bills of Quantities or Schedule of Rates and in the said specifications and Conditions of Contract to the entire satisfaction of the Board on or before.
omissions and variations to be determined by the Engineer as hereinafter provided.
2. The said General Conditions of Contract, the said Specifications, the said Bills of

Quantities or Schedule of Rates, (a detailed list whereof is annexed hereto,) Instructions to Bidders, Contract Data, Bidding Data and Schedule of Particulars and Form of Bid, all duly signed by the Board and the Contractor shall for all purposes where so ever be read, regarded and construed as part and parcel of the Agreement.

Currency
(In words)(in
figures)and Sri Lanka Rupees
Rs(in figures) hereinafter sometimes referred to as the
"Contract Price" or such other sum as shall become payable hereunder according to the terms
of the Contract.
4. As security for the due and proper performance and fulfillment of this contract and for
the due payment of all claims to which the Board may be entitled hereunder, the Contractor
hereby undertakes to maintain to the Board with a Guarantee in favour of the Board from a
Bank approved by the Engineer as surety in the sum of Rupees
(Rs.
which said Performance Guarantee shall remain in force and shall not be discharged until the
Engineer shall have granted a Final Certificate to the effect that the Contractor has duly
discharged and completed all his obligations under this contract and that there is no sum
whatever due to the Board at the date of such Final Acceptance Certificate under this
Contract.

The Counties will be said for the wild counties of the Wester the counties of Francisco

5. The following terms used in this Agreement and or in the Specifications shall be understood as having the meanings hereby ascribed to them, namely;

"The Procurement Committee" shall mean the Procurement Committee appointed for the purpose of determining the Bid.

"Contractor" or "Supplier" shall mean the person or persons, firm or firms, company or companies who have contracted for the supply and delivery of the materials and equipment herein specified and includes its successors and permitted assigns.

"Chairman" shall mean the officer for the time being holding the office of or acting as the Chairman, National Water Supply and Drainage Board.

"Engineer" shall mean the Officer for the time being holding the Office of or acting as the General Manager, National Water Supply and Drainage Board.

"Engineer's Representative" shall mean the authorised Representative of the Engineer immediately responsible for the supervision of the Works or any other person appointed from time to time by the Engineer to act as Engineer and notified in writing to the Contractor.

"The Government" shall mean the Government of the Democratic Socialist Republic of Sri Lanka.

"Purchaser" or "The Board" or "Employer" shall mean the National Water Supply and Drainage Board.

"Months" shall mean calendar months.

"The Contract Documents" shall mean the Instructions to Bidders, Contract Data, Bidding Data, Schedule of Particulars, the General Conditions of Contract, the Form of Bid, the Specifications, Bills of Quantities, Addenda, Articles of Agreement and their annexures, Securities and Guarantees, Appendices.

"Contract Price" shall mean the sum stated in the Letter of Acceptance payable to the Contractor for the supply of Goods and Services in accordance with the provisions of the Contract.

"Works" shall mean the supply and delivery of Goods and the Services.

"Variation" shall mean any alteration of the description of any item in the Bills of Quantities or of the Specifications which in the opinion of the Engineer, is required for the perfect completion of the works outlined in the Agreement.

"Rs. or SL Rs. or LKR" shall mean Sri Lanka Rupees.

	WHEREOF the parties he dates hereinafter mention		ands and seal to these presents at		
Chairman, Na	ational Water Supply and	Drainage Board, Sri	Lanka and		
			on the		
			Two Thousand and		
	in the	presence of the follo	wing Witnesses.		
Chairman		Board M	ember		
NATIONAL	WATER SUPPLY AND	DRAINAGE BOAR	RD		
WITNESSES Signature 1:		Signature 2 ·			
Name					
Address					
Capacity					
-			in the Capacity of		
			, of (name of the company) at		
			on the Two Thousand		
		Signature	e of Supplier		
WITNESSES					
Signature1	·	Signature 2	:		
Name	·	Name			
Address		Address			
Capacity		Capacity			
_F					

FORM OF BID SECURITY (Unconditional)

[issuing agency's name, and address of issuing branch or office]	
Beneficiary : Chairman National Water Supply and Drainage Board, Galle Road, Ratmalana	
Date	
We have been informed that [name of the Bidder; if joint venture, list complete legal names of partners] (hereinal called "the Bidder") has submitted to you its bid dated [insert downward (hereinafter called "the Bid") for the execution/supply of [name of contract] under Contract No.	ate]
Furthermore, we understand that, according to your conditions, Bids must be supported be Bid Security.	эу а
At the request of the Bidder, we	not res] by
 is in breach of its obligation (s) under the bid conditions, because of the Bidder: (a). has withdrawn its Bid during the period of bid validity specified; or (b). does not accept the correction of errors in accordance with the Instructions to Bidd (hereinafter "the ITB") or (c). having been notified of the acceptance of its Bid by the Employer/ Purchaser during the period of Bid validity, (i) fails or refuses to execute the Contract Form required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB. 	ring ı, if
This Security shall expire: (a) if the Bidder is the successful bidder, upon our receip copies of the Contract signed by the Bidder and of the Performance Security issued to you the Bidder, or (b) if the Bidder is not the successful bidder, upon the earlier of (i) our rec of a copy of your notification to the Bidder that the Bidder was unsuccessful, otherwise it remain in force up to	ı by eipt
Consequently, any demand of payment under this Security must be received by us the of on or before that date	fice
[Signature (s) of authorized representative (s)]	

NWSDB/SBD/SUP/DI(Sew)/FC : Specimen Forms CAPC : MPC : DPC - August 2014 – Version 1

PERFORMANCE SECURITY

[Issuing Agency's Name and Address of issuing Branch or Office]
Beneficiary : Chairman National Water Supply and Drainage Board, Galle Road, Ratmalana
Date
PERFORMANCE SECURITY No.:
We have been informed that [name of Contractor/Supplier] (hereinafter called "the Contractor")has entered into Contract No. dated with you, for the ["Supply"] of [name of contract and brief description of Works] (hereinafter called "the Contract").
Furthermore, we understand that according to the conditions of the Contract, a performance security is required.
At the request of the Contractor, we [name of Agency] hereby irrevocably under take to pay you any sum or sums not exceeding in total and amount of [in figures] [in words], such sum
being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation (s) under the Contract, without your needing to prove or to show grounds for your demand or the sums specified therein.
This shall expire, no later than the
[Signature (s)]
Signature and seal of the guarantor


NWSDB/SBD/SUP/DI(Sew)/FC: Specimen Forms CAPC: MPC: DPC: August 2014 – Version 1

FORM OF ADVANCE PAYMENT SECURITY

(For Telegraphic Transfer)

[Issuing Age	ncy's Name and Address of issuing Branch or Office]
Beneficiary : Chairman, National Water Supply Galle Road, Ratmalana.	_
Date	
ADVANCE PAYMENT SECURITY	' No
[name of Contractor/Supplier] (here Contract No	inafter called "the Contractor") has entered in to dated with you, for the Supply of ame of Contract and brief description] (hereinafter
in the sum	ding to the conditions of Contract an advance payment [amount in figures] [amount in words] is t security.
[issuing agency] hereby irrevocably untotal and amount of	dertake to pay you any sum or sums not exceeding in [amount in figures] [amount in first demand in writing accompanied by a written in breach of its obligation under the Contract, without ads for your demand or the sums specified therein.
The maximum amount of this security advance payment repaid by the Contract	shall be progressively reduced by the amount of the etor.
This security shall expire on	[28days beyond the Completion Date]
Consequently, any demand for payme office on or before that date.	ent under this security must be received by us at this
[Signature (s)]	
Signature and seal of the guarantor Witness:	
Name:	

NWSDB/SBD/SUP/DI(Sew)/FC: Specimen Forms CAPC: MPC: DPC: August 2014 – Version 1



APPENDIX 1- DETAILS OF SIMILAR SUPPLIES COMPLETED WITHIN THE LAST FIVE YEARS AND ONGOING

Name and Address of Employer	Name and details of Contract	Value of Contract	Period of Contract		Remarks (Completed/ ongoing etc.)	Value of work remaining	
			From	То		incomplete	

APPENDIX 2 – FINANCIAL STATEMENT

Summary of assets and liabilities based on the audited financial statements for the last three financial years (Current statement may be unaudited) together with the Financial Performance as indicated in the following schedule shall be submitted.

If the business has not been in operation for the last three years, following schedule shall be submitted for the period that the business has been in operation together with the aforesaid financial statements.

Bidders whose financial capability is marginally less to undertake this tender may show credit facilities available to them from banks.

Financial performance for the last 3 years

Year	xxxx	XXXX	xxxx
Turnover from Contracting			
Fixed Assets (FA)			
Current Assets (CA)			
Current Liabilities (CL)			
Long Term Liabilities (LL)			
Net Worth =Total Assets - Total Liabilities			
Current Ratio = Current Assets Current Liability			
Liquidity Ratio = Current Assets (except stock) Current Liability			
Gearing Ratio = Debt Capital x 100 Total Capital Employed			
Turnover x 100 Total Operating Assets			
Net Profit x 100 Total Assets			

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC : MPC:DPC - August 2014 - Version 1

APPENDIX 2A – AUTHORIZATION TO OBTAIN REFERENCES FROM BANKERS

BIDDER SHALL FILL THIS FORM AND PROVIDE WITH THE BID

	[Bidder's Name]
	[Address]
Manager[Name of Bank][Address]	
Dear sir,	
We hereby Authorize the National Water Su procurement Committee, to seek reference of B statues of our company M/s	Bank details in order to evaluate the financial
[Bidder Name & Address] in Connections with th	
bid, submitted by Us.	[Contract Name & Number]
Yours faithfully,	
Authorized office of the Bidder.	

Note:- If there are more than one bank, separate letters should be submitted for each Bank

APPENDIX 3- GUARANTEE FOR DI PIPES , FITTINGS AND RUBBER RINGS

				[Address of the Manufacturer]
	*		Drainage Board, Lanka.	
Cover	rs and Surface	e Boxes		als & Accessories, DI Valves, Manhole
			(Name & Addres	ss of the Pipe Manufacturer) Manufacturer of
1		_	0 11	lied under the contract shall fit properly and astallations under all working conditions.
2.	within the t	ime per	riod as agreed with the	eplace any material rejected by the Engineer e Engineer during implementation stage at no mely implementation of the project.
3.	certificate e	nsuring ely to e	that DI pipes, fittings	the Nominated Inspection Agency issues as and rubber rings inspected shall fit properly line installations under all working conditions
Office	ure of the Aut r on behalf of nanufacturer :			
Witnes	.c.			
1	Signature	:		
	Name	:		
	Capacity	:		
	Address	:		
1	C:	_		
<i>L</i>	Signature Name	:		
	Name Conscitu	:		
	Capacity		•••••	
	Address	:		

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC : MPC:DPC - August 2014 – Version 1

APPENDIX 4 - CONFIRMATION OF CAPABILITY OF PRODUCTION AND SUPPLY ACCORDING TO DELIVERY SCHEDULE

	[Address of the Manufacturer]
Chairman, Procurement committee,	
,	
Supply & Delivery of DI Pipes, Fittings, Special Covers and Surface Boxes For Sewerage Works. Contract No	
We,	
of manufacturer]confirm that we have sufficient	
DI Pipes, Fittings and Specials submitted in our	r bid and shall deliver them according to the
delivery schedule indicated in Contract Data in the	e bid.
•	
Authorized Officer of the Manufacturer.	Seal of the Company.
Name :	

APPENDIX 5 - MANUFACTURER'S AUTHORIZATION TO SIGN THE BID/CONTRACT

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The bidder shall include it in its bid].

Date: [insert date (as day, month and year) of Bid Submission]

No. : [insert contract number]

Chairman, Procurement committee,
······,
Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works
We
Signed:[insert signature(s) of authorized representative(s) of the Manufacturer]
Name:[insert complete name(s) of authorized representative(s) of the Manufacturer]
Title:[insert title]
Duly authorized to sign this Contract on behalf of:[insert complete name of Manufacturer]
Dated onday of

APPENDIX 6 - BIDDER'S AUTHORIZATION TO SIGN THE BID/ CONTRACT

[The Bidder shall require to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Bidder and should be signed by a person with the proper authority to sign documents that are binding on the Bidder. The bidder shall include it in its bid].

Date: [insert date (as day, month and year) of Bid Submission]

No.: [insert contract number]

Chairman, Procurement committee, Supply & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole Covers and Surface Boxes For Sewerage Works Sewerage Scheme Contract No..... We[insert complete name of the Bidder], who[insert full address of Bidder], do hereby officer who signs the contract] to submit a bid on behalf of our company and to subsequently negotiate and sign the Contract. Specimen Signature the Bidder] Name:[insert complete name(s) of *authorized representative(s) of the Bidder*[Title: [insert title] complete name of Bidder] This is to certify that the seal and signatures of legal representative and authorized person affixed to power of attorney attached hereto are found to be authentic. Signature of Attorney at Law Seal of Attorney at Law Date

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 – Version 1

APPENDIX 7 - TOR FOR INDEPENDENT INSPECTION AGENCY

DI Pipes & Fittings

	Activity	Test Performed	Results	Acceptability as per Specification
1.	Physical Proportion			
1.1	Socket & Spigot Pipes			
	Pipe wall thickness			
	External Diameter			
	Internal Diameter			
	Length of Pipe			
	Socket Length			
	Chamfering of Spigot end			
	C - Class			
	Grooves in the Socket.			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Pipes after Cement Lining.			
	Smoothness of external Bitumen Coating.			

	Activity	Test Performed	Results	Acceptability as per Specification
1.2	Flanged Pipes			
	Flange thickness			
	Flange diameters			
	No. of bolt holes			
	Length of pipe			
	Wall Thickness of Pipe.			
	C – Class of Pipe			
	Cleanliness of Flange.			
	Raised Face or Flat Face.			
	Smoothness of Raised Face/Flat Face.			
	Integrally casted or Factory Welded.			
	Condition of weld if welded.			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement Lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Pipes after Cement Lining.			
	Smoothness of external Bitumen Coating.			

	Activity	Test Performed	Results	Acceptability as per Specification
1.3	Socketed Bends			
	Socket Diameter			
	Length of Bend			
	C-Class of Bend			
	Wall Thickness of bend			
	Grooves in the Socket.			
	Thickness of Internal Cement lining			
	Smoothness of Internal Cement lining			
	External Zinc Coating			
	Thickness & Weight of external cement coating			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Bends after Cement Lining.			
	Smoothness of external Bitumen Coating.			
1.4	Flanged Bends			
	Flange Diameter			
	Length of Bend			
	Thickness of Flange			
	No. of Bolt holes			
	Wall Thickness of Pipe			
	Raised Face or Flat Face			
	Smoothness of Raise Face/ Flat Face			
	Integrally Casted /Factory welded condition of weld if welded.			

	Activity	Test Performed	Results	Acceptability as per Specification
	C – class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of External Coating.			
	Compressive Strength of the Cement Lining.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Bends after Cement.			
	Smoothness of external Bitumen Coating.			
1.5	<u>Tees</u>			
	Socketed Tees			
	Length of Tees			
	Length of Branch			
	Diameter of Tee (all faces)			
	Wall Thickness of Tees			
	Wall Thickness of Branch			
	Condition of grooves in socket			
	C – Class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			

	Activity	Test Performed	Results	Acceptability as per Specification
	Thickness & Weight of External Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Curing period of Tees after Cement Lining.			
	Smoothness of external Bitumen coating.			
1.6	Flanged Tees			
	Length of Tee			
	Length of Branch			
	Diameter of Tee (all Branches)			
	Wall Thickness of Tee			
	Diameter of Flanges (All faces)			
	No of Bolt holes			
	Flange thickness			
	Integrally Casted or Factory Welded			
	Condition of weld if welded			
	Flanges of Raised Face or Flat Face			
	Smoothness of Raised Face/ Flat Face			
	C – Class			
	Thickness of Internal Cement lining.			
	Smoothness of Internal Cement lining.			
	External Zinc Coating.			
	Thickness & Weight of external Zinc Coating.			
	Method of Application of Bitumen Coating.			
	Compressive Strength of the Cement Lining.			
	Smoothness of external Bitumen coating.			

	Activity	TestPerform ed	Results	Acceptability as per Specification
2.	Strength &Metalogical Properties			
2.1	DI Pipes & Fittings			
	Method of Casting Metelogical Properties			
	Manufacturing Standards of Pipes & Fittings.			
	3. Lubricant make & seal type of designation of lubricant.			
	4. Manufacturing of lubricant			
	5. Manufacturing Standard of lubricant			
	Joint Rings/ Gaskets			
	6. Materials of Joint Ring/ Gasket			
	7. Manufacturing Standards of Joint Ring/ Gasket			
	8. Hardness of materials of Joint Ring/ Gasket.			
	9. Seal Type designation of Joint Ring/ Gasket.			
	Gasket Nuts & Bolts.			
	10. Materials of Nuts & Bolts Washers			
	11. Manufacturing Standard of Nuts & Bolts			
	12. Number of Washers/ Bolt.			

APPENDIX 8 - MANUFACTURER'S AWARENESS OF THE TOR FOR INDEPENDENT INSPECTION AGENCY AND CHECK LIST FOR PRE-SHIPMENT INSPECTIONS

	[Address of the Manufacturer]
Chairman, Procurement committee,	
,	
Supply & Delivery of DI Pipes, Fittings, Specials & Covers and Surface Boxes For Sewerage Works Contract No	
We,	[name of manufacturer]
of	
manufacturer]confirm that we have noticed that	
a) Appendix 7 – TOR for Independent Inspe	ection Agency.
b) Appendix 9 – Check list for Pre-shipmen	t Inspection of DI Pipes & Fittings.
c) Clause 8.1 of General Conditions of Control	ract.
Authorized Officer of the Manufacturer.	Seal of the Company.
Name:	

APPENDIX 9 - PRE-SHIPMENT INSPECTION OF DI PIPES & FITTINGS BY NWSDB ENGINEERS -CHECK LIST

Name & Locatio	n of the Factory	,			
Pipe	:				
Fittings	:				
Valves	:				
Couplings	:				
Adaptors	:				
Flanged Pipes	:				
(Requirement - manufacturing		ıgs shoul	ld be manufactured by s	ame manufacture	r or
Applicable Standards					
Manufacturing Of pipes & Fitt		:	(ISO 2531 : 2009/BS	EN 545: 2010)	
Manufacturing Joint Rings	Standards of	:	(BSEN 681-1/ISO		
Quality Assura	nce Standards	:	(ISO 9001: 2008)		
Parameters to be check	ed				
Mechanical Pro Hydrostatic Pro Wall Thickness Length of strai Straightness External Coatin Internal Coatin Testing of Wel Chemical Com	s ght pipes ng g ded Flanges	ess, Elon pipes &f		etals).	
	ng or shrinkage e or other defect	ts detrim	ental to functionality	: Satisfactory/U	Unsatisfactory
Handli	ng of pipes, Fitt	ings afte	er production	: Satisfactory/U	Unsatisfactory
Inspection Procedure					
	g a sample with			: Yes/N : Yes/N	

PRE-SHIPMENT INSPECTION OF DI PIPES & FITTINGS

CHECK LIST

Mark Yes or No in the Remarks Column as Appropriate Date of Inspection

Technical Specifications Clause No.	Description		Values as per Specifications	Satisfactory/ Unsatisfactory	Remarks
GENERAL					
Quality Assurance	Availability of Valid Quality Standard Certificates		ISO 9001:2008		
Independent Inspection	Availability of Inspection Agency. Certificate before Shipment		-		
Markings	Pipe Material (Ductile Iron)		-		
	Year of Manufacture (Last Two Digits))	-		
	Manufacturers Identification Mark/Nam	ne	-		
	Nominal Diameter in mm		-		
	Class Designation		-		
	Quality Standard & Product Conform	-			
	certificate				
	Client Identification		-		
	Socket Penetration Lines (2 Lines)		-		
	In case of Fittings, these marks shappear on the body of each fitti together with its main characteristics su as angle of bend, pressure rating of flar etc.	ing ich	-		
Material Charac	cteristics				
	Mechanical Properties				
	Minimum Tensile Strength 420) N/mm ²		
	\mathcal{E}		ole 8 BSEN 3:2007+A1:2009		
	Modulus of Elasticity		18 N/mm ²		
	Brinell hardness for pipes	230)HB		
	Brinell hardness for fittings	250) HB		

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 – Version 1

(3 of 13)

Test Hydrostatic Test								
Remarks								

Test		Le	ength of Stra	night Pipes and	d Fittings				
Bill No:	Bill No:			Item No. & Qty.			Sample size:		
Description of Item: DI Pipes (SS/DF), Fittings			Class:		Dia x Length:				
Tech Spec Cla	nuse No:			Reference S	Reference Standard: BSEN 598:2009 – Clause 4.2.3 & Table 2 ISO 7186:2011 - Clause 4.3.3& Tables 1&2,3,4				
Sample No				Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks		
		Standard	Measured			,			
1									
2									
3									
4									
5									
6									
7									
8									
9									
Inspection &	Testing Witnessed by	у	l	l					
Name: 1.]	Name: 2.				
Signature: 1.					Signature: 2.				
Date:									

Test		Straightness						
Bill No:		Item No. & Qty.		Sample size:				
Description of Item : DI Pipes (SS/DF)		Class:				Dia x Length:		
Tech Spec Clause No:		Refere	Reference Standard: BSEN598:2009 – Clause 4.2.4 ISO 7186:2011 -Clause 4.3.4					
Sample No	Item of testing	Item of testing Physical/MoValue		ed Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks	
		Standard	Measured					
1								
2								
3								
4								
5								
6								
7								
8								
9								
Inspection &	z Testing Witnessed by	1						
Name: 1.				Name: 2.				
Signature: 1				Signature: 2	•			
Date:								

Test Internal & External Diameter of Pipes & Fittings								
Bill No:				Item	No. & Qty.	Sample size:		
Description of Item: DI Pipes (SS/DF), Fittings				Class:		Dia x Length:		
Tech Spe ISO 7186	ec Clause No: 5 :2011 - Clause 4.3	3.1		Reference Standard: BSEN598:2009 – Clause 4.2.2				
Sample No	Item of testing	Physical/Measured Value Standard Measured		Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks	
1								
2								
3								
4								
5								
6								
7								
8								
9								
Inspection & Testing Witnessed by								
Name: 1. Name: 2.								
Signature: 1. Signature: 2.								
Date:								

PRE -SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test	Test Wall Thickness of Pipes & Fittings						
Bill No:			Item No. & Qty.		Sample size:		
Descripti	on of Item: DI Pipes (SS	S/DF), Fitting	gs	Class:			Dia x Length:
Tech Spe	ec Clause No:			Reference		N598:2009 – Clau 186 :2011 - Claus	
Sample No	Item of testing		Measured llue Measured	Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks
1							
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
	1.				Name: 2.		
Signature	e: 1.				Signature: 2.		
Date:							

PRE -SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test	Test Internal Coating (Strength & Thickness)							
Bill No:			Item No. & Qty.		Sample size:			
Descripti	on of Item: DI Pipes (SS	S/DF) , Fitting	gs	Class:			Dia x Length:	
Tech Spe	ec Clause No:			Reference	e Standard: BSEN598:2009 – Clause 4.4.3, 4.4.4& 4.5 ISO 7186:2011 - Clause 4.6.3			
Sample No	Item of testing	Physical/I Va Standard	Measured lue Measured	Deviation	Tolerance Allowed	Comply? (Yes or No?)	Remarks	
1		Sturidard	171Cusureu					
2								
3								
4								
5								
6								
7								
8								
9								
Inspectio	n & Testing Witnessed by	y	l .	·				
Name:					Name: 2.			
Signature	e: 1.				Signature: 2.			
Date:								

PRE -SHIPMENT INSPECTION OF DI PIPES & FITTINGS - CHECK LIST

Test External Coating (Thickness of Zinc Mass & Paint coating)							
Bill No:			Item	No. & Qty.		Sample size:	
Description of Item : DI Pipes (SS/DF), & Coating for fittings and Accessories			Class:			Dia x Length:	
Tech Spec Clause No: Reference Standard: BSEN598:2009- clause 4.4 4.5 4.6 ISO 7186:2011 - clause 4.5 4.6 4.9					6		
Sample No			Physical/Measured Value		Tolerance Allowed	Comply? (Yes or No?)	Remarks
		Standard	Measured				
1							
2							
3							
4							
5							
6							
7							
8							
9							
Inspection & Testing Witnessed by							
Name:				N	Name: 2.		
Signature	:: 1.			S	Signature: 2.		
Date:							

PRE -SHIPMENT INSPECTION OF DI PIPES & FITTINGS -CHECK LIST

Test		Chemical Composi	ition			
Bill No:		Item No. & 0	Qty.: S	ample size:		
Description	on of Item:	Class:	Dia x Length:			
Tech Spe	c Clause No:	Reference S	tandard: BSEN598:2009 & ISO 7186:201	1		
Sample No	Item of testing	Name of the Metal	Available %	Remarks		
1		Fe				
		С				
		Zn				
		Cr				
Microsco	pic Inspection of DI sample	e: % of DI				
1						
Name :	1 & Testing Witnessed by		Name: 2.			
Signature						
Date :	. 1.		Signature: 2.			
Duic.	Date.					

INSPECTION OF DI PIPES & FITTINGS

CHECK LIST

Technical Specifications Clause No.	Description	Requirements as per Specifications	Satisfactory/ Unsatisfactory	Remarks			
HANDLING OF	PIPES AND FITTINGS AFTER	PRODUCTION					
	Packing						
	Handling						
	Stacking						
	Inspection by Factory/Inspection Authority						
	Transport Arrangements within manufacturers Country						
	Shipping Arrangements						
	Freight Insurance Arrangements						
CONCLUSION AT THE END OF THE INSPECTION TOUR							
	Total Process of Production, Testing, Packing, Handling, Insurance and Freight arrangements Satisfactory						

()	hearuntione	•
` '	bservations	

Signature 1 Signature 2

Name & Designation 1: Name & Designation 2:

Rubber rings / Gaskets

Physic	cal Parameter				
1.	Dimensions	:			
2.	Diameter	:			
3.	Hardness	:			
4.	Appearance	:			
5.	Lot Numbers	:			
Quali	ty				
1.	Product Conformity certificate				
2.	ISO 9001:2015 certificate				
Packi	ng Arrangeme	nts			
1.	Inspection by	Independent Inspection Agenc	y :		
2.	Shipping Arra	ngements :			

Sample No	Diameter	Thickness mm	Hardness	Appearance	Deviation	Tolerance allowable	Whether Comply	Remarks

ISO 9001:2015Quality Management System certificate available and acceptable:

(witness the original certificate)

APPENDIX 10 - MANUFACTURER'S WARRANTY FOR THE GOODS SUPPLIED UNDER THE CONTRACT

	[Address of the Manufacturer]
Chairman,	
National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka.	
Supply & Delivery of DI Pipes, Fittings, Special Covers and Surface Boxes For Sewerage Works . Contract No	
We,	
the goods supplied under this contract are new, used and have incorporated all recent improvements material or workmanship from any act that may goods.	[address of manufacturer] warrant that unused, of the most recent or current models, and no defects arising out of the design,
If there is any defects during the warranty period Conditions of Contract, we shall attend to repare reasonable speed without any cost to the Purchase	air or replace the defective goods with all
Authorised Officer of the Manufacturer.	Seal of the Company.
Name :	

${\bf APPENDIX~11-1}\\ {\bf SPECIMEN~FORM~OF~TEST~CERTIFICATE~FOR~PIPES~AND~FITTINGS}\\$

Date:

Manufacturer:	Cert. No.:						
Material to be	Material to be tested: Pipes and fittings						
Customer Ord	er No. :						
Identification (of the Sample tested:						
made by us an	tify that the inspection and testing of the above mentioned materials were duly d in accordance with the specifications and the result was found satisfactory. gs, which shall be the test results/compliance, shall be included in the test						
1 Specifi	ication/Standard of conformity:						
i. S	rance and shape : Surface finish Check out roundness (ovality)						
-	al properties Censile strength :						
ii. E	Elongation :						
iii. H	Hardness:						
iv. N	Microstructure:						
4 Metalli	urgical Analysis:						
5 Dimen	sions:						
ii. S	Vall thickness socket dimensions (drawing / sketch) Plain end chamfer details						
Details i. E ii. E	g and Lining of standards, composition and thickness of External zinc coating: External bitumen coating: Cement mortar lining:						

7 Pressure (Hydrostatic) tests:

Customer:

SPECIMEN FORM OF TEST CERTIFICATE FOR VALVES

Customer:	Date:
Manufacturer:	Cert. No.:
Material to be tested: Valves and Hydrants	
Customer Order No. :	
Identification of the Sample tested:	
This is to certify that the inspection and testing of the ab made by us and in accordance with the specifications and the [The followings, which shall be the test results/compliants]	ne result was found satisfactory.
certificate]	
1 Specification/Standard of conformity:	
2 Appearance and finish :i. Castingii. Surface finish	
3 Coating & Lining Details of standards, composition & thickness i. Internal coating:	
ii. External coating:	
4 Test Pressures :	
i. Body test pressure & result:	
ii. Seat test pressure & result:	

(The medium used in the test shall be included.)

SPECIMEN FORM OF TEST CERTIFICATE FOR JOINT RINGS AND GASKETS

Customer:		Date:				
Manufacturer:		Cert. No.:				
Material to be te	sted: Joint Rings and Gasl	cets				
Customer Order	No.:					
Identification of	the Sample tested:					
	· •	esting of the above mentioned materials were duly cifications and the result was found satisfactory.				
[The followings certificate]	, which shall be the test	results/compliance, shall be included in the test				
1 Specifica	ntion/Standard of conformi	ty:				
2 Appearance and finish:						
3 Mechan	ical Properties					
i.	Tensile Strength & resu	ılt :				
ii.	Elongation at break & 1	result:				
iii.	Compression set & resu	ılt				
iv.	Hardness & result:					
4 Test for	microbiological deteriorat	ion:				
Recommendatio	n					
Authorized Sign	nature of Testing Agency					
Name and Addre	ess of Testing Agency					

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 – Version 1

SPECIMEN FORM OF TEST CERTIFICATE FOR NUTS AND BOLTS

Customer	:	Date:
Manufact	urer:	Cert. No.:
Material t	to be tested: Nuts and Bolts	
Customer	Order No. :	
Identifica	tion of the Sample tested:	
		testing of the above mentioned materials were duly ecifications and the result was found satisfactory.
[The foll certificate	•	t results/compliance, shall be included in the test
1. Specifi	cation/Standard of conformity:	
2. Mecha	nical properties of bolts	
i.	Tensile strength & result:	
i.	Yield stress or stress at perma	anent set limit of 0.2%:
ii.	Percentage elongation after fr	racture:
iii.	Stress under proof load:	
iv.	Strength under wedge loading	g :
v.	Hardness & result:	
3. Galvan	iizing	
i.	The standard which it conforms	:
ii.	Thickness of galvanized coat	ing:
Recomme	endation	
Authorize	ed Signature of Testing Agency	
Name and	d Address of Testing Agency	
		····

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 – Version 1

SPECIMEN FORM OF TEST CERTIFICATE FOR MANHOLE COVERS

Customer:	Date:
Manufacturer:	Cert. No.:
Material to be tested : Manhole covers	
Customer Order No. :	
Identification of the Sample tested:	
· · · · · · · · · · · · · · · · · · ·	testing of the above mentioned materials were duly ecifications and the result was found satisfactory.
[The followings, which shall be the test certificate]	t results/compliance, shall be included in the test
1.Specification/Standard of conformity:	
2.Outer Dimensions of cover	
Length:	
Width:	
Height of outer rim:	
3.Coating:	
4.Load test results:	
Recommendation	
Authorized Signature of Testing Agency	
Name and Address of Testing Agency	
Fax:	
e-mail:	

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 – Version 1

SPECIMEN FORM OF TEST CERTIFICATE FOR LEAK TIGHTNESS TEST PERFORMANCE

Pipe dia.	Fitting type	Test period	Successful / unsuccessful	
Recommendation				
Authorized Signature of	f Testing Agency			
Name and Address of	Testing Agency			
Fax:				
e-mail:				

APPENDIX 12 - CONFIRMATION OF SUPPLYING GOODS MANUFACTURED AT THE FACTORY QUOTED

[Thi	s form shall be fil	led on the letter head of	the pipe manufacturer's company]		
Date	<u> </u>				
Natio	onal Water Supply	and Drainage Board,			
Cov	ers and Surface B	oxes For Sewerage Wo			
We			(Name		
& A	ddress of the DI p	<i>ipe manufacturer)</i> herel	by guarantee that,		
1.	factory	at			
2.	. The Supply of Pipe Fittings for the above contract shall be manufactured				
3.	The Supply o manufacturing	f Rubber Rings for the factory at	ne above contract shall be manufactured at the		
4.	The Supply of manufacturing	of Couplings for the factory at	above contract shall be manufactured at the		
5.	The Supply of	Restraint Joints shall	be manufactured at the manufacturing factory at		
Chie			Seal of the Company		
Gen	erai Manager of ti	ie manuracturer			
The	above signed decl	nan, Procurement committee, al Water Supply and Drainage Board, Road, Ratmalana, Sri Lanka. y & Delivery of DI Pipes, Fittings, Specials & Accessories, DI Valves, Manhole s and Surface Boxes For Sewerage Works			
Sign	nature of the Attor	ney at Law			

APPENDIX 13 – AFFIDAVIT BY THE BIDDEER

	of		=
	(Buddhist or any other declare and affirm as follows.	r religionist), do herel	by solemnly sincerely and
01.	I am the Affirmant above named.		
02.	I hereby declare that I have applied and Drainage Board bearing No:		and my spouse or
nam cont his u	foregoing affidavit having been read and explained to the affirmant above led who having understood its nature tent and context affirmed hereto and set usual signature hereto in	Before me	Declarant
			ce of the Peace /
			nissioner for oaths

APPENDIX 14 – PRE-QUALIFICATION OF MANUFACTURERS FOR SUPPLY & DELIVERY OF DI PIPES, FITTINGS, DI/CI VALVES, DI MANHOLE COVERS AND PVC PIPES AND FITTINGS

Note:

Pre-Qualified pipe manufacturer has been pre-qualified together with pipe fitting manufacturer and rubber ring manufacturer. Therefore, when selecting a pre-qualified pipe manufacturer, his relevant pipe fitting manufacturer and rubber ring manufacturer shall be selected.

When Bidding Document is prepared please include updated list of prequalified manufactures list from NWSDB web site under this Appendix

12-37

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC: MPC:DPC - August 2014 - Version 1

APPENDIX 15 - ENTITLED ALLOWANCES ON FOREIGN TRAVELS & RELATED EXPENSES

Category of Countries

Category		Countries				
No.						& Incidental Allowance
	Afganistan	Burundi	Guam	Nambia	Tanzania	
	Albania	Cambodia	Kiribati	Nauru	Swaziland	
	Algeria	Canary Island	Lao Peoples Dem.Rep.	Netherlands Anti	Tajikistan	
	Azerbaijan	Capevrde	Lesothe	Nicaragua	Tunisia	
	Bahamas	Cooks Island	Liechtenstein	Palau	U gan da	
1st category	Balarus	Domenica	Nacedonia Rep.	Paraguay	Uzbekistan	US\$ 140
	Barbados	El Salvador	Malawi	Samoa		+
	Belize	Etihiyopiya	Malta	Sao Tome & Prince		US\$ 40
	Bhutan	Equatorial	Mauritania	Serbia		253
	Bolivia	Gabon	Mongolia	Sierra Leon		
	Bosnia	Gambia	Montene gro	Soloman Island		
	Botswana	Gibraltar	Myanmar	Somalia		
	Antigue Barbuda	Ecuador	Guinea Bissaw	Liberia	Yogoslavia	
	Armenia	Fiii	Hawai	Mexico	Tahiti	
	Armenia	French Guiana	Haiti	Micronesia Fed.	Tonga	
	Bulgaria	Guyana	Honduras	Monaco	Vanuatu	
	Bangaldesh	Grenada	Ireland	Mozambique	vanuatu	US\$ 182
2 nd category	Brunei	1000	4600	and the same of th		+
	Cameroon	Gerogia Guatemala	Iraq Jamaica	Papua new Guinea Suriname		US\$ 40
	Coted Ivoria	Guatemala	sometimental activitivity and	ACCUSATION CONTRACTOR		
	Costa Rica	Greenland	Korea Dem.Rep.	Yeman Rep.		
	Costa Rica					
	Baharain	Kuwait	Pakistan	Sriyan Arab Rep.	Vietnam	
	Chile	Lithuania	Panama	South Africa	Zaire	
	Cyprus	Madagascar	Peru	St.Lucia	Zambia	
	Egypt Arab Rep.	Mauritius	Pholippines	Sudan	Zimbabwe	
	Estonia	Malayasia	Poland	Thailand	entare sourcescent	US\$ 231
3rd category	Guinea	Maldives	Quarter	Togo		+
	Hungary	Morocco	Romania	Trinidad & Tobago		US\$ 40
	Indinesia	Macedonia Rep	Ruwada	Uruguay		
	Iran Islamic Rep.	Nepal	Saudi Arabia	Ukrain		
	Kenya	Oman	Solvenia	Venezuela		
		3.500	10001100000	(U.T.O. C. W. C.	1	
	Belgium	Croatia	India	Mali	Turkey	
	Benin	Cuba	Ivory Coast	New Caledonia	United Arab Emirates	
	Burkina Faso	Czech Republic	Jordan	Nigeria		200000000000
4th	Comoros	Dem.Rep.of Congo	Kazakhastan	Portugal		US\$ 280
4th category	Central African Rep.	Djibouti	Latvia	Slovak Rep.		†
	Colombia	Greece	Lebanon	Spain		US\$ 40
	Congo	Iceland	Luxemburg	Taiwan		
		····		-		
	Angola	China (Beijin)	Israel	Niger	Singapore	
Part & Color Porton	Australia	Denmark	Italy	Norway	South Korea	100000000000000000000000000000000000000
5th category	Austria	France	Japan	Russia	Switzerland	US\$ 371
	Brazil	Germany	Libiya	Senagal	United Kingdom	+
	Canada	Finland	Netherland	Swedan	USA	US\$ 40

NWSDB/SBD/SUP/DI(Sew)/FC: Appendices CAPC : MPC:DPC - August 2014 – Version 1