REVISED ON 20-07-2020

# THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

# MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

NATIONAL WATER SUPPLY AND DRAINAGE BOARD

	SUPPLY	( AND D	ELIVERY	(OF DI	VALVES	,
MA]	NHOLE	COVER	S AND SU	JRFACE	BOXES	FOR

WATER SUPPLY SCHEME
CONTRACT No.:

REVISED ON 20-07-2020

**VOLUME 2** 

NATIONAL WATER SUPPLY AND DRAINAGE BOARD GALLE ROAD RATMALANA SRI LANKA

MONTH & YEAR

## Volume 1 of Document NWSDB/SBD/SUP/ DI Valves/LC/Ver1

**Revised on 20-07-2020** 

is a part and parcel of this Bidding Document. This Bidding Document (Volume 2) shall be read in conjunction with the above mentioned Volume 1. Volume 1 of this document is not provided with this Bidding Document and it is available for purchasing at Tenders & Contracts Division, NWSDB, Galle Road, Ratmalana or Tenders & Contracts Division of Respective Regional Support Centres of NWSDB. It is the responsibility of the Bidder to purchase volume 1 of this document.

- The Bidding Data is a part of Instructions to Bidders and should be read in conjunction with the Instructions to Bidders.
- The Contract Data is a part of General Conditions of Contract and should be read in conjunction with the General Conditions of Contract.

### **DOCUMENT ISSUANCE CERTIFICATE**

(To be filled at the time of issue by the authorised issuing officer)

1.	STANDARD SPECIMEN DOCUMENT NUMBER : NWSDB/SBD/SUP/DI Valves/LC/Ver1
2.	CONTRACT NUMBER:
3	a) ISSUED TO:
	b) ADDRESS:
	c) TELEPHONE NUMBER:
	d) FACSIMILE NUMBER:
4.	a) TENDER FEE : Rs
	b) RECEIPT/BANK DRAFT NUMBER:
5.	NUMBER OF COPIES ISSUED :
6.	NUMBER OF CANCELLED COPIES ISSUED :
7.	CANCELLED COPY FEE: Rs RECEIVED/NOT RECEIVED
8	SUPPLIER'S BUSINESS REGISTRATION NUMBER:
9.	a) ISSUING OFFICER : (IN CASH/BANK DRAFT)
	b) DESIGNATION:
	c) SIGNATURE :
10.	PLACE OF ISSUE :
11.	SEAL:
12	DATE: TIME:

i

 $DPC: PPC: \ RPC \ - \ January \ \ 2012-Version \ 1$ 


### TABLE OF CONTENTS

PAGE N SECTION		PAGE NUMBER
SECT	ION	From To
	VOLUME 1	
1.	Instructions to Bidders	$1 - 1 \qquad 1 - 21$
2.	General Conditions of Contract	2 - 1 2 - 21
	VOLUME 2	
	Document Issuance Certificate	(i)
	Table of Contents	(ii) (iii)
	Check List of Submissions	(iv)
	Invitation for Bid	(v)
3.	Form of Bid	3 -1 3 -2
4.	Bidding Data	4-1 4-2
5.	Contract Data	5-1 5-3
	<ul> <li>General</li> </ul>	
	Delivery Schedule	
	Payment Schedule	
6	Specification	6 – 1 6 - 27
7.	Schedule of Particulars	7 -1 7– 17
8.	Deviation from Specifications	8 – 1
9.	Key Features of Specification	9-1 9-2
10.	Bills of Quantities	10 -1 10 - 7
	Preamble Notes on Pricing	
	• Bills of Quantities	
	• Summary of Bills	

ii

11.	Specimen Forms		11 – 1	11 - 7
	Contract Agreem	ent	11- 1	11 - 4
	Bid Security		11	<b>-</b> 5
	Performance Sec.	curity	11	-6
	Advance Payment	nt Security	11	-7
	• Letter of Accepta	ance	11 - 8 -	11-9
12	Appendices			
	cor	tails of similar Supplies npleted within the last three years and going similar ones	12	- 1
	• Appendix 2 - Fi	inancial statement	12	- 2
	• Appendix 2 A - A	uthorization for Bank References	12	- 3
		nufacturer's Warranty for the goods pplied under the contract	12	4
	Pı	onfirmation of capability of roduction and supply according Delivery Schedule	12	2 – 5
		fanufacture's Authorizations to ign the Contract	12	2- 6
		ontractor's Authorization to the sign e Bid/Contract	12	2-7
	A	OR for Independent Inspection gency and Specimen Inspection ertificate	12 - 8	– 12 <b>-</b> 14
	• Appendix 8 - Ma	nufacturer's awareness of the TOR	12	- 15
		nfirmation of Supplying Goods anufactured at the Factory quoted	12	<b>– 17</b>
	rej	anufacture's guarantee for the placement of unacceptable/ rejected oods supplied under the contract.	12	- 18
	• Appendix 11 - Af	fidavit by the Bidder	12	<b>–</b> 19
		e-Qualification of Manufacturers for apply & Delivery of DI Valves	12	- 20

NWSDB/SBD/SUP/DI Valves/LC - Table of Contents DPC: PPC: RPC - January 2012 - Version 1



#### **CHECKLIST OF SUBMISSIONS**

Note: Please mark 'Y' in the cages under the "remarks" column if submissions are made. 'N' or 'N/A' should be marked for cases of 'No submissions' and 'not applicable' respectively.

		Reference		Remarks *
(a)	Documentary evidence to establish eligibility of Bidding.	Page No. 1 – 3, 1-4	Clause No. 2.1,2.2.	
(b)	Certified copy of business registration	Page No.	Clause No. 2.1	
(c)	The Bidder's technical and production capability necessary to perform the Contract	Page No.	Clause No. 2.2 (b)	
(d)	Documentary evidence to establish qualifications for the performance of the Contract	Page No. 1 - 4	Clause No. 2.2	
(e)	Documentary evidence to establish that goods offered are from an eligible source and origin	Page No. 1 - 4	Clause No. 2.2(b), 3	
(f)	In the case of a Bidder offering to supply Goods under the Contract which the Bidder does not manufacture or otherwise produce, authorisation by the manufacturer or producer of Goods as his accredited agent	Page No. 1 - 4	Clause No. 2.2 (b) (iv)	
(g)	The agreement of the manufacturer or producer to confirm that the supply will be made in accordance with the Delivery Schedule.	Page No. 1 - 4	Clause No. 2.2 (b) (iii)	
(h)	Duly completed section 1 to 12 of Bidding Documents. (Bidder shall fill the Schedule of Particulars, BOQ etc., indicating any deviations to specifications under the corresponding schedule of particulars)	Page No. 1 - 6, 1 - 8	Clause No. 6.1, 10.1 (a)	
(i)	Subsequent Addendum/Addenda (if any)	Page No.	Clause No. 10.1(b)	
(j)	Product Conformity Certificates	Page No.	Clause No. 10.1(g)	
(k)	Quality Management System Certificates for items offered/Bidder.	Page No. 1 - 9	Clause No. 10.1(h)	
(1)	Proof of Authorisation	Page No.	Clause No.10.1(f)	
(m)	Certified copy of the VAT registration certificate.	Page No. 1 - 10	Clause No. 11.4	
(n)	Bid Security	Page No. 1 - 11	Clause No. 13	
(0)	Copies of relevant standard used for DI valves, Manhole covers & surface boxes. other document as given below:	Page No. 7 - 18	Schedule of Particulars	

DPC: PPC: RPC - January 2012 - Version 1 iv



### MINISTRY OF MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

#### **INVITATION FOR BIDS**

# SUDDI V AND DEI IVEDV OF

	WATER SUPPLY SCHEME
	CONTRACT No.:
1.	The Chairman, Department Procurement Committee, National Water Supply and Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka, on behalf of the National Water Supply & Drainage Board now invites sealed bids for the Supply of DI valves, manhole covers and Surface Boxes for
2.	Bids should be submitted in the documents available at the office of the Assistant General Manager (Tenders and Contracts), National Water Supply & Drainage Board (NWSDB), Galle Road, Ratmalana, Sri Lanka between 09:00 hours to 15:00 hours on normal working days up to, upon payment of a non refundable fee of Rsplus applicable VAT.
3.	Bids will be opened immediately after the closing of Bids, at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka. Bidders or their authorized representatives may be present at the opening of bids.
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local accredited agents for supply of DI valves, manhole covers and Surface Boxes upon production of a letter of request for documents on a business letterhead.
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted
6.	Alternative bids shall not be accepted.
7.	Sealed bids may be either dispatched by registered post or hand delivered to the office of Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka to receive on or before the closing time. Late bids will be rejected.
8.	All Bids shall be accompanied by a bid security of Rupees
9.	Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
10.	For further details, please contact the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka on telephone number 94 -11-2635885 or 94-11-2638999 Ext. 1750 or facsimile number 94 -11-2635885.

**National Water Supply and Drainage Board** 

Revised on 20-07-2020 DPC: January 2012 - Version 1

# MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

# NATIONAL WATER SUPPLY AND DRAINAGE BOARD INVITATION FOR BIDS

## SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS & SURFACE BOXES

1.	The Chairman, Project Procurement Committee, (Name of the Project) National Water Supply and Drainage Board (NWSDB),
2.	Bids should be submitted in the documents available at the office of the Project Director (
	(Insert Relevant Project Address), between 09:00 hours to 15:00 hours on normal working days up to, upon payment of a non refundable fee of Rsplus applicable VAT.
3.	Bids will be opened immediately after the closing of Bids, at the office of the Project Director (
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local accredited agents for supply of DI valves, manhole covers and Surface Boxes upon production of a letter of request for documents on a business letterhead.
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted
6.	Alternative bids shall not be accepted.
7.	Sealed bids may be either dispatched by registered post or hand delivered to the office of Project Director (
8.	All Bids shall be accompanied by a bid security of Rupees
9.	Bidding Documents may be inspected free of charge at the office of the Assistant General Manager (Tenders and Contracts), NWSDB, Galle Road, Ratmalana, Sri Lanka.
10.	For further details, please contact the Project Director (
	ct Director

PPC: January 2012 - Version 1

#### MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING **FACILITIES**

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD


#### **INVITATION FOR BIDS**

#### SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS & SURFACE BOXES

...... WATER SUPPLY SCHEME

	CONTRACT No.:
1.	The Chairman, Regional Procurement Committee
2.	Bids should be submitted in the documents available at the office of the
3.	Bids will be opened immediately after the closing of Bids, at the office of the
4.	Bidding Documents will be issued only to those who are pre-qualified manufacturers by NWSDB or their local accredited agents for supply of DI valves, manhole covers and Surface Boxes upon production of a letter of request for documents on a business letterhead.
5.	To be eligible for contract award, the successful bidder shall not have been blacklisted.
<ul><li>6.</li><li>7.</li><li>8.</li><li>9.</li><li>10.</li></ul>	Alternative bids shall not be accepted.  Sealed bids may be either dispatched by registered post or hand delivered to the office of
	nal Water Supply and Drainage Board(Insert Relevant RSC Address)

Revised on 20-07-2020 RPC: January 2012 - Version 1



#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

## MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

#### SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS AND SURFACE BOXES

FOR	. WATER SUPPLY SCHEME
CONTRACT No.:	•••••

#### FORM OF BID

The Chairman, Department of Procurement Committee, National Water Supply & Drainage Board, Galle Road, Ratmalana.

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- 6. Bid Security

Quantities

- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data
- 9. Duly filled Appendices.
- 10. Any other document.

I/We declare that the photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001: 2015 certificate(s), and Product conformity certificate (s) as listed in the specifications. I/we confirm that I/we have verified

3 - 1

that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001:2015 certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.			
My/Our Bank Reference is as follows:			
Signature of Bidder	:		
Name of Bidder	:		
Address	:		
Capacity	·		
Telephone Number	:		
Facsimile Number	:		
Date	:		
Witnesses			
1. Signature	:		
Name	:		
Address	:		
Capacity	:		
2. Signature			
Name	:		
Address	·		
Capacity			

#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

## MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

#### SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS AND SURFACE BOXES

FOR WATER SUPPLY SCHEME
CONTRACT No.:
FORM OF BID
The Chairman,
Project Procurement Committee,
[Insert relevant Project address]
I/We, the undersigned, having authority to sign this Bid and having read and fully acquainted myself/ourselves with the contents of the Information and Instructions to Bidders and Terms and Conditions of Bid and Delivery Schedule pertaining to the above Bid, along with Bills thereto, do hereby undertake to supply the Goods and Services referred to therein, in accordance with the aforesaid Instructions, Terms and Conditions for a total Bid price of Sri Lanka Rupees
(in words)
Rs(in figures)
(excluding VAT) The make up of the aforesaid total Bid Price is given in the accompanying Bills of Quantities

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- 6. Bid Security
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data
- 9. Duly filled Appendices.
- 10. Any other document.

I/We declare that the photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001: 2015 certificate(s), and Product conformity certificate (s) as listed in the specifications I/we confirm that I/we have verified

that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001:2015 certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.					
My/Our Bank Refere	My/Our Bank Reference is as follows:				
Signature of Bidder	:				
Name of Bidder	:				
Address	:				
Capacity	:				
Telephone Number	:				
Facsimile Number	:				
Date	:				
Witnesses					
1. Signature	:				
Name	:				
Address	:				
Capacity	:				
2. Signature	<u>:</u>				
Name	:				
Address	:				
Capacity					

#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

## MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

#### SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS AND SURFACE BOXES

FOR WATER SUPPLY SCHEME
CONTRACT No.:
FORM OF BID
The Chairman,
Regional Procurement Committee,
I/We, the undersigned, having authority to sign this Bid and having read and fully acquainted myself/ourselves with the contents of the Information and Instructions to Bidders and Terms and Conditions of Bid and Delivery Schedule pertaining to the above Bid, along with Bills thereto, do hereby undertake to supply the Goods and Services referred to therein, in accordance with the aforesaid Instructions, Terms and Conditions for a total Bid price of Sri Lanka Rupees
Rs
(excluding VAT) The make up of the aforesaid total Bid Price is given in the accompanying Bills of Quantities

I/We confirm that this offer shall be open for acceptance until as given in the Bidding Data and that it will not be withdrawn or revoked prior to that date.

I/We attach hereto the following documents as part of my/our Bid.

- 1. Duly completed sections 1 to 12 of Bid Documents
- 2. Documentary evidence to establish eligibility of Bidder.
- 3. Documentary evidence to Establish qualification to consider for the responsiveness to the contract
- 4. Documentary evidence to establish that goods are offered from an eligible source and origin.
- 5. Documentary evidence to establish eligibility of goods offered.
- 6. Bid Security
- 7. Documentary evidence to establish qualifications for the performance of the Contract.
- 8. Bidding Data
- 9. Duly filled Appendices.
- 10. Any other document.

I/We declare that the photostat copies of documents and certificates submitted as part of my/our Bid are true copies of such documents and certificates. Also in case of ISO 9001: 2015certificate(s), and Product conformity certificate (s) as listed in the specifications I/we confirm that I/we have verified

that the certificate issuing authority has accreditation to issue same and materials offered conform to the ISO 9001:2015 certificates and the specified product standard certificates.

I/We further agree to the right of the Board to debar me/us from participating in its future Bids in the event that my/our submitted copies or documents are found to be forged or tampered with.

I/We understand that you are not bound to accept the lowest Bid and that you reserve the right to reject any or all Bids or to accept any part of a Bid without assigning any reasons thereto.

I/We undertake to adhere to the Delivery Schedule given in the Contract Data.

My/Our Bank Refere	nce is as follows:
Signature of Bidder	:
Name of Bidder	:
Address	:
Capacity	:
Telephone Number	:
Facsimile Number	:
Date	:
Witnesses	
1. Signature	:
Name	<u>:</u>
Address	:
Capacity	:
2. Signature	·
Name	:
Address	<u> </u>
Capacity	

## 4. BIDDING DATA

The Bidding Data is a part of Instructions to Bidders and should be read in conjunction with the Instructions to Bidders.

If there is a discrepancy found in the Instructions to Bidders and the Bidding Data, the Content in the Bidding Data shall supersede the Content in the Instructions to Bidders.

(Note: What is typed in italic letters are guide lines to prepare the Bidding Data and they shall be removed after preparation of the Bidding Data.)

#### **BIDDING DATA**

(Please note that the Clause numbers given here under are that of Instructions to Bidders)

### **Clause Reference Number Instructions to Bidders**

(1)	The supplier is expected to supply the following items of materials				
2.2. 2.2 (a)	Qualification				
	(i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide DI/CI Valves fir the types requested in the bid frommm tomm range. (This will be verified during the bid evaluation with the details available in the NWSDB)				
2.2 (b)					
	(i) Working Capital $^{*1}$ + present available credit facilities for the company $^{*2}$ + credit facilities exclusively for this contract - 0.1 x current work commitments $^{*3}$ > Rs $^{*4}$				
	*1 Working Capital = Current Assets – Current Liabilities				
	*2 A letter to prove the credit facilities by a Bank shall be issued				
	within a month prior to date of closing of Bids.				
	*3 current work commitment = work remaining uncompleted				
	(Documentary evidence to justify shall be submitted)				
	*4 80% of estimated cost of the Bid.				
(4)	Funds required for this contract is available under				
(6.2) The address for the purchase of Bidding Document and					
	Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana.				
	Fax 011-2635885 Telephone 0112635885				
(13.2)	The amount of Bid Security shall be Sri Lanka Rupees.				
(13.3)	B) The validity of Bid Security shall be up to				
(14.1)	1) The period of Bid Validity shall be 91 days from the date of closing of Bid.				

4 -1

(17.2)	(a)	The inner and outer envelopes shall be addressed as follows:				
		The Chairman, Department C/o, Assistant General Man National Water Supply and Galle Road, Ratmalana.	ager (Tenders Contracts),			
	(c)	"Not to be opened before	(Time) on	(Date)"		
(18.1)		rement Committee's address the Board) and Bid opening i		abmission (and on		
		The Chairman, Department C/o, Assistant General Mana National Water Supply and Galle Road, Ratmalana.	ager (Tenders Contracts),			
(18.2)	The deadline	for submission of Bid				
	Date:.		Time:			
(21.1)	The place for	opening of Bids,				
		The Chairman, Department C/o, Assistant General Man National Water Supply and Galle Road, Ratmalana.	ager (Tenders Contracts),			
(24.1)	Add to Claus	se				
		not meet any one of the required idered substantially non res				
(32.2)	The prevailing	g rate of stamp duty on contra	cts for supply of goods is	nil.		
(33.1)	The amount of	f Performance Guarantee sha	ll be 10% of the Contract	Price.		
(34.1)	Advance pay	ment shall be limited to 20%	of the Contract Price.			

4 -2

#### **BIDDING DATA**

(Please note that the Clause numbers given here under are that of Instructions to Bidders)

#### **Clause Reference Number Instructions to Bidders**

(1)	The supplier is expected to supply the following items of materials
2.2.	Qualification
2.2 (a)	(i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide DI/CI Valves fir the types requested in the bid frommm tomm range. (This will be verified during the bid evaluation with the details available in the NWSDB)
2.2 (b)	)
(0)	(i) Working Capital *1 + present available credit facilities for the company*2 + credi facilities exclusively for this contract - 0.1 x current work commitments*3 > Rs*4
	*1 Working Capital = Current Assets – Current Liabilities
	*2 A letter to prove the credit facilities by a Bank shall be issued
	within a month prior to date of closing of Bids.
	*3 current work commitment = work remaining uncompleted
	(Documentary evidence to justify shall be submitted)
	*4 80% of estimated cost of the Bid.
(4)	Funds required for this contract is available under
(6.2)	The address for the purchase of Bidding Document and
	Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana.
	Fax 011-2635885 Telephone 0112635885
(13.2)	The amount of Bid Security shall be
(13.3)	The validity of Bid Security shall be up to (specify the date).
(14.1)	The period of Bid Validity shall be 91 days from the date of closing of Bid.

(17.2)	(a)	The inner and outer envelopes shall be addressed as follows:
		The Chairman, Project Procurement Committee,
		[Insert the relevant Project address]
	(c)	"Not to be opened before(Time) on (Date)"
(18.1)		rement Committee's address for the purpose of Bid submission (and on the Board) and Bid opening is;
(18.2)	The deadlir	ne for submission of Bid
	Date:.	Time:
(21.1)		The Chairman, Project Procurement Committee,
		[Insert the relevant Project address]
(24.1)	Add to Claus	ee e
		not meet any one of the requirements (a), (b), (c) & (d) of Clause 21.1, sidered substantially non responsive and rejected by the Procurement
(32.2)	The prevailing	g rate of stamp duty on contracts for supply of goods is nil.
(33.1)	The amount o	f Performance Guarantee shall be 10% of the Contract Price.
(34.1)	Advance payn	nent shall be limited to 20% of the Contract Price.

#### **BIDDING DATA**

(Please note that the Clause numbers given here under are that of Instructions to Bidders)

#### **Clause Reference Number Instructions to Bidders**

(1)	The supplier is expected to supply the following items of materials			
2.2.	Qualification			
2.2 (a)	(i) Manufacturer shall be a NWSDB pre-qualified manufacturer having qualified to provide DI/CI Valves fir the types requested in the bid frommm tomm range. (This will be verified during the bid evaluation with the details available in the NWSDB)			
2.2 (b)	(i) Working Capital *1 + present available credit facilities for the company*2 + credit facilities exclusively for this contract - 0.1 x current work commitments*3 > Rs*4			
	<ul> <li>*1 Working Capital = Current Assets – Current Liabilities</li> <li>*2 A letter to prove the credit facilities by a Bank shall be issued within a month prior to date of closing of Bids.</li> <li>*3 current work commitment = work remaining uncompleted (Documentary evidence to justify shall be submitted)</li> <li>*4 80% of estimated cost of the Bid.</li> </ul>			
(4)	Funds required for this contract is available under			
(6.2)	The address for the purchase of Bidding Document and			
	Assistant General Manager (Tenders Contracts), National Water Supply and Drainage Board, Galle Road, Ratmalana.			
	Fax 011-2635885 Telephone 0112635885			
(13.2)	The amount of Bid Security shall be			
(13.3)	The validity of Bid Security shall be up to			
(14.1)	The period of Bid Validity shall be 91 days from the date of closing of Bid.			

(a)	The inner and outer envelopes shall be addressed as follows:
	The Chairman, Regional Procurement Committee,
	[Insert the relevant RSC address]
(c)	"Not to be opened before(Time) on (Date)"
	rement Committee's address for the purpose of Bid submission (and on the Board) and Bid opening is;
The deadlin	ne for submission of Bid
Date:	Time:
	The Chairman, Regional Procurement Committee,
	[Insert the relevant RSC address]
Add to Claus	e
	not meet any one of the requirements (a), (b), (c) & (d) of Clause 21.1, sidered substantially non responsive and rejected by the Procurement
The prevailing	g rate of stamp duty on contracts for supply of goods is nil.
The amount of	f Performance Guarantee shall be 10% of the Contract Price.
Advance payn	nent shall be limited to 20% of the Contract Price.
	The Procubehalf of The deadline Date:  Add to Claus  If a Bid does it will be concommittee  The prevailing  The amount of

## **5 CONTRACT DATA**

- GENERAL
- DELIVERY SCHEDULE
- PAYMENT SCHEDULE

The Contract Data is a part of General Conditions of Contract and should be read in conjunction with the General Conditions of Contract.

If there is a discrepancy found in the General Conditions of Contract and the Contract Data, the Content in the Contract Data shall supersede the Content in the General Conditions of Contract.

(Note: What is given in italic letters are guide lines to prepare the Contract Data and they shall be removed offer preparation of the Contract Data.)

#### **Contract Data**

#### General

Contract Data is a part of condition of contact and shall be read together. If any discrepancy is founds content of the contract Data shall supersede the conditions of contract

(Please note that the Clause numbers given hereunder are that of Conditions of Contract)

#### **Clause Reference Number**

#### **General Conditions of Contract**

3.2	The Engineer's Representative shall be the PD/DGM of relevant RSC			
10.1	The Goods shall be delivered at such places, in such quantities and within such periods as prescribed in the attached Delivery Schedule.  Contract Period from the date of acceptance of bid is months.			
15.2	The validity of warranty shall be in accordance with general conditions of contract.			
16.1	(i) The maximum amount of Advance Payment shall be twenty percent (20%) of the Contract Price.			
	Advance payment Guarantee shall be obtained at the contractor's cost.			
23.1	The amount of Liquidated Damages shall be Rs per day of delay. Limit of Liquidated Damages shall not exceed 10% of Contract Price.			
31.1	Purchaser's address for notice purposes shall be as follows:			
	(a) General Manager, National Water Supply and Drainage Board, Galle Road, Ratmalana.			
	Facsimile Number: Colombo, 011-2635885 e – Mail: gmnwsdb@sltnet.lk			
	Supplier's address for notice purposes shall be as follows:			

#### **DELIVERY SCHEDULE**

[The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" which shall be filled by the Bidder]

T4	Description of Goods	Quantity	Final Destination [insert place of Delivery]	Delivery Date
Item				Bidder's offered Delivery date [to be filled by the bidder]
01	Bill No.1			
02	Bill No. 2			

#### PAYMENT SCHEDULE

	AGE OF YMENT	STAGE OF CONTRACT	DOCUMENT TO BE SUBMITTED	AMOUNT OF PAYMENT	REMARKS
01	Mobilisation Advance Payment	After signing of Contract Agreement	<ul> <li>A written request for payment in the form of an invoice</li> <li>A bank guarantee for the equivalent amount</li> <li>A performance bond</li> </ul>	20% of the contract price	Advance payment shall be made within 30 days of signing the Contract upon submission of required documents.
02	Subsequent Payments	Partial delivery to site  Full delivery to site	<ul><li>(a) Supplier's invoice based on the BOQ and showing description of goods delivered quantity, units, amount and total amount.</li><li>(b) Engineer's representative's approval for the payment.</li><li>(a) and (b) as above</li></ul>	50% of the BOQ value of Goods supplied. Less previous payments including any advance payment made  90% of the Contract Price less previous payments including any	Subsequent payments shall not be made unless and until the contract value of Goods delivered becomes more than or equal to 30% of the Contract Price.
03	Final Payment	Final Acceptance by the Engineer for the delivery and other obligations	<ul> <li>A written request for final (balance) payment in the form of an invoice based on the BOQ.</li> <li>Engineer's representative's approval for the payment.</li> <li>copy of Final Acceptance Certificate issued by the Engineer.</li> </ul>	Total Contract Sum less previous payments including any advance payment made.	The total Contract Sum shall become payable within 30 days from the date of the Engineers Final Acceptance Certificate.

## 6. SPECIFICATIONS

- SPECIFICATION FOR VALVES, HYDRANTS, SURFACE BOXES AND MANHOLE COVERS FOR WATER SUPPLY APPLICATIONS
- MECHANICAL COUPLINGS, REPAIR CLAMPS AND FLANGE ADAPTORS

7. SCHEDULE OF PARTICULARS

## SCHEDULE OF PARTICULARS

TABLE OF CONTENTS		PAGE NUMBER
1	Gate / Sluice Valves	7 – 2
2	Butterfly Valves	7 - 3
3	Air Valves	7 - 5
4	Check Valves	7 - 6
5	Pressure Reducing Valves	7 – 7
6	Pressure Sustaining/Relief Valves	7 - 8
7	Control Valves	7 - 10
8	Altitude Valves	7 - 11
9	Ball Float Valves	7 - 12
10	Flap Valves	7 - 13
11	Fire Hydrants	7 - 14
12	Surface Boxes and Manhole Covers	7 - 16 - 7 - 17

### SCHEDULE OF PARTICULARS

1.	GATE/SLUICE VALVES		
1.1	Country of Manufacture:		
1.2	Manufacturer's Name and Address:		
1.3	Date of Manufacture:		
1.4.	Standards to which valves conform		
1.5.	Is certificate for conformity to standards from relevant Standards Institution provided to the factory/ factories		
1.6.	Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory/ Factories		
1.7	Material Body:		
	Spindle:		
	Metal faces and seal:		
1.8.	Length between flanges (mm):		
1.9	End flanges - Pressure Rating:		
	Dimensions (mm):		
	Bolt Circle dia (mm):		
1.10.	Whether gearing arrangement Provided :		
	Gear Ratio		
	Unbalanced head: bars		
	Seat test pressure: bars		
	Body test pressure: bars		
1.11.	Internal protection:		
1.12.	External protective finish:		
1.13.	Weight of the valve kgs		
1.14.	Packing and protection of valves in transit:		

1.15.	Reference of the catalogues, technical literature and drawing provided with the Bid:		
1.16.	Port of shipment:		
1.17.	Time of delivery of valves at the port of shipment:		
1.18.	Name and Address of Supplier's accredited agent in Sri Lanka:		
1.19.	Deviations from Specifications (if any):		
2.	BUTTERFLY VALVES		
2.1	Country of Manufacture		
2.2	Manufacturer's name and Address:		
2.3	Date of Manufacture:		
2.4	Standard to which valves conform:		
2.5.	Is certificate for conformity to Standards from relevant Standard Institution provided to the factory/ factories		
2.6	Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory factories.		
2.7	Material		
	Valve body:		
	Valve disc:		
	Valve seat:		
	Shaft:		
	Shaft seals:		
2.8	Valve body: Whether Rubber lined? if so material:		
2.8.1	Standard to which gaskets conform:		
2.8.2	Is certificate for conformity to Standards from relevant Standard Institution provided t gaskets.		
2.8.3	Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory factories.		
2.9.	Face to face dimensions of the valves (mm):		

2.10	End Flanges	
	Pressure rating:	
	Dimensions (mm):	
	Bolt circle dia (mm):	
2.11.	Standard to which nuts and bolts conform and the material:	
2.12.	The type of operating gear for the valve:	
2.13.	Operating method of the valve (hand wheel/Tee key):	
2.14.	Whether Gearing arrangement is provided:	
	Gear ratio of gearing:	
	Unbalanced head: Bars	
	Seat test pressure : Bars	
	Body test pressure Bars	
2.15.	Internal protective finish: Material:	
	Thickness:	
2.16.	External protective finish:  Material:	
	Thickness:	
2.17.	Weight of the valve: Kg	
2.18.	Packing and Protection of valves in transit:	
2.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:	
2.20.	Port of shipment:	
2.21.	Time of delivery of valves at port of shipment:	
2.22.	Name and Address of supplier's agent (if any) in Sri Lanka:	
2.23.	Deviations from specifications (if any) :	

DPC: PPC: RPC - January 2012 - Version 1

3.	AIR VALVES		
3.1.	Country of Manufacture :		
3.2	Manufacturer's name and Address:		
3.3	Date of Manufacture:		
3.4	Is ISO 9001 : 2015 Quality Management System Certificate provided to the factory Factories :		
3.5.	. Type of Valve (single orifice/double orifice):		
3.6.	For large orifice air valves;		
	Orifice dia mm	Minimum air outflow at 0.5 bar differential pressure	
		Minimum air inflow at 0.2 bar differential pressure	
	for making it Tee key operated:		
	Pressure rating: Standard: Dimensions (mm): Bolt circle dia (mm):		
3.10.	Seat test pressure :	bars	
3.11	11 Body test pressure : bars		
3.12	12 Internal protective finish:		
3.13.	.13. External protective finish:		
3.14.	.14. Weight of the valve : kg		
3.15.	3.15. Packing and protection of valves in transit:		
3.16.	3.16. Reference of the catalogues, technical literature and drawings provided with the Bid:		

3.17	. Port of shipment:
3.18	. Time of delivery of valves at port of shipment:
3.19	. Name and Address of supplier's agent (if any) in Sri Lanka:
3.20	Deviations from specifications (if any):
4	CHECK VALVES
4.1	Country of Manufacture :
4.2	Manufacturer's name and Address:
4.3	Date of Manufacture:
4.4	Standard to which valves conform:
4.5	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories:
4.6	Is product conformity certificate from relevant Standard Institution provided to the Factory / factories :
4.7	Is this Vertical Installation or Horizontal Installation :
4.8	Is this non Slam:
4.9	Is this Spring loaded:
4.10	Material
	Valve body:
4.11	End Flanges
	Pressure rating:  Dimensions (mm):  Bolt circle dia (mm):  Standard:
4.12	. Face to face dimensions of the valve (mm) :

4.13.	Seat test pressure: bars
4.14.	Body test pressure bars
4.15.	Internal protective finish:
4.16.	External protective finish:
4.17.	Weight of the valve: Kg
4.18.	Packing and Protection of valves in transit:
4.19.	Reference of the catalogues, technical literature and drawings provided with the Bid:
4.20.	Port of shipment:
4.21.	Time of delivery of valves at port of shipment:
4.22.	Name and Address of supplier's agent (if any) in Sri Lanka:
4.23.	Deviations from specifications (if any):
5.	PRESSURE REDUCING VALVES
5.1	Country of Manufacture :
5.2	Manufacturers' Name and Address:
<i>5</i> 2	Deta of Manufactures
5.3	Date of Manufacture:
5.4	Is ISO 9001: 2015 Quality Management System provided to the factory/ factories:
5.5	Is product conformity certificate from relevant Standard Institution provided to the
	factory/ factories:
5.6	

	Spindle:
5.7	Length between flanges (mm):
5.8	End Flanges
	Pressure rating:  Dimensions (mm):  Bolt circle dia (mm):  Standard:
5.9	Minimum running pressure difference: bars
5.10	Minimum control pressure bars
5.11	Internal protective finish:
5.12	External protective finish:
5.13	Weight of the valve: kg
5.14	Packing and Protection of valves in transit:
5.15	Reference of the catalogues, technical literature and drawings provided with the Bid:
5.16	Port of shipment:
5.17	Time of delivery of valves at port of shipment:
5.18	Name and Address of supplier's agent (if any) in Sri Lanka:
5.19	Deviations from specifications (if any):
6.	PRESSURE SUSTAINING/RELIEF VALVES
6.1	Country of Manufacture :
6.2 Ma	anufacturer's name and Address:
6.3 Da	te of Manufacture:
6.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
6.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories:

6.6 M	[aterial
	Main valve:
	Body:
	Internal valve:
	indicator rod
	Relay Valve
	Body:
	Spindle:
	Diaphragm:
	Spring:
6.7	Length between flanges (mm):
6.8	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
	Standard:
6.9	Internal protective finish:
6.10	External protective finish:
6.11	Weight of the valve: kg
6.12	Packing and Protection of valves in transit:
6.13	Reference of the catalogues, technical literature and drawings provided with the Bid:
6.14	Port of shipment:
6.15	Time of delivery of valves at port of shipment:
6.16	Name and Address of supplier's agent (if any) in Sri Lanka:
6.17	Deviations from specifications (if any):

DPC: PPC: RPC - January 2012 - Version 1

7.	FLOW CONTROL VALVES				
7.1	Country of Manufacture :				
7.2	Manufacturer's name and Address:				
7.3	Date of Manufacture:				
7.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories:				
7.5	Is Product Conformity Certificate from relevant Standard Institution provided to the factory/ factories:				
7.6	Material  Main valve:  Body:  Internal valve:  Indicator rod:				
7.7	Relay Valve  Body: Spindle: Diaphragm: Spring: Length between flanges (mm):				
7.8	End Flanges Pressure rating: Dimensions (mm): Bolt circle dia (mm): Standard:				
7.9	Minimum flow:				
7.10	Constant flow:				
7.11	Internal protective finish:				
7.12	External protective finish:				
7.13	Weight of the valve: kg				
7.14	Packing and Protection of valves in transit:				
7.15	Reference of the catalogues, technical literature and drawings provided with the Bid:				
7.16	Port of shipment:				

7.17	Time of delivery of valves at port of shipment:
7.18	Name and Address of supplier's agent (if any) in Sri Lanka:
7.19	Deviations from specifications (if any):
8.	ALTITUDE VALVES
8.1.	Country of Manufacture :
8.2.	Manufacturer's name and Address:
8.3.	Date of Manufacture:
8.4.	Is ISO 9001: 2015 Quality Management System provided to the factory/ factories
8.5	Is Product Conformity Certificate from relevant Standard Institution provided to the factory/ factories
8.6	Material  Main valve:  Body:  Internal valve:  Indicator rod:
	Relay Valve Body: Spindle: Diaphragm: Spring:
8.7	Length between flanges (mm):
8.8	End Flanges Pressure rating: Dimensions (mm): Bolt circle dia (mm): Standard:
8.9	Minimum head required at valve inlet:
8.10	Internal protective finish:
8.11	External protective finish:

8.12	Weight of the valve: kg
8.13	Packing and Protection of valves in transit:
8.14	Reference of the catalogues, technical literature and drawings provided with the Bid:
8.15	Port of shipment:
8.16	Time of delivery of valves at port of shipment:
8.17	Name and Address of supplier's agent (if any) in Sri Lanka:
8.18	Deviations from specifications (if any):
9.	BALL FLOAT VALVES
9.1	Country of Manufacture :
9.2.	Manufacturer's name and address:
9.3.	Date of Manufacture:
9.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
9.5.	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories
9.6	Body test pressure:
9.7	End Flanges
	Pressure rating:
	Dimensions (mm):
	Bolt circle dia (mm):
	Standard:
9.8	Material
	Valve Body:
	Float:

	Lever and links:				
9.9	Body test pressure: bars				
9.10	Close assembly test pressure bars				
9.11	Weight of the valve: kg				
9.12	Packing and Protection of valves in transit:				
9.13	Reference of the catalogues, technical literature and drawings provided with the Bid:				
9.14	Port of shipment:				
9.15	Time of delivery of valves at port of shipment:				
9.16	Name and Address of supplier's agent (if any) in Sri Lanka:				
9.17	Deviations from specifications (if any):				
10.	FLAP VALVES				
10.1	Country of Manufacture :				
10.2	Manufacturer's name and Address:				
10.3	Date of Manufacture:				
10.4	Is ISO 9001: 2015 Quality Management System provided to the factory/ factories				
10.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories				
10.6	Material				
	Frame and door:				
	Sealing:				
	Hinge pin:				
	Links:				
10.7	Flanges				
	Pressure rating:				

	Dimensions (mm):
	Bolt circle dia (mm):
	Standard:
10.8	Weight of the valve: kg
10.9	Packing and Protection of valves in transit:
10.10	Reference of the catalogues, technical literature and drawings provided with the Bid:
10.11	Port of shipment:
10.12	Time of delivery of valves at port of shipment:
10.13	Name and Address of supplier's agent (if any) in Sri Lanka:
10.14	Deviations from specifications (if any)
11.	FIRE HYDRANTS
11.1	Is this Pillar type or Underground type:
11.1.1	Screw down type
11.1.2	Country of Origin:
11.1.3	Manufacturer's name and Address:
11.1.4.	Is ISO 9001: 2015 Quality Management System provided to the factory/ factories
11.1.5.	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories
11.1.6.	Date of Manufacture:
11.1.7.	Standard to which it conform:
11.1.8.	Inlet Flanges
	Pressure rating:  Dimensions (mm):  Bolt circle dia(mm):  Standard:  Standard of facing and drilling:

11.1.9	The direction of closing of the hydrant valve:
11.1.10	Body test pressure: bars
11.1.11	Valve and seat test pressure : bars
11.1.12	. Internal protective finish:
11.1.13	. External protective finish:
11.1.14	. Weight of the hydrant: kg
11.1.15	. Packing and protection of hydrants in transit:
11.1.16	. Reference of the catalogues, technical literature and drawings provided with the Bid:
11 1 17	Time of delivery of hydrents at port of chinment:
	. Time of delivery of hydrants at port of shipment:
11.1.18	Name and address of supplier's agent (if any) in Sri Lanka:
11.1.19	. Deviations from specifications (if any):
11.2.	Dry Barrel Type
11.2.1	Country of Manufacture :
11.2.2	Manufacturer's name and Address:
11.2.3	Date of Manufacture:
11.2.4	Is ISO 9001 : 2015 Quality Management System provided to the factory/ factories
11.2.5	Is product conformity certificate from relevant Standard Institution provided to the factory/ factories
11.2.6.	Standard to which it conform:
11.2.7.	Burried length of hydrant: m
11.2.8.	Number of outlet nozzles nominal diameter and standard:
	No. of outlet nozzles:  Nominal diameter (mm):  Standard:
	Inlet Flange Pressure rating:

	Dimensions (mm): Bolt circle dia(mm): Standard:				
11.2.1	0. Material, Hardnes	s range and st	andard		
	Mate	rial	Haro	lness range	Standard
	Gaskets:				
	Nuts and Bolts:				
11.2.1	1 The direction of clo	osing of the hy	drant valve:		
11.2.1	2 Colour of the finish	paint above g	ground line:		
11.2.1	3 Weight of the hydra	ant:	kg	;	
11.2.1	4 Packing and protect	tion of hydran	ts in transit:		
11.2.1	5 Reference of the ca	atalogues, tech	nnical literature	and drawings p	rovided with the tender:
11.2.1	6 Port of shipment:				
11.2.1	7. Time of delivery of	f hydrants at p	ort of shipment	:	
11.2.1	8. Name and address	of supplier's	agent (if any) in	n Sri Lanka:	
11.2.1	9. Deviations from s	pecifications (	if any):		
12.	SURFACE BOXES	S AND MAN	HOLE COVEI	RS	
12.1	Country of Manufac	ture :			
12.2	Manufacturer's nam	e and Address	s :		
12.3	Material:				
12.4	Class, Make, Standa	ard and Date o	f Manufacture		
		Class	Make	Standard	Date of Manufacture
	Manhole Covers:				
	Surface Boxes:				
12.5	Coating:				

NWSDB/SBD/SUP/DI Valves/LC - Schedule of Particulars

DPC: PPC: RPC - January 2012 - Version 1 7-16

12.6	Lifting arrangements:	
	Manhole Covers :	
	Surface Boxes:	
12.7	Name and Address of Supplier's agent (if any) in Sri Lanka:	
12.8	Port of Shipment:	
12.9	Time of Delivery of Material at port of shipment:	
12.10	Deviations from Specification (if any):	
I/We certify that the details given above are true and the Goods supplied under this Contrac comply with above.		
	Signature of the Supplier	

Note: Copies of the relevant standards used for Valves, Fire Hydrants, Manhole Covers and Surface Boxes should be forwarded along with the offer.

DPC : PPC : RPC - January 2012 - Version 1 7-17 Revised on 31-07-2013

8.	DEVIATION FROM SPECIFICATION	

#### **DEVIATIONS FROM SPECIFICATIONS**

#### **Preamble**

The Bidder is required to list any deviations of materials workmanship etc. from the Specifications including such information as has already been given elsewhere in the Bidding Documents. The information shall be in sufficient detail to enable the Engineer to make a realistic assessment of the effect of such deviations on the performance or life of the materials to be supplied and also such deviation if any shall be subject to Clause 24 of Instructions to Bidders.

The list shall also include deviations from the Specifications relating to the mode of operation and/or control of any item of equipment, and any deviations from the specified design requirements for plant components.

#### **Deviations**

Note:

Additional sheets should be attached as necessary

9. KEY FEATURES OF SPECIFICATI	ONS

#### **KEY FEATURES OF SPECIFICATIONS**

Some of the salient features of the specifications are summarized below to furnish a quick reference. The Bidders are under obligations to refer the whole of the specifications in their entirety prior to perfecting their bidding documents, and will be deemed to have done so during the bidding stage.

Feature	Description	Standard of Conformity
The material for Joint Rings	EPDM/SBR	EN 681-1:1996
The dual hardness of rings		
<ul> <li>Heal of the ring</li> </ul>	76-84 1RHD	EN 681-1: 1996
Bulb of the ring	46-55 1RHD	EN 681-1:1996
The material for Gasket and Hardness Range	EPDM/SBR, 76-84 1RHD	EN 681-1 : 1996
The material for Nuts, Bolts and washers	High Tensile Steel	EN 14399 : Part 1 And 2: 2005
The material for valve Body	Ductile Iron	EN 1563 : 2011
	Cast Iron	
Sluice Valves		
• Up to 600 mm	Shall comply with	BS 5163 : 2004
• Above 600 mm	Shall comply with	EN 1171 : 2002
Butterfly Valves	Shall comply with	EN 593 : 2004
Check valves	Shall comply with	EN 12334 : 2001
Fire Hydrants		
Screwdown Type	Shall comply with	BS 750 : 2006 (type 2)
Dry barrel Type	Shall comply with	AWWA C 502-80
Surface Boxes		
Material	Ductile Iron	BS 5834 : Part 2 : 2011
Grade	Heavy duty	
Manhole covers and frames		
Material	Ductile Iron	EN 124 : 1994
• Class		

NWSDB/SBD/SUP/DI Valves/LC - Key Features DPC: PPC: RPC - January 2012 - Version 1

# 10. BILLS OF QUANTITIES

- \* PREAMBLE NOTES ON PRICING
- \* BILLS OF QUANTITES
- \* SUMMARY OF BILLS

#### PREAMBLE NOTES ON PRICING

#### 1. **General**

1.1 The bidder's attention is specifically directed to the Form of Bid, Instructions to Bidders, Conditions of Contract, Contract Data, Delivery Schedule, Schedule of Particulars and Specifications which are to be read in conjunction with the Bills of Quantities. The following notes are given to assist in pricing the Bills of Quantities and enable the supplier to arrive at the total Bid Price. The Bidder shall insert rates and prices for the supply and delivery of **DI valves** in strict accordance with the specifications.

#### 2. **Description of Items**

2.1 Descriptions attached to the items in the Bills of Quantities are only in sufficient detail to ensure identification of the work described in the specification.

#### 3. Rates and prices

- 3.1 In pricing the items of the Bills of Quantities, the bidder shall cover himself and will be deemed to have covered himself for:
  - a) All services and materials which according to the true intent and meaning of the contract may be reasonably inferred as necessary for completion of delivery of the materials in sound condition to the Stores which is specified in Contract data.
  - b) All the duties, obligations, liabilities and responsibilities which the Contract documents place upon the bidders in connection with or in relation to the Contract.
- 3.2 The bidder shall include in his bid price, unless itemised separately for;
  - a) All services and goods which according to the true intent and meaning of the contract may be reasonably inferred as necessary for completion of delivery of the goods in sound condition to the Stores which is specified in Contract data.
  - b) All the duties, obligations, liabilities and responsibilities which the Contract documents place upon the bidders in connection with or in relation to the Contract.
  - c) All costs arising out of inspection testing, packing, transportation, clearing, loading, unloading, stacking, shipping line charges, warehouse rent, port chargers, any demurrages, cost of insurance from the manufacturer's plant to the purchaser's stores, Agents Commission if any and other minor expenses and charges to complete the supply of pipes, fittings, rubber rings and other materials in the conformity to bidding document.

NWSDB/SBD/SUP/DI Valves/LC - Bill of Quantities DPC: PPC: RPC - January 2012 - Version 1

- d) Cost of accessories not specifically listed, but necessary for proper completion.
- (e) Prices charged by the Supplier for the preceding incidental services shall be included in the contract price for the Goods.
- (f) Any taxes as stated in the Clause 33 of General Conditions of Contract.

#### 4. <u>Schedule of Particulars</u>

- a) The bidders are necessarily be required to complete fully the schedule of particulars given in the Bidding document for pipes, fittings and specials;
- b) where catalogues, technical literature and drawings accompanying the bid, their references should be quoted in the Schedule of Particulars;
- c) Where the bidder's specification is not conforming to the minimum specification, the offer will not be accepted;
- d) If the Bidder submit alternative offers (if allowed), conforming to specifications, a set of schedule of particulars are to be completed in respect of each alternative offer.
- 5. A rate and/or price is to be entered against each item in the Bills of Quantities whether quantities are stated or not. If a bidder does not quote for a item of a bill, the particular bill shall be considered as incomplete and that bill shall not be taken for evaluation.
- 6. The Bills of Quantities contains metric sized pipes and fittings only.
- 7. The bidder shall include in the unit price for DI pipes, fittings, specials, accessories and DI valves and the cost of all materials required for jointing of pipes, (Rubber rings, lubricant, bolts and nuts and gaskets for flanged fittings etc.) <u>unless separate</u> items are provided.
- 8. All loose items such as nuts, bolts, washers and rubber rings shall be separately packed in accordance with the relevant sub-section in the Bills of Quantities with a maximum weight of 100 kg.
- 9. The rates and/or prices entered against items in the Bills of quantities shall be excluding the VAT as the VAT is considered separately.

NWSDB/SBD/SUP/DI Valves/LC - Bill of Quantities DPC: PPC: RPC - January 2012 - Version 1

#### SUPPLY OF DI PIPES, FITTINGS, SPECIALS FOR ...... WATER SUPPLY SCHEME CONTRACT No. .....

Bill No. 01 - Supply of DI Valves, Accessories, Manhole Covers & Surface Boxes

1. All Valves shall be suitable for operation with a Valve Key unless otherwise stated. Note:

2. All Flanges shall be of PN 16

Item No.	Description	Qty.	Unit	Rate Rs.	Amount Rs.
	VALVES				
	Sluice Valves				
	DI Double Flanged Sluice Valves suitable for Valve Key Operation				
01	80 mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
02	100 mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars )		nr.		
03	150 mm dia (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
	DI Double Flanged Sluice Valves suitable for Valve Key Operation				
04	200 mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
05	250 mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
06	300 mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
07	mm dia. (depth of installation is m below G.L. and maximum unbalanced pressure is bars)		nr.		
	Total of page 10 - 3 carried to Summary in page 10				

10-3 NWSDB/SBD/SUP/DI Valves/LC - Bill of Quantities DPC: PPC: RPC - January 2012 - Version 1

Item No.	Description	Qty.	Unit	Rate Rs.	Amount Rs.
					•
	AIR VALVES				
18	25 mm dia. Single Orifice Screwed Down type Air Valve with Isolating Cock.		nr.		
	25 mm dia. Single Orifice Flanged type Air Valve complete with Isolating Cock, Gaskets, Nuts & Bolts to suit branch dia;				
19 20	80 mm branch dia. 100 mm branch dia.		nr. nr.		
	Double Orifice Flanged type Air Valve complete with Double Flanged Isolating Gate Valve (key operated), gaskets, nuts & bolts to suit branch dia.				
21	80 mm branch dia.		nr.		
22	100 mm branch dia.		nr.		
	Fire Hydrant Assemblies Screw Down type (Type 2 BS 750) for DI Pipes				
23	80 mm dia		nr.		
24 25	100 mm dia		nr. nr.		
26			nr.		
	Total of page 10 carried to Summary in page 10				
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1

Item No.	Description	Qty.	Unit	Rate Rs.	Amount Rs.
	A sufficient quantity of profiling mastic material, tape and primer compound for protecting all flanged joints and couplings described in Bill No. 01 (Catalogue or printed literature to be furnished with the offer to justify the quality and quantity of the product. A sample should be provided with the offer. Tape overlap shall be 55%.  (No of quantity calculation sheet for each dia. Joint shall be submitted)				
34 35 36 37 38 39 40 41	80 mm dia. (		Lump sum Lump sum Lump sum		
	Total of page 10 carried to Summary in page 10				

#### **SUMMARY OF BILL NO. 01**

	Amount
Page Number	Rs.
Page No. 10	
Page No. 10	
Page No. 10	
Total of Bill No 1 Carried to	
Summary in page 10 –	

#### **SUMMARY OF BIILS**

•••••	•••••		. WATER SUPPL	Y SCHEME
	CONTRAC	Т <b>NO</b>		

Bill No.	Description	Unit	Amount Rs.
01	Supply of DI Valves & Accessories	-	
	Sub Total	-	
	Less Discount (if any)	-	
	Cost of Independent Inspection Agency	Sum	
	Total of Bid carried to Form of Bid (excluding VAT) in page 3-1.	-	

VAT Registration Number:
(A copy of the VAT Registration Certificate shall be annexed.)
Note: - The NWSDB VAT Registration No: - 4090 31820 7000
Name of the Inspection Agency:

NWSDB/SBD/SUP/DI Valves/LC - Bill of Quantities DPC: PPC: RPC - January 2012 - Version 1

# 11. SPECIMEN FORMS

- CONTRACT AGREEMENT
- BID SECURITY
- PERFORMANCE BANK GUARANTEE
- ADVANCE PAYMENT SECURITY
- LETTER OF ACCEPTANCE

#### SPECIMEN FORM OF CONTRACT AGREEMENT

#### THE GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

# MINISTRY OF URBAN DEVELOPMENT, WATER SUPPLY AND HOUSING FACILITIES

#### NATIONAL WATER SUPPLY AND DRAINAGE BOARD

# SUPPLY AND DELIVERY OF DI VALVES, MANHOLE COVERS AND SURFACE BOXES FOR WATER SUPPLY SCHEME CONTRACT No.:

CONTRACT AGREEMENT
Contract Agreement made and entered into between the National Water Supply and Drainage Board, a corporate body duly established under the provisions of the National Water Supply and Drainage Board Law No. 2 of 1974 and having its Head Office at Ratmalana in Sri Lanka (hereinafter sometimes referred to as "the Board") of the one part and Messrs
incorporated under the laws of Democratic Socialist Republic of Sri Lanka and having registered its office at.
(hereinafter called "the Contractor" which term of expression shall where the context so requires or admits mean and include its successors and permitted assigns) of the other part.
WHEREAS the Board is desirous of entering into a contract with the Contractor for the supply and delivery of
in the Delivery Schedule and has accepted a Bid by the Contractor for the execution and completion of such works.
AND WHEREAS the Bills of Quantities or Schedule of Rates and Specifications and General Conditions of Contract describing the Works to be done have been prepared by the Board and the same have been signed by the parties hereto.
NOW it is hereby agreed as follows:
1. For the consideration hereinafter mentioned the Contractor shall, upon and subject to the conditions hereto annexed, complete the Works referred to in the said Bills of Quantities or Schedule of Rates and in the said specifications and Conditions of Contract to the entire satisfaction of the Board on or before

NWSDB/SBD/SUP/DI Valves/LC - Specimen Forms 11 - 1
DPC: PPC: RPC - January 2012 - Version 1 Revised on 20-07-2020

provided.

subject to extras, omissions and variations to be determined by the Engineer as hereinafter

2.	The said General Conditions of Contract, the said Specifications, the said Bills of
	Quantities or Schedule of Rates, (a detailed list whereof is annexed hereto),
	Instructions to Bidders, Contract Data, Bidding Data and Schedule of Particulars and
	Form of Bid, all duly signed by the Board and the Contractor shall for all purposes
	where so ever be read, regarded and construed as part and parcel of the Agreement.

The Contractor will be neid for the said execution of the Wester the sum of Commence

	(in w
	(in figures)an
	(in w
Rs	(in figures) herein
sometimes referred to as the "Contract P payable hereunder according to the term	Price" or such other sum as shall be s of the Contract.

- 5. The following terms used in this Agreement and or in the Specifications shall be understood as having the meanings hereby ascribed to them, namely;
  - a "The Procurement Committee" shall mean the Procurement Committee appointed for the purpose of determining the Bid.
  - b "The Contractor" or "The Supplier" shall mean the person or persons, firm or firms, company or companies who have contracted for the supply and delivery of the materials and equipment herein specified and includes its successors and permitted assigns.
  - c "The Chairman" shall mean the officer for the time being holding the office of or acting as the Chairman, National Water Supply and Drainage Board.
  - d "The Engineer" shall mean the Officer for the time being holding the Office of or acting as the General Manager, National Water Supply and Drainage Board.
  - e "The Engineer's Representative" shall mean the authorised Representative of the Engineer immediately responsible for the supervision of the Works or any other person appointed from time to time by the Engineer to act as Engineer and notified in writing to the Contractor.

NWSDB/SBD/SUP/DI Valves/LC - Specimen Forms DPC: PPC: RPC - January 2012 - Version 1

- f "The Government" shall mean the Government of the Democratic Socialist Republic of Sri Lanka.
- g "The Purchaser" or "The Board" or "the Employer" shall mean the National Water Supply and Drainage Board.
- h "Months" shall mean calendar months.
- "The Contract Documents" shall mean the Instructions to Bidders, Contract Data, Bidding Data, Schedule of Particulars, the General Conditions of Contract, the Form of Bid, the Specifications, Bills of Quantities, Addenda, Articles of Agreement and their annexures, Securities and Guarantees, Appendices.
- j "The Contract Price" shall mean the sum stated in the Letter of Acceptance payable to the Contractor for the supply of Goods and Services in accordance with the provisions of the Contract.
- k "The Works" shall mean the supply and delivery of Goods and the Services.
- 1 "Variation" shall mean any alteration of the description of any item in the Bills of Quantities or of the Specifications which in the opinion of the Engineer, is required for the perfect completion of the works outlined in the Agreement.
- m "Rs. or SL Rs.or LKR" shall mean Sri Lanka Rupees.

IN WITNESS WHEREOF the parties hereto have set their hands and seal to these presents at the places and dates hereinafter mentioned.

Signed b	v the said								
						)National			
Drainage	Board,	(Insert	relevant	RSC	or Proje	ect Addres.	s) Sri	Lanka	and
			Board N	<b>M</b> ember	of the Nat	tional Water	Supply	and Drai	nage
Board	(Insert	relevant	RSC	or	Project	Address)	Sri	Lanka	at
					on the				
day of							Two T	housand	and
			in the	presenc	e of the fol	llowing Witn	esses.		
Chairman	n(NWSDB)	)/ DGM (.			)/PD (		)		
Board Me	ember								

NWSDB/SBD/SUP/DI Valves/LC - Specimen Forms DPC: PPC: RPC - January 2012 - Version 1

## NATIONAL WATER SUPPLY AND DRAINAGE BOARD

## WITNESSES

Signature 1:		Signature 2 :	
Name	<b></b>	Name :	
Address		Address	
Capacity		Capacity	
•			in the Capacity of
			(name of the company) at
and	da i	y ofn the presence of	Two Thousand of the following Witnesses.
		;	Signature of Contractor
WITNESSI	ES		
Signature1	·	Signature 2	:
Name	:	Name	:
Address		Address	
Capacity		Capacity	

# FORM OF BID SECURITY

[issuing agency's name, and address of issuing branch or office]
Beneficiary : Chairman National Water Supply and Drainage Board Galle Road, Ratmalana
Date BID SECURITY No :
We have been informed that
.[name of contract] under Contract No.
Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Security.
At the request of the Bidder, we
is in breach of its obligation (s) under the bid conditions, because of the Bidder:
<ul> <li>(a). has withdrawn its Bid during the period of bid validity specified; or</li> <li>(b). does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB") or</li> <li>(c). having been notified of the acceptance of its Bid by the Employer/ Purchaser during the period of Bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB.</li> </ul>
This Security shall expire: (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the Bidder and of the Performance Security issued to you by the Bidder, or (b) if the Bidder is not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder that the Bidder was unsuccessful, otherwise it will remain in force up to
Consequently, any demand of payment under this Security must be received by us the office on or before that date
[Signature (s) of authorized representative (s)]

NWSDB/SBD/SUP/DI Valves/LC - Specimen Forms DPC : PPC : RPC - January 2012 - Version 1

# FORM OF PERFORMANCE SECURITY (Unconditional)

[ Issuing Agency's Name and Address of issuing Branch or Office]
Beneficiary : Chairman National Water Supply and Drainage Board Galle Road, Ratmalana
Date
PERFORMANCE SECURITY No.:
We have been informed that  [name of Contractor/Supplier] (hereinafter called "the Contractor") has entered int  Contract No
[name of contract and brief description of Works] (hereinafter called "the Contract").
Furthermore, we understand that according to the conditions of the Contract, a performanc security is required.
At the request of the Contractor, we
sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation (s) under the Contract without your needing to prove or to show grounds for your demand or the sums specification.
This shall expire, no later than the
[Signature (s)]
Signature and seal of the guarantor

NWSDB/SBD/SUP/DI Valves/LC - Specimen Forms DPC: PPC: RPC - January 2012 - Version 1

## FORM OF ADVANCE PAYMENT SECURITY

[ Issuing Agency's Name and Address of issuing Branch or Office]
Beneficiary : Chairman National Water Supply and Drainage Board Galle Road,Ratmalana Date
ADVANCE PAYMENT SECURITY No.
We have been informed that  [name of Contractor/Supplier] (hereinafter called "the Contractor" ) has entered in to Contract No.  [name of Contract and with you, for the Supply of Iname of Contract and brief description] (hereinafter called "the Contract").
Furthermore, we understand that according to the conditions of Contract an advance paymen in the sum  [amount in figures] [amount in words] is to be made against an advance payment security.
At the request of the Contractor, we  [issuing agency] hereby irrevocably undertake to pay you any sum or sums not exceeding ir total and amount of
The maximum amount of this security shall be progressively reduced by the amount of the advance payment repaid by the Contractor.
This security shall expire on [28 days beyond the Completion Date]
Consequently, any demand for payment under this security must be received by us at this office on or before that date.
[Signature (s) ]
Signature and seal of the guarantor
Name:

# Regd. Post

T&C/[Date]
M/s
Dear Sirs,
Tender for
Contract No.
LETTER OF ACCEPTANCE
We are pleased to inform you that your offer submitted on
(LKR) has been accepted.
<ul> <li>Applicable VAT will be payable on production of Tax Invoices. The Registered No. for NWSDB for VAT is 4090318207000.</li> </ul>
DI Pipes & Fittings should be from
Inspection and Testing of goods should be carried as per Clause 8 of General Conditions of Contract (Page 2-6 to 2-7) with respect to quantity, quality and loading prior to shipment and certificates should be forwarded to
All DI pipes & fittings under this contract should be delivered as per the delivery schedule attached herewith within months from the date hereof.

The liquidated damages for any delay beyond the above period shall be LKR...../= per shipment per day of delay.

Performance Security in the form of demand guarantee in the prescribed format (a copy annexed) from a recognized bank operating in Sri Lanka approved by the Central Bank of Sri Lanka for an amount of 10% of the total Contract Price valid for a period of 28 days beyond the contract period shall be submitted within 14 days from the date hereof. Performance Security shall be denominated in the currency of contract and proportionate to the each currency.

Please acknowledge receipt of this letter by return fax and make arrangements to sign the Agreement by prior appointment with the Asst. General Manager (Tenders & Contracts) within 28 days.

Engineers Representative of this contract is .....

Please contact Deputy General Manager (.....) on Tele No. ...... for further action on this contract.

Yours faithfully,

National Water Supply & Drainage Board

#### **General Manager**

Cc:	Secretary, Ministry of Urban Development, Water Supply and Housing Facilities
	Auditor General - Duplicate offer and a copy of the Tender Board Decision attached
	Commissioner of Inland Revenue

Addl. General Manager (.....)

Deputy General Manager (F/C)

Deputy General Manager (IA)


Deputy General Manager (.....)

Project Director (.....)

Chief Engineer (.....)

**Stores Copy** 

DPC : PPC : RPC - January 2012 - Version 1 11-9 Revised on 20-07-2020



#### APPENDIX 1- DETAILS OF SIMILAR SUPPLIES COMPLETED WITHIN THE LAST THREE YEARS AND ONGOING

Name and Address of Employer	Name and details of Contract	Value of Contract	Period of Contract	Remarks (Completed/ ongoing etc)	Value of work remaining incomplete

#### APPENDIX 2 - FINANCIAL STATEMENT

Summary of assets and liabilities based on the audited financial statements for the last three financial years (Current statement may be unaudited) together with the Financial Performance as indicated in the following schedule shall be submitted.

If the business has not been in operation for three years following schedule shall be submitted for the period that the business has been in operation together with the aforesaid financial statements.

Bidders whose financial capability is marginally less to undertake this bid may show credit facilities available to them from a Banks.

### Financial performance for the last 3 years

Year	XXXX	XXXX	xxxx
Turnover from Contracting			
Fixed Assets (FA)			
Current Assets (CA)			
Current Liabilities (CL)			
Long Term Liabilities (LL)			
Net Worth = Total Assets - Total Liabilities			
Current Ratio = Current Assets Current Liability			
Liquidity Ratio = Current Assets(except stock) Current Liability			
Gearing Ratio = <u>Debt Capital x 100</u> Total Capital Employed			
Turnover x 100 Total Operating Assets			
Net Profit x 100 Total Assets			

### APPENDIX 2A – AUTHORIZATION TO OBTAIN REFERENCES FROM BANKERS

#### BIDDER SHALL FILL THIS FORM AND PROVIDE WITH THE BID

				[Bidder's Name] [Address	7
Manager	[Address]	ink]			
We hereby Authorize Procurement Committee statues	e, to seek references of	s of Bank details in our	order to evalu	ate the financia	1
with thesubmitted by us.		[C	ontract Name]		
Yours faithfully,					
Authorized officer of the	e Bidder.				

Note: If there are more than one bank given, separate letters should be submitted for each Bank.

# APPENDIX 3 - MANUFACTURER'S WARRANTY FOR THE GOODS SUPPLIED UNDER THE CONTRACT

	[Address of the Manufacturer]
Chairman, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka,	
Supply & Delivery of DI Valves, Manhole CoveWater Supply Scheme	ers & Surface Boxes for
Contract No	
We,	_
the goods supplied under this contract are new, used and have incorporated all recent improvements material or workmanship from any act that may goods.	[address of manufacturer] warrant that unused, of the most recent or current models, and no defects arising out of the design,
If there is any defects during the warranty period Conditions of Contract, we shall attend to represent the reasonable speed without any cost to the Purchase	air or replace the defective goods with all
Authorised Officer of the Manufacturer.	Seal of the Company.
Name:	

## APPENDIX 4 - CONFIRMATION OF CAPABILITY OF PRODUCTION AND SUPPLY ACCORDING TO DELIVERY SCHEDULE.

	[Address of the Manufacturer]
Chairman, Procurement Committee,	
······,	
Bid for Supply & Delivery of DI Valves, Manhol	e Covers & Surface Boxes for
Water Supply Scheme	
Contract No	
We,	
manufacturer]confirm that we have sufficient pro	duction capacity to produce the quantity of
DI/CI Valves, Manhole Covers & Surface Boxes	submitted in our bid and shall deliver them
according to the delivery schedule indicated in the	bid.
Authorised Officer of the Manufacturer.	Seal of the Company.
Name :	

### APPENDIX 5 - MANUFACTURER'S AUTHORIZATION TO SIGN THE CONTRACT/BID

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The bidder shall include it in its bid].

Date: [insert date (as day, month and year) of Bid Submission]  No.: [insert contract number]			
To: Chairman, Procurement Committee,			
······································			
Bid for Supply & Delivery of DI Valves, Manhole Covers & Surface Boxes forWater Supply Scheme			
Contract No			
We			
authorize			
We hereby extend our full guarantee and warranty in accordance with Clause 15 of the General Conditions of Contract, with respect to the Goods offered by the above firm.			
Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]			
Name:[insert complete name(s) og authorized representative(s) of the Manufacturer]			
Title: [insert title]			
Duly authorized to sign this Contract on behalf of:			
Dated on			

### APPENDIX 6 - CONTRACTOR'S AUTHORIZATION TO SIGN THE BID/CONTRACT

[The Bidder shall require to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letter head of the Bidder and should be signed by a person with the proper authority to sign documents that are binding on the Bidder. The bidder shall include it in its bid].

Date: [insert date (as day, month and year) of Bid Submission]

No.: [insert contract number]

To:	Chairman, Procurement Committee,
10.	,
	or Supply & Delivery of DI Valves, Manhole Covers & Surface Boxes forWater Supply Scheme
	ract No
autho	
Speci	men Signature
_	d:[insert signature(s) of authorized representative(s) Bidder]
	e:
Title	:[insert title]
	authorized to sign this Authorization on behalf of:
	is to certify that the seal and signatures of legal representative and authorized person ed to power of attorney attached hereto are found to be authentic.
Signa	ture of Attorney at Law
Seal of	of Attorney at Law

## APPENDIX 7 - TOR FOR INDEPENDENT INSPECTION AGENCY AND SPECIMEN CERTIFICATE

	Activity	Test performed	Results	Acceptability as per specification
1.	GATE/SLUICE VALVES			, p
1.1	Performance test –			
a)	Operate Fully Closed to Fully Open – times			
b)	Operate Fully open to Fully close – times			
1.2	Leakage test for internal pressure			
1.3	Material			
	Body			
	Spindle			
	Metal faces and seal			
1.4	Length between flanges			
1.5	End flanges -			
	Pressure Rating			
	Dimensions			
	Bolt Circle dia			
1.6	Gear Ratio			
	Unbalanced head			
	Seat test pressure			
	Body test pressure			
1.7	Internal protection coating			
1.8	External protective finish coating			
2	BUTTERFLY VALVES			
2.1	Performance test –			
a)	Operate Fully Closed to Fully Open – times			
b)	Operate Fully open to Fully close – times			
2.2	Leakage test for internal pressure			
2.3	Leakage test for external pressure			
2.4	Hydrostatic test			
2.5	Seat tightness test			
2.7	Material			
	Valve body			
	Valve disc			
	Valve seat			

Shaft

Shaft seals

- 2.8 Face to face dimensions of the valves
- 2.9 End Flanges

Pressure rating

**Dimensions** 

Bolt circle dia

2.10 Gear ratio of gearing

Unbalanced head

Seat test pressure

Body test pressure

2.11 Internal protective finish:

Material

Thickness

2.12 External protective finish:

Material

Thickness

#### 3. AIR VALVES

- 3.1. Performance test –
- a) Operate Fully Closed to Fully Open times
- b) Operate Fully open to Fully close times
- 3.2. Body strength test
- 3.3. Leakage test
- 3.4. Material of Ball (Stainless Steel or Plastic)
- 3.5. Flanges (if applicable)

Pressure rating

**Standard Dimensions** 

Bolt circle dia

- 3.6 Seat test pressure
- 3.7 Body test pressure
- 3.8 Internal protective finish
- 3.9. External protective finish

#### 4 CHECK VALVES

- 4.1. Performance test –
- a) Operate Fully Closed to Fully Open times
- b) Operate Fully open to Fully close times

4.2 Is this non Slam 4.3 Is this Spring loaded 4.4 Material Valve body Hinge pin and bushes Disc Disc encapsulating material 4.5. End Flanges Pressure rating **Dimensions** Bolt circle dia 4.6. Face to face dimensions of the valve 4.7. Seat test pressure 4.8. Body test pressure 4.9. Internal protective finish 4.10. External protective finish 5. PRESSURE REDUCING VALVES 5.1 Material Main valve **Body** Internal valve Indicator rod Relay Valve Body Spindle Diaphragm. Spring 5.2 Length between flanges 5.3 **End Flanges** Pressure rating **Dimensions** Bolt circle dia 5.4 Minimum running pressure difference 5.5 Minimum control pressure 5.6 Internal protective finish 5.7 External protective finish

### 6. **PRESSURE** SUSTAINING/RELIEF **VALVES** 6.1 Material Main valve Body Internal valve Indicator rod Relay Valve Body Spindle Diaphragm Spring 6.2. Length between flanges 6.3 End Flanges Pressure rating **Dimensions** Bolt circle dia 6.4 Internal protective finish 6.5 External protective finish 7. FLOW CONTROL VALVES 7.1 Material Main valve **Body** Internal valve Indicator rod Relay Valve Body Spindle Diaphragm Spring 7.2. Length between flanges 7.3. **End Flanges** Pressure rating **Dimensions** Bolt circle dia 7.4. Minimum flow

Constant flow

7.5.

7.6.	Internal protective finish		
7.7.	External protective finish		
8.	ALTITUDE VALVES		
8.1.	Material		
	Main valve		
	Body		
	Internal valve		
	Indicator rod		
	Relay Valve		
	Body		
	Spindle		
	Diaphragm		
	Spring		
8.2	Length between flanges		
8.3	End Flanges		
	Pressure rating		
	Dimensions		
	Bolt circle dia		
8.4.	Internal protective finish		
8.5.	External protective finish		
9.	BALL FLOAT VALVES		
9.1.	Body test pressure		
9.2	End Flanges		
	Pressure rating		
	Dimensions		
	Bolt circle dia		
9.3	Material		
	Valve Body		
	Float		
	Lever and links		
9.4	Body test pressure		
9.5	Close assembly test pressure		
10.	FLAP VALVES		
10.11	Material		
	Frame and door		
	Sealing		
	=	]	I

Hinge pin Links  10.2Flanges Pressure rating Dimensions Bolt circle dia  11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia  11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.1.5. External protective finish 11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material 12.2 Class		
10.2Flanges Pressure rating Dimensions Bolt circle dia  11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia  11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.1.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material		
Pressure rating Dimensions Bolt circle dia  11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia  11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.1.1 No. of outlet nozzles 11.2.2 Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material		
Dimensions Bolt circle dia  11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia 11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5 External protective finish 11.1.0 Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2 Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material		
Bolt circle dia  11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia 11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material	_	
11. FIRE HYDRANTS  11.1 Screw Down Type 11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia 11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material	Dimensions	
11.1 Screw Down Type 11.1.1 Inlet Flanges Pressure rating Dimensions Bolt circle dia 11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4 Internal protective finish 11.1.5 External protective finish 11.1.1 No. of outlet nozzles 11.2.2 Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4 Material, Hardness range of Gaskets 11.2.5 Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material	Bolt circle dia	
11.1.1. Inlet Flanges Pressure rating Dimensions Bolt circle dia 11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish 11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS 12.1Material	11. FIRE HYDRANTS	
Pressure rating Dimensions Bolt circle dia  11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4 Internal protective finish 11.1.5 External protective finish  11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2 Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4 Material, Hardness range of Gaskets 11.2.5 Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.1 Screw Down Type	
Pressure rating Dimensions Bolt circle dia  11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4 Internal protective finish 11.1.5 External protective finish  11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2 Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4 Material, Hardness range of Gaskets 11.2.5 Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.1.1. Inlet Flanges	
Dimensions Bolt circle dia  11.1.2 Body test pressure  11.1.3 Valve and seat test pressure  11.1.4. Internal protective finish  11.1.5. External protective finish  11.2. Dry Barrel Type  11.2.1 No. of outlet nozzles  11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material		
11.1.2 Body test pressure 11.1.3 Valve and seat test pressure 11.1.4. Internal protective finish 11.1.5. External protective finish  11.2. Dry Barrel Type 11.2.1 No. of outlet nozzles 11.2.2. Nominal diameter 11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	Dimensions	
11.1.3 Valve and seat test pressure  11.1.4. Internal protective finish  11.1.5. External protective finish  11.2. Dry Barrel Type  11.2.1 No. of outlet nozzles  11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	Bolt circle dia	
11.1.3 Valve and seat test pressure  11.1.4. Internal protective finish  11.1.5. External protective finish  11.2. Dry Barrel Type  11.2.1 No. of outlet nozzles  11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.1.2 Body test pressure	
11.1.4. Internal protective finish  11.1.5. External protective finish  11.2. Dry Barrel Type  11.2.1 No. of outlet nozzles  11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	_	
11.1.5. External protective finish  11.2. Dry Barrel Type  11.2.1 No. of outlet nozzles  11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material		
11.2.1 No. of outlet nozzles  11.2.2 Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4 Material, Hardness range of Gaskets  11.2.5 Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material		
11.2.2. Nominal diameter  11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.2. Dry Barrel Type	
11.2.3 Inlet Flange Pressure rating Dimensions Bolt circle dia 11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.2.1 No. of outlet nozzles	
Pressure rating Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.2.2. Nominal diameter	
Dimensions Bolt circle dia  11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	11.2.3 Inlet Flange	
Bolt circle dia  11.2.4. Material, Hardness range of Gaskets  11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE  COVERS  12.1Material	Pressure rating	
11.2.4. Material, Hardness range of Gaskets 11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	Dimensions	
11.2.5. Material of Nuts and Bolts  12. SURFACE BOXES AND MANHOLE COVERS  12.1Material	Bolt circle dia	
12. SURFACE BOXES AND MANHOLE COVERS 12.1Material	11.2.4. Material, Hardness range of Gaskets	
COVERS 12.1Material	11.2.5. Material of Nuts and Bolts	
COVERS 12.1Material		
12.1Material		
	COVERS	
	12.1Material	
Manhole Covers	Manhole Covers	
Surface Boxes		
12.3. Coating		

	Activity	Test Performed	Results	Acceptability as per Specification
1.	Joint Rings/ Gaskets			
	1. Materials of Joint Ring/ Gasket			
	2. Manufacturing Standards of Joint Ring/ Gasket			
	3. Hardness of materials of Joint Ring/ Gasket.			
	4. Seal Type designation of Joint Ring/			
	Gasket Nuts & Bolts.			
	5. Materials of Nuts & Bolts Washers			
	6. Manufacturing Standard of Nuts & Bolts			
	7. Number of Washers/ Bolt.			

Inspected by	ː	
	Signature of Inspector Inspection Agency	
Name of the Inspector	:	Inspection Agency:
Designation	:	
Date	:	
Name of the Inspection A	gency	
	i	

## APPENDIX 8 - MANUFACTURER'S AWARENESS OF THE TOR FOR INDEPENDENT INSPECTION AGENCY

	[Address of the Manufacturer]	
To: Chairman,		
Procurement Committee,		
,		
Supply & Delivery of DI Valves, Manhole Cove	ers & Surface Boxes for	
Water Supply Scheme		
Contract No		
We,	[name of manufacturer] of	
	[address of	
manufacturer]confirm that we have noticed that	·	
a) Appendix 7 – TOR for Independent	ndent Inspection Agency	
b) Clause 8.1 of General Condition		
,		
Authorised Officer of the Manufacturer.	Seal of the Company.	
N		
Name:		

# APPENDIX 9 - CONFIRMATION OF SUPPLYING GOODS MANUFACTURED AT THE FACTORY QUOTED

[Thi	is form shall be filled on the letter head	of the pipe manufacturer's company]
Date	e :	
Chai	irman, Procurement Committee,	
	······,	
	oply & Delivery of DI Valves, Manhole	cheme
Con	ntract No	
We		(Name
	ddress of the DI pipe manufacturer) he	
1.		above contract shall be manuractured at the
2.	The Supply of Pipe Fittings for t manufacturing factory at	(Address of the manufacturing factory). the above contract shall be manufactured at the
3.	The Supply of Rubber Rings for the above contract shall be manufactured at the manufacturing factory at	
4.	The Supply of Couplings for the manufacturing factory at	(Address of the manufacturing factory).  e above contract shall be manufactured at the
5.		(Address of the manufacturing factory)  1 be manufactured at the manufacturing factory a
		(Address of the manufacturing factory).
Sign Chie	nature of the ef Executive Officer/ neral Manager of the manufacturer	Seal of the Company
	me:lress:	
The	above signed declare that the statement	t made above is true and correct in every detail.
	nature of the Attorney at Law	Seal of the Attorney
	me:lress:	

# APPENDIX 10 - MANUFACTURER'S GUARANTEE FOR THE REPLACEMENT OF UNACCEPTABLE GOODS SUPPLIED UNDER THE CONTRACT

	[Address of the Manufacturer]	
Chairman, National Water Supply and Drainage Board, Galle Road, Ratmalana, Sri Lanka,  Supply & Delivery of DI Valves, Manhole Cover  Water Supply Scheme  We,	rs & Surface Boxes for	
that we shall unconditionally undertake to replace this contract with no additional cost to the emproject.	[address of manufacturer] guarantee ce any unacceptable goods supplied under	
If any case we fail to replace the unacceptable generated balance 25% payment and encash the Performance NWSDB will immediately suspend issuing bidden shall be taken to blacklist us.	Formance Guarantee. We further aware that	
Authorised Officer of the Manufacturer  Name:	Seal of the Company	
1 (WILLY		

### APPENDIX 11 – AFFIDAVIT BY THE BIDDER

I of being a (Buddhist or any other religionist), do hereby solemnly sincerely and
truly declare and affirm as follows.
01. I am the Affirmant above named.
O2. I hereby declare that I have applied for the contract of National Water Supply and Drainage Board bearing No:
The foregoing affidavit having been read over and explained to the affirmant above named who having understood its nature content and context affirmed hereto and set his usual signature hereto in on this day of 20
Justice of the peace / Commissioner for oaths

### APPENDIX 13 - NWSDB PRE-QUALIFIED MANUFACTURERS AND THEIR PRE-QUALIFIED ITEMS

#### Note:

Pre-Qualified pipe manufacturer has been pre-qualified together with pipe fitting manufacturer and rubber ring manufacturer. Therefore, when selecting a pre-qualified pipe manufacturer, his relevant pipe fitting manufacturer and rubber ring manufacturer shall be selected.

When Bidding Document is prepared please include updated list of prequalified manufactures under this Appendix for

- PVC pipes, fittings & rubber rings
- PE pipes & fittings
- DI pipes, fittings & rubber rings
- DI Valves
- DI Manhole covers
- DI Couplings, Flange Adaptors, Stepped Couplings and Dismantling joints for DI. Asbestos, GRP, PE & PVC Connection

12- 19